

Data Trends in Dentistry

Dental Fees

Results from the 2016
Survey of Dental Fees



ADA Center for
Professional Success™



Health Policy Institute

ADA American Dental Association®

2016 Survey of Dental Fees
Table of Contents

General Practitioners

| | |
|---|----|
| National | 1 |
| New England (Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont) | 18 |
| Middle Atlantic (New Jersey, New York, Pennsylvania) | 24 |
| East North Central (Illinois, Indiana, Michigan, Ohio, Wisconsin) | 34 |
| West North Central (Iowa, Kansas, Minnesota, Missouri, Nebraska, North Dakota, South Dakota) | 46 |
| South Atlantic (Delaware, Florida, Georgia, Maryland, North Carolina, South Carolina, Virginia, Washington D.C., West Virginia) | 56 |
| East South Central (Alabama, Kentucky, Mississippi, Tennessee) | 68 |
| West South Central (Arkansas, Louisiana, Oklahoma, Texas) | 77 |
| Mountain (Arizona, Colorado, Idaho, Montana, Nevada, New Mexico, Utah, Wyoming) | 89 |
| Pacific (Alaska, California, Hawaii, Oregon, Washington) | 99 |

Specialists

| | |
|--|-----|
| Oral and Maxillofacial Surgeons | 113 |
| Endodontists | 117 |
| Orthodontists and Dentofacial Orthopedists | 121 |
| Pediatric Dentists | 122 |
| Periodontists | 127 |
| Prosthodontists | 132 |

Appendix

| | |
|-------------------------|-----|
| Methodology | 134 |
| Glossary | 136 |
| Survey Instrument | 138 |

Important Note: The survey data should not be interpreted as constituting a fee schedule in any way, and should not be used for that purpose. Dentists must establish their own fees based on their individual practice and market considerations. The American Dental Association discourages dentists from engaging in any unlawful concerted activity regarding fees or otherwise.

**2016 Survey of Dental Fees
General Practitioners - National**

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|--|----------------|-----------------------|-----------------|---------|-----------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D0120 | Periodic oral evaluation — established patient | 49.94 | 12.90 | 35 | 41 | 49 | 57 | 60 | 63 | 67 | 75 | 994 |
| D0140 | Limited oral evaluation - problem focused | 68.74 | 18.88 | 45 | 56 | 70 | 80 | 84 | 87 | 91 | 99 | 968 |
| D0145 | Oral evaluation for a patient under three years of age and counseling with primary caregiver | 59.68 | 19.22 | 35 | 45 | 59 | 74 | 75 | 80 | 83 | 90 | 572 |
| D0150 | Comprehensive oral evaluation — new or established patient | 79.89 | 22.46 | 51 | 65 | 80 | 93 | 96 | 100 | 106 | 120 | 969 |
| D0160 | Detailed and extensive oral evaluation — problem focused, by report | 111.40 | 54.48 | 48 | 73 | 108 | 150 | 160 | 170 | 180 | 203 | 636 |
| D0170 | Re-evaluation - limited, problem focused (established patient; not post-operative visit) | 58.05 | 26.70 | 23 | 44 | 62 | 75 | 79 | 82 | 88 | 98 | 611 |
| D0171 | Re-evaluation – post-operative office visit | 19.62 | 30.41 | 0 | 0 | 0 | 45 | 50 | 62 | 72 | 79 | 328 |
| D0180 | Comprehensive periodontal evaluation — new or established patient | 91.05 | 26.18 | 59 | 74 | 90 | 103 | 108 | 116 | 125 | 138 | 642 |
| D0190 | Screening of a patient | 61.86 | 35.79 | 25 | 37 | 52 | 81 | 90 | 95 | 104 | 145 | 131 |
| D0191 | Assessment of a patient | 59.57 | 32.44 | 25 | 35 | 50 | 84 | 88 | 95 | 102 | 120 | 131 |
| D0210 | Intraoral - complete series of radiographic images | 133.12 | 23.77 | 102 | 117 | 130 | 148 | 150 | 157 | 163 | 175 | 902 |
| D0220 | Intraoral - periapical first radiographic image | 28.39 | 7.16 | 20 | 24 | 28 | 32 | 34 | 35 | 37 | 40 | 984 |
| D0230 | Intraoral - periapical each additional radiographic image | 22.72 | 6.50 | 15 | 19 | 23 | 27 | 28 | 29 | 30 | 33 | 972 |
| D0251 | Extra-oral posterior dental radiographic image | 29.50 | 32.43 | 0 | 0 | 24 | 50 | 57 | 63 | 75 | 92 | 148 |
| D0272 | Bitewings - two radiographic images | 45.20 | 9.23 | 34 | 39 | 45 | 50 | 52 | 55 | 58 | 63 | 921 |
| D0273 | Bitewings - three radiographic images | 54.25 | 10.88 | 41 | 46 | 53 | 61 | 63 | 65 | 68 | 75 | 589 |
| D0274 | Bitewings - four radiographic images | 63.59 | 12.69 | 48 | 55 | 63 | 72 | 74 | 76 | 80 | 85 | 941 |

**2016 Survey of Dental Fees
General Practitioners - National**

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|---|----------------|-----------------------|-----------------|---------|-----------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D0277 | Vertical bitewings - 7 to 8 radiographic images | 96.26 | 21.88 | 70 | 81 | 95 | 108 | 110 | 118 | 126 | 138 | 448 |
| D0330 | Panoramic radiographic image | 112.91 | 20.58 | 86 | 99 | 110 | 125 | 129 | 133 | 140 | 150 | 763 |
| D0350 | 2D oral/facial photographic image obtained intra-orally or extra-orally | 50.77 | 35.32 | 0 | 25 | 55 | 75 | 77 | 81 | 91 | 103 | 366 |
| D0364 | Cone beam CT capture and interpretation with limited field of view — less than one whole jaw | 279.53 | 122.84 | 115 | 167 | 275 | 370 | 388 | 411 | 460 | 480 | 57 |
| D0365 | Cone beam CT capture and interpretation with field of view of one full dental arch — mandible | 311.73 | 110.61 | 160 | 218 | 320 | 384 | 394 | 426 | 471 | 500 | 52 |
| D0366 | Cone beam CT capture and interpretation with field of view of one full dental arch — maxilla, with or without cranium | 308.92 | 101.23 | 167 | 225 | 300 | 375 | 386 | 400 | 419 | 480 | 51 |
| D0367 | Cone beam CT capture and interpretation with field of view of both jaws, with or without cranium | 339.68 | 125.05 | 175 | 258 | 345 | 400 | 415 | 450 | 524 | 566 | 65 |
| D0417 | Collection and preparation of saliva sample for laboratory diagnostic testing | 142.15 | 84.08 | 50 | 60 | 150 | 208 | 215 | 235 | 260 | 277 | 67 |
| D0418 | Analysis of saliva sample | 137.81 | 64.14 | 50 | 75 | 158 | 177 | 180 | 184 | 197 | 204 | 62 |
| D0431 | Adjunctive pre-diagnostic test that aids in detection of mucosal abnormalities... | 61.09 | 26.80 | 25 | 40 | 65 | 76 | 81 | 85 | 94 | 101 | 167 |
| D0470 | Diagnostic casts | 102.50 | 34.16 | 60 | 77 | 100 | 123 | 130 | 139 | 150 | 160 | 686 |
| D0601 | Caries risk assessment and documentation, with a finding of low risk | 39.47 | 28.96 | 10 | 15 | 37 | 59 | 62 | 80 | 85 | 92 | 51 |
| D0602 | Caries risk assessment and documentation, with a finding of moderate risk | 39.45 | 27.17 | 10 | 15 | 45 | 56 | 60 | 80 | 80 | 89 | 51 |
| D0603 | Caries risk assessment and documentation, with a finding of high risk | 39.98 | 28.63 | 9 | 15 | 42 | 56 | 62 | 80 | 87 | 90 | 49 |
| D1110 | Prophylaxis - adult | 91.09 | 19.19 | 69 | 78 | 90 | 100 | 106 | 110 | 117 | 125 | 1002 |

**2016 Survey of Dental Fees
General Practitioners - National**

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|--|----------------|-----------------------|-----------------|---------|-----------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D1120 | Prophylaxis - child | 67.90 | 14.98 | 50 | 58 | 67 | 76 | 80 | 83 | 88 | 95 | 988 |
| D1206 | Topical application of fluoride varnish | 39.23 | 11.05 | 25 | 30 | 39 | 45 | 48 | 50 | 54 | 60 | 805 |
| D1208 | Topical application of fluoride – excluding varnish | 36.48 | 10.61 | 25 | 30 | 35 | 43 | 45 | 46 | 50 | 54 | 752 |
| D1320 | Tobacco counseling for the control and prevention of oral disease | 37.45 | 36.18 | 0 | 0 | 33 | 70 | 76 | 81 | 87 | 98 | 358 |
| D1330 | Oral hygiene instructions | 27.58 | 25.99 | 0 | 0 | 30 | 50 | 52 | 56 | 61 | 68 | 549 |
| D1351 | Sealant - per tooth | 52.72 | 12.12 | 38 | 45 | 52 | 60 | 61 | 65 | 68 | 75 | 928 |
| D1352 | Preventive resin restoration in a moderate to high caries risk patient — permanent tooth | 95.99 | 38.94 | 50 | 65 | 92 | 116 | 125 | 138 | 150 | 165 | 314 |
| D1354 | Interim caries arresting medicament application | 64.81 | 41.12 | 22 | 35 | 52 | 90 | 96 | 100 | 111 | 129 | 42 |
| D1510 | Space maintainer - fixed -unilateral | 306.84 | 64.68 | 225 | 261 | 305 | 348 | 355 | 371 | 393 | 415 | 634 |
| D1515 | Space maintainer - fixed -bilateral | 409.44 | 88.76 | 293 | 350 | 407 | 464 | 475 | 498 | 519 | 550 | 605 |
| D2140 | Amalgam - one surface, primary or permanent | 136.49 | 31.32 | 98 | 115 | 134 | 156 | 160 | 167 | 177 | 194 | 762 |
| D2150 | Amalgam - two surfaces, primary or permanent | 169.09 | 39.10 | 121 | 140 | 165 | 193 | 199 | 208 | 220 | 240 | 758 |
| D2160 | Amalgam - three surfaces, primary or permanent | 201.70 | 48.43 | 140 | 167 | 197 | 231 | 240 | 251 | 265 | 286 | 759 |
| D2161 | Amalgam - four or more surfaces, primary or permanent | 238.80 | 57.25 | 168 | 198 | 236 | 274 | 285 | 296 | 313 | 345 | 742 |
| D2330 | Resin-based composite - one surface, anterior | 160.07 | 35.65 | 117 | 135 | 156 | 181 | 187 | 196 | 208 | 225 | 958 |
| D2331 | Resin-based composite - two surfaces, anterior | 194.87 | 42.56 | 144 | 165 | 190 | 223 | 228 | 240 | 251 | 272 | 961 |
| D2332 | Resin-based composite - three surfaces, anterior | 234.35 | 51.55 | 170 | 198 | 230 | 268 | 276 | 289 | 300 | 325 | 955 |
| D2335 | Resin-based composite - four or more surfaces or involving incisal angle (anterior) | 287.07 | 67.50 | 200 | 240 | 284 | 329 | 340 | 350 | 375 | 409 | 947 |

**2016 Survey of Dental Fees
General Practitioners - National**

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|--|----------------|-----------------------|-----------------|---------|-----------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D2390 | Resin-based composite crown, anterior | 401.85 | 139.66 | 229 | 298 | 396 | 491 | 503 | 526 | 563 | 650 | 473 |
| D2391 | Resin-based composite - one surface, posterior | 174.83 | 37.16 | 130 | 148 | 173 | 198 | 203 | 212 | 225 | 241 | 915 |
| D2392 | Resin-based composite - two surfaces, posterior | 223.97 | 47.32 | 165 | 190 | 221 | 251 | 260 | 270 | 287 | 305 | 915 |
| D2393 | Resin-based composite - three surfaces, posterior | 273.61 | 61.25 | 195 | 230 | 270 | 309 | 320 | 334 | 355 | 386 | 917 |
| D2394 | Resin-based composite - four or more surfaces, posterior | 320.35 | 74.61 | 225 | 270 | 317 | 365 | 378 | 395 | 415 | 450 | 891 |
| D2520 | Inlay - metallic - two surfaces | 871.71 | 226.75 | 586 | 708 | 850 | 987 | 1,029 | 1,100 | 1,189 | 1,280 | 444 |
| D2543 | Onlay - metallic - three surfaces | 1,004.61 | 215.64 | 726 | 855 | 995 | 1,134 | 1,180 | 1,200 | 1,298 | 1,400 | 439 |
| D2620 | Inlay - porcelain/ceramic - two surfaces | 956.47 | 212.34 | 700 | 803 | 942 | 1,068 | 1,120 | 1,176 | 1,242 | 1,395 | 472 |
| D2642 | Onlay - porcelain/ceramic - two surfaces | 1,015.90 | 203.00 | 750 | 875 | 1,009 | 1,126 | 1,180 | 1,215 | 1,300 | 1,379 | 457 |
| D2643 | Onlay - porcelain/ceramic - three surfaces | 1,055.96 | 206.62 | 790 | 913 | 1,050 | 1,178 | 1,200 | 1,257 | 1,350 | 1,400 | 487 |
| D2644 | Onlay - porcelain/ceramic - four or more surfaces | 1,096.50 | 212.41 | 824 | 950 | 1,099 | 1,200 | 1,245 | 1,311 | 1,395 | 1,472 | 502 |
| D2651 | Inlay - resin-based composite - two surfaces | 863.60 | 227.80 | 577 | 700 | 853 | 997 | 1,037 | 1,098 | 1,180 | 1,298 | 299 |
| D2662 | Onlay - resin-based composite - two surfaces | 906.76 | 244.09 | 618 | 744 | 879 | 1,041 | 1,088 | 1,161 | 1,207 | 1,359 | 297 |
| D2663 | Onlay - resin-based composite - three surfaces | 949.29 | 229.81 | 662 | 790 | 925 | 1,100 | 1,148 | 1,194 | 1,254 | 1,350 | 307 |
| D2664 | Onlay - resin-based composite - four or more surfaces | 987.04 | 221.66 | 720 | 830 | 952 | 1,120 | 1,177 | 1,206 | 1,282 | 1,395 | 312 |
| D2710 | Crown - resin-based composite (indirect) | 779.03 | 303.76 | 358 | 526 | 800 | 986 | 1,029 | 1,091 | 1,158 | 1,298 | 385 |
| D2740 | Crown - porcelain/ceramic substrate | 1,135.89 | 197.44 | 900 | 990 | 1,105 | 1,249 | 1,295 | 1,341 | 1,395 | 1,500 | 875 |
| D2750 | Crown - porcelain fused to high noble metal | 1,121.27 | 192.50 | 900 | 975 | 1,100 | 1,236 | 1,275 | 1,320 | 1,387 | 1,486 | 863 |

**2016 Survey of Dental Fees
General Practitioners - National**

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|--|----------------|-----------------------|-----------------|---------|-----------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D2751 | Crown - porcelain fused to predominantly base metal | 1,041.23 | 180.71 | 825 | 914 | 1008 | 1160 | 1199 | 1236 | 1297 | 1377 | 545 |
| D2752 | Crown - porcelain fused to noble metal | 1,078.79 | 185.91 | 853 | 945 | 1050 | 1200 | 1231 | 1284 | 1350 | 1400 | 669 |
| D2780 | Crown - ¾ cast high noble metal | 1,115.20 | 189.39 | 875 | 977 | 1100 | 1226 | 1260 | 1326 | 1375 | 1450 | 406 |
| D2783 | Crown - ¾ porcelain/ceramic | 1,114.27 | 192.80 | 877 | 974 | 1102 | 1215 | 1253 | 1320 | 1360 | 1435 | 414 |
| D2790 | Crown - full cast high noble metal | 1,151.15 | 204.60 | 905 | 1000 | 1121 | 1273 | 1320 | 1365 | 1405 | 1516 | 773 |
| D2794 | Crown - titanium | 1,120.08 | 222.79 | 850 | 950 | 1100 | 1278 | 1,325 | 1,365 | 1,400 | 1,500 | 197 |
| D2799 | Provisional crown – further treatment or completion of diagnosis necessary prior to final impression | 343.59 | 160.03 | 130 | 250 | 353 | 450 | 472 | 493 | 528 | 587 | 567 |
| D2920 | Re-cement or re-bond crown | 104.15 | 27.42 | 73 | 85 | 100 | 121 | 125 | 130 | 140 | 154 | 895 |
| D2929 | Prefabricated porcelain/ceramic crown – primary tooth | 315.48 | 111.36 | 181 | 239 | 310 | 374 | 390 | 405 | 452 | 522 | 127 |
| D2930 | Prefabricated stainless steel crown - primary tooth | 262.67 | 62.98 | 182 | 218 | 259 | 300 | 310 | 324 | 349 | 371 | 643 |
| D2931 | Prefabricated stainless steel crown - permanent tooth | 312.46 | 70.55 | 230 | 262 | 302 | 354 | 368 | 380 | 402 | 441 | 571 |
| D2940 | Protective restoration | 112.88 | 33.35 | 75 | 88 | 109 | 134 | 139 | 149 | 155 | 175 | 687 |
| D2949 | Restorative foundation for an indirect restoration | 188.53 | 90.57 | 70 | 107 | 188 | 258 | 291 | 295 | 307 | 325 | 94 |
| D2950 | Core buildup, including any pins when required | 260.66 | 58.07 | 188 | 220 | 260 | 294 | 301 | 318 | 337 | 360 | 892 |
| D2952 | Post and core in addition to crown, indirectly fabricated | 393.33 | 95.54 | 271 | 325 | 392 | 450 | 466 | 486 | 511 | 566 | 706 |
| D2954 | Prefabricated post and core in addition to crown | 321.45 | 67.99 | 237 | 275 | 318 | 361 | 375 | 388 | 408 | 440 | 839 |
| D2961 | Labial veneer (resin laminate) - laboratory | 929.96 | 279.47 | 551 | 725 | 905 | 1100 | 1182 | 1208 | 1285 | 1400 | 445 |
| D2962 | Labial veneer (porcelain laminate) - laboratory | 1,128.44 | 223.80 | 851 | 963 | 1100 | 1253 | 1304 | 1375 | 1425 | 1536 | 805 |
| D2980 | Crown repair necessitated by restorative material failure | 247.60 | 97.22 | 130 | 171 | 245 | 306 | 322 | 350 | 378 | 422 | 502 |

**2016 Survey of Dental Fees
General Practitioners - National**

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|--|----------------|-----------------------|-----------------|---------|-----------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D2981 | Inlay repair necessitated by restorative material failure | 240.82 | 95.49 | 127 | 158 | 240 | 305 | 330 | 356 | 375 | 400 | 106 |
| D2982 | Onlay repair necessitated by restorative material failure | 253.29 | 99.41 | 139 | 170 | 250 | 315 | 345 | 367 | 390 | 421 | 109 |
| D2983 | Veneer repair necessitated by restorative material failure | 251.82 | 99.27 | 145 | 163 | 250 | 312 | 340 | 365 | 386 | 421 | 131 |
| D2990 | Resin infiltration of incipient smooth surface lesions | 130.68 | 70.66 | 53 | 75 | 125 | 173 | 177 | 188 | 200 | 300 | 99 |
| D3110 | Pulp cap - direct (excluding final restoration) | 79.08 | 25.48 | 50 | 60 | 76 | 93 | 98 | 101 | 110 | 125 | 695 |
| D3120 | Pulp cap - indirect (excluding final restoration) | 75.26 | 26.03 | 45 | 56 | 75 | 90 | 95 | 100 | 106 | 123 | 644 |
| D3220 | Therapeutic pulpotomy (excluding final restoration)... | 181.50 | 57.18 | 113 | 143 | 180 | 215 | 225 | 237 | 250 | 276 | 798 |
| D3221 | Pulpal debridement, primary and permanent teeth | 192.44 | 74.07 | 105 | 147 | 191 | 240 | 250 | 260 | 278 | 310 | 630 |
| D3222 | Partial pulpotomy for apexogenesis – permanent tooth with incomplete root development | 238.03 | 105.50 | 100 | 153 | 245 | 306 | 330 | 350 | 361 | 397 | 165 |
| D3230 | Pulpal therapy (resorbable filling) - anterior, primary tooth (excluding final restoration) | 233.17 | 76.91 | 135 | 179 | 227 | 281 | 296 | 305 | 327 | 356 | 361 |
| D3240 | Pulpal therapy (resorbable filling) - posterior, primary tooth (excluding final restoration) | 255.12 | 92.67 | 132 | 190 | 258 | 310 | 326 | 350 | 372 | 410 | 378 |
| D3310 | Endodontic therapy, anterior tooth (excluding final restoration) | 736.96 | 135.06 | 565 | 645 | 726 | 816 | 850 | 875 | 906 | 966 | 839 |
| D3320 | Endodontic therapy, bicuspid tooth (excluding final restoration) | 853.78 | 147.54 | 675 | 750 | 840 | 949 | 975 | 999 | 1046 | 1112 | 832 |
| D3330 | Endodontic therapy, molar (excluding final restoration) | 1,033.35 | 177.28 | 825 | 900 | 1013 | 1143 | 1182 | 1200 | 1263 | 1,350 | 816 |
| D3331 | Treatment of root canal obstruction; non-surgical access | 454.01 | 216.72 | 165 | 280 | 460 | 614 | 632 | 672 | 750 | 798 | 175 |

**2016 Survey of Dental Fees
General Practitioners - National**

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|--|-------------------|--------------------------|-----------------|------------|--------------|------------|------------|------------|------------|------------|---------------------|
| | | | | 10th \$ | 25th \$ | Median \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D3332 | Incomplete endodontic therapy; inoperable, unrestorable or fractured tooth | 348.65 | 174.14 | 0 | 250 | 385 | 476 | 500 | 525 | 548 | 582 | 351 |
| D3346 | Retreatment of previous root canal therapy — anterior | 846.60 | 181.56 | 606 | 718 | 841 | 952 | 982 | 1020 | 1075 | 1177 | 468 |
| D3347 | Retreatment of previous root canal therapy — bicuspid | 956.59 | 193.10 | 700 | 825 | 950 | 1072 | 1108 | 1165 | 1200 | 1276 | 454 |
| D3348 | Retreatment of previous root canal therapy — molar | 1,144.43 | 228.61 | 850 | 995 | 1143 | 1295 | 1326 | 1380 | 1438 | 1517 | 446 |
| D3351 | Apexification/recalcification - initial visit... | 331.26 | 103.53 | 198 | 255 | 330 | 398 | 420 | 432 | 453 | 496 | 260 |
| D3352 | Apexification/recalcification - interim medication replacement | 220.65 | 82.71 | 108 | 159 | 220 | 267 | 284 | 320 | 328 | 353 | 253 |
| D3353 | Apexification/recalcification — final visit... | 489.06 | 176.55 | 250 | 371 | 495 | 581 | 613 | 656 | 698 | 800 | 237 |
| D3355 | Pulpal regeneration – initial visit | 344.69 | 185.90 | 100 | 206 | 359 | 473 | 496 | 504 | 515 | 521 | 36 |
| D3356 | Pulpal regeneration – interim medication placement | 250.53 | 117.30 | 108 | 175 | 237 | 326 | 338 | 380 | 444 | 450 | 32 |
| D3410 | Apicoectomy/periradicular surgery - anterior | 669.02 | 191.04 | 400 | 533 | 674 | 792 | 826 | 875 | 930 | 985 | 315 |
| D3421 | Apicoectomy/periradicular surgery - bicuspid (first root) | 747.08 | 194.08 | 483 | 625 | 746 | 868 | 913 | 953 | 1000 | 1075 | 241 |
| D3425 | Apicoectomy/periradicular surgery - molar (first root) | 843.80 | 226.61 | 550 | 696 | 831 | 980 | 1000 | 1058 | 1,109 | 1,238 | 227 |
| D3426 | Apicoectomy (each additional root) | 355.16 | 135.95 | 200 | 265 | 340 | 419 | 439 | 495 | 512 | 600 | 185 |
| D4210 | Gingivectomy or gingivoplasty - four or more contiguous teeth or tooth bounded spaces per quadrant | 558.92 | 175.74 | 328 | 432 | 560 | 674 | 700 | 750 | 784 | 850 | 570 |
| D4211 | Gingivectomy or gingivoplasty - one to three contiguous teeth or tooth bounded spaces per quadrant | 273.83 | 110.93 | 145 | 190 | 263 | 339 | 361 | 390 | 425 | 470 | 650 |

**2016 Survey of Dental Fees
General Practitioners - National**

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|---|----------------|-----------------------|-----------------|---------|-----------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D4212 | Gingivectomy or gingivoplasty to allow access for restorative procedure, per tooth | 214.84 | 114.17 | 79 | 126 | 200 | 285 | 301 | 343 | 372 | 420 | 287 |
| D4240 | Gingival flap procedure, including root planing — four or more contiguous teeth or tooth bounded spaces per quadrant | 671.69 | 230.45 | 361 | 505 | 675 | 800 | 845 | 900 | 950 | 1050 | 394 |
| D4241 | Gingival flap procedure, including root planing — one to three contiguous teeth or tooth bounded spaces per quadrant | 529.53 | 203.62 | 250 | 357 | 531 | 654 | 700 | 734 | 797 | 858 | 329 |
| D4249 | Clinical crown lengthening — hard tissue | 692.31 | 235.83 | 374 | 525 | 700 | 825 | 866 | 939 | 1000 | 1103 | 485 |
| D4260 | Osseous surgery (including elevation of a full thickness flap and closure) - four or more contiguous teeth or tooth bounded spaces per quadrant | 1,040.96 | 328.14 | 625 | 830 | 1016 | 1219 | 1279 | 1325 | 1451 | 1590 | 327 |
| D4261 | Osseous surgery (including elevation of a full thickness flap and closure) - one to three contiguous teeth or tooth bounded spaces per quadrant | 793.15 | 269.96 | 400 | 606 | 800 | 987 | 1011 | 1050 | 1137 | 1200 | 281 |
| D4263 | Bone replacement graft - first site in quadrant | 559.52 | 204.25 | 300 | 400 | 555 | 693 | 736 | 766 | 816 | 900 | 310 |
| D4264 | Bone replacement graft — each additional site in quadrant | 442.64 | 163.86 | 238 | 304 | 430 | 550 | 584 | 618 | 660 | 705 | 247 |
| D4266 | Guided tissue regeneration — resorbable barrier, per site | 602.57 | 269.94 | 245 | 375 | 600 | 800 | 835 | 893 | 933 | 1,025 | 237 |
| D4267 | Guided tissue regeneration — non-resorbable barrier, per site (includes membrane removal) | 732.22 | 309.24 | 336 | 468 | 725 | 948 | 1,000 | 1,049 | 1,133 | 1,231 | 194 |
| D4273 | Autogenous connective tissue graft procedure (including donor and recipient surgical sites) first tooth, implant or edentulous tooth position | 1,033.68 | 267.15 | 700 | 849 | 1,004 | 1,200 | 1,250 | 1,323 | 1,400 | 1,488 | 172 |

**2016 Survey of Dental Fees
General Practitioners - National**

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|---|----------------|-----------------------|-----------------|---------|----------------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median 50th \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D4275 | Non-autogenous connective tissue graft procedure (including donor and recipient surgical sites) first tooth, implant or edentulous tooth position in graft | 967.48 | 242.83 | 650 | 789 | 974 | 1,132 | 1,163 | 1,215 | 1,300 | 1,344 | 126 |
| D4277 | Free soft tissue graft procedure (including recipient and donor site surgical sites) first tooth, implant, or edentulous tooth position in graft | 938.44 | 229.11 | 650 | 733 | 940 | 1,067 | 1,141 | 1,185 | 1,236 | 1,323 | 87 |
| D4278 | Free soft tissue graft procedure (including recipient and donor site surgical sites) each additional contiguous tooth, implant, or edentulous tooth position in same graft site | 591.88 | 274.72 | 250 | 350 | 570 | 780 | 824 | 900 | 986 | 1,060 | 83 |
| D4321 | Provisional splinting - extracoronal | 384.15 | 146.65 | 177 | 275 | 390 | 478 | 495 | 515 | 555 | 627 | 521 |
| D4341 | Periodontal scaling and root planing - four or more teeth per quadrant | 249.46 | 50.63 | 184 | 218 | 250 | 278 | 285 | 296 | 310 | 344 | 863 |
| D4342 | Periodontal scaling and root planing - one to three teeth per quadrant | 169.85 | 46.93 | 110 | 137 | 168 | 199 | 205 | 216 | 230 | 250 | 821 |
| D4355 | Full mouth debridement to enable comprehensive evaluation and diagnosis | 166.97 | 42.67 | 110 | 136 | 166 | 195 | 200 | 210 | 224 | 240 | 838 |
| D4381 | Localized delivery of antimicrobial agents via a controlled release vehicle into diseased crevicular tissue, per tooth | 81.40 | 49.43 | 35 | 45 | 67 | 98 | 120 | 140 | 158 | 190 | 598 |
| D4910 | Periodontal maintenance | 137.13 | 29.85 | 100 | 115 | 135 | 154 | 159 | 169 | 175 | 191 | 848 |
| D5110 | Complete denture - maxillary | 1,610.71 | 390.01 | 1145 | 1340 | 1575 | 1850 | 1900 | 1977 | 2084 | 2350 | 927 |
| D5120 | Complete denture - mandibular | 1,613.00 | 393.22 | 1145 | 1340 | 1570 | 1850 | 1914 | 1994 | 2095 | 2350 | 925 |
| D5130 | Immediate denture - maxillary | 1,711.95 | 400.53 | 1225 | 1430 | 1690 | 1942 | 2000 | 2095 | 2208 | 2450 | 876 |
| D5140 | Immediate denture - mandibular | 1,718.22 | 411.94 | 1225 | 1430 | 1690 | 1950 | 2000 | 2108 | 2250 | 2490 | 878 |
| D5211 | Maxillary partial denture - resin base (including any conventional clasps, rests and teeth) | 1,215.36 | 408.19 | 700 | 907 | 1185 | 1449 | 1544 | 1650 | 1795 | 1975 | 809 |

**2016 Survey of Dental Fees
General Practitioners - National**

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|---|----------------|-----------------------|-----------------|---------|----------------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median 50th \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D5212 | Mandibular partial denture - resin base (including any conventional clasps, rests and teeth) | 1,220.16 | 398.83 | 718 | 925 | 1196 | 1450 | 1537 | 1627 | 1761 | 1950 | 800 |
| D5213 | Maxillary partial denture - cast metal framework with resin denture bases (including any conventional clasps, rests, and teeth) | 1,685.30 | 369.12 | 1235 | 1421 | 1650 | 1895 | 1950 | 2038 | 2157 | 2362 | 905 |
| D5214 | Mandibular partial denture - cast metal framework with resin denture bases (including any conventional clasps, rests, and teeth) | 1,688.00 | 368.41 | 1234 | 1425 | 1658 | 1895 | 1954 | 2040 | 2159 | 2358 | 900 |
| D5221 | Immediate maxillary partial denture - resin base (including any conventional clasps, rests and teeth) | 1,225.97 | 486.98 | 650 | 880 | 1145 | 1535 | 1650 | 1750 | 1850 | 2000 | 172 |
| D5222 | Immediate mandibular partial denture - resin base (including any conventional clasps, rests and teeth) | 1,242.47 | 490.93 | 650 | 900 | 1200 | 1628 | 1692 | 1800 | 1874 | 2000 | 167 |
| D5223 | Immediate maxillary partial denture – cast metal framework with resin denture bases (including any conventional clasps, rests and teeth) | 1,549.91 | 432.13 | 996 | 1227 | 1560 | 1800 | 1800 | 1900 | 2049 | 2500 | 146 |
| D5224 | Immediate mandibular partial denture – cast metal framework with resin denture bases (including any conventional clasps, rests and teeth) | 1,550.53 | 420.15 | 996 | 1227 | 1577 | 1800 | 1800 | 1911 | 2050 | 2500 | 146 |
| D5225 | Maxillary partial denture — flexible base (including any clasps, rests, and teeth) | 1,444.41 | 372.94 | 980 | 1200 | 1437 | 1694 | 1750 | 1822 | 1933 | 2050 | 584 |
| D5226 | Mandibular partial denture - flexible base (including any clasps, rests, and teeth) | 1,444.97 | 373.85 | 950 | 1200 | 1442 | 1695 | 1750 | 1822 | 1946 | 2054 | 579 |
| D5510 | Repair broken complete denture base | 207.06 | 66.46 | 130 | 160 | 200 | 250 | 251 | 271 | 295 | 330 | 798 |
| D5520 | Replace missing or broken teeth — complete denture (each tooth) | 174.39 | 50.45 | 110 | 140 | 172 | 203 | 215 | 225 | 241 | 257 | 810 |

**2016 Survey of Dental Fees
General Practitioners - National**

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|---|----------------|-----------------------|-----------------|---------|-----------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D5610 | Repair resin denture base | 199.21 | 59.09 | 130 | 157 | 195 | 230 | 248 | 259 | 274 | 303 | 775 |
| D5640 | Replace broken teeth - per tooth | 176.71 | 50.53 | 112 | 142 | 175 | 205 | 215 | 225 | 242 | 265 | 808 |
| D5650 | Add tooth to existing partial denture | 210.90 | 58.15 | 136 | 170 | 207 | 247 | 256 | 270 | 284 | 310 | 840 |
| D5660 | Add clasp to existing partial denture – per tooth | 250.76 | 69.44 | 165 | 200 | 250 | 290 | 300 | 319 | 338 | 372 | 792 |
| D5710 | Rebase complete maxillary denture | 537.46 | 141.41 | 350 | 440 | 546 | 620 | 645 | 670 | 707 | 765 | 621 |
| D5711 | Rebase complete mandibular denture | 536.32 | 139.92 | 350 | 440 | 546 | 618 | 645 | 670 | 709 | 770 | 610 |
| D5720 | Rebase maxillary partial denture | 513.11 | 136.69 | 331 | 414 | 518 | 595 | 618 | 648 | 687 | 745 | 588 |
| D5721 | Rebase mandibular partial denture | 513.02 | 137.26 | 331 | 410 | 515 | 595 | 615 | 648 | 689 | 750 | 590 |
| D5730 | Reline complete maxillary denture (chairside) | 323.35 | 108.16 | 190 | 250 | 328 | 392 | 403 | 424 | 455 | 495 | 760 |
| D5731 | Reline complete mandibular denture (chairside) | 322.87 | 107.59 | 189 | 250 | 328 | 393 | 403 | 425 | 453 | 493 | 753 |
| D5750 | Reline complete maxillary denture (laboratory) | 431.88 | 110.71 | 296 | 360 | 438 | 500 | 512 | 530 | 563 | 603 | 878 |
| D5751 | Reline complete mandibular denture (laboratory) | 433.34 | 112.98 | 300 | 360 | 440 | 500 | 513 | 535 | 570 | 610 | 876 |
| D5986 | Fluoride gel carrier | 169.85 | 75.70 | 75 | 110 | 170 | 220 | 231 | 250 | 259 | 296 | 360 |
| D5991 | Vesiculobullous disease medicament carrier | 213.81 | 111.43 | 93 | 142 | 204 | 245 | 283 | 300 | 333 | 537 | 57 |
| D5994 | Periodontal medicament carrier with peripheral seal – laboratory processed | 429.64 | 258.37 | 125 | 156 | 425 | 660 | 683 | 700 | 790 | 946 | 39 |
| D6010 | Surgical placement of implant body: endosteal implant | 1,919.40 | 348.02 | 1500 | 1668 | 1900 | 2174 | 2206 | 2295 | 2409 | 2500 | 352 |
| D6011 | Second stage implant surgery | 660.44 | 666.80 | 150 | 216 | 436 | 942 | 1240 | 1504 | 1691 | 2100 | 48 |
| D6012 | Surgical placement of interim implant body for transitional prosthesis: endosteal implant | 1,481.37 | 618.23 | 515 | 1000 | 1565 | 1950 | 2035 | 2106 | 2320 | 2500 | 94 |
| D6051 | Interim abutment | 430.36 | 184.20 | 212 | 300 | 400 | 553 | 600 | 620 | 682 | 750 | 112 |
| D6055 | Connecting bar - implant supported or abutment supported | 2,300.84 | 1,236.40 | 665 | 1268 | 2383 | 3066 | 3222 | 3500 | 3900 | 4500 | 348 |

**2016 Survey of Dental Fees
General Practitioners - National**

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|---|----------------|-----------------------|-----------------|---------|-----------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D6056 | Prefabricated abutment — includes modification and placement | 663.75 | 186.31 | 425 | 523 | 660 | 795 | 812 | 850 | 900 | 992 | 615 |
| D6057 | Custom fabricated abutment - includes placement | 816.57 | 218.48 | 530 | 660 | 800 | 950 | 990 | 1014 | 1102 | 1206 | 672 |
| D6059 | Abutment supported porcelain fused to metal crown (high noble metal) | 1,352.04 | 292.71 | 998 | 1144 | 1325 | 1511 | 1575 | 1625 | 1735 | 1875 | 711 |
| D6066 | Implant supported porcelain fused to metal crown (titanium, titanium alloy, high noble metal) | 1,449.09 | 329.75 | 1037 | 1200 | 1411 | 1638 | 1701 | 1800 | 1899 | 2022 | 585 |
| D6069 | Abutment supported retainer for porcelain fused to metal FPD (high noble metal) | 1,377.18 | 299.73 | 1000 | 1166 | 1350 | 1557 | 1605 | 1662 | 1785 | 1917 | 472 |
| D6076 | Implant supported retainer for porcelain fused to metal FPD (titanium, titanium alloy, or high noble metal) | 1,448.05 | 328.39 | 1037 | 1200 | 1425 | 1648 | 1688 | 1770 | 1863 | 2045 | 327 |
| D6080 | Implant maintenance procedures when prostheses are removed and reinserted... | 198.89 | 123.57 | 45 | 105 | 190 | 290 | 304 | 325 | 365 | 400 | 408 |
| D6100 | Implant removal, by report | 599.17 | 246.96 | 253 | 397 | 640 | 765 | 799 | 836 | 877 | 969 | 150 |
| D6104 | Bone graft at time of implant placement | 526.41 | 228.57 | 265 | 395 | 500 | 610 | 668 | 721 | 848 | 1000 | 127 |
| D6205 | Pontic - indirect resin based composite | 954.77 | 240.51 | 650 | 796 | 937 | 1112 | 1151 | 1200 | 1272 | 1359 | 171 |
| D6210 | Pontic - cast high noble metal | 1,094.02 | 196.39 | 868 | 950 | 1071 | 1200 | 1250 | 1300 | 1353 | 1500 | 694 |
| D6240 | Pontic - porcelain fused to high noble metal | 1,103.20 | 196.24 | 875 | 957 | 1082 | 1213 | 1258 | 1300 | 1375 | 1475 | 836 |
| D6241 | Pontic - porcelain fused to predominantly base metal | 1,023.06 | 181.11 | 800 | 900 | 998 | 1133 | 1171 | 1200 | 1257 | 1357 | 540 |
| D6245 | Pontic - porcelain/ceramic | 1,120.32 | 197.56 | 890 | 975 | 1100 | 1238 | 1289 | 1326 | 1384 | 1490 | 709 |
| D6253 | Provisional pontic - further treatment or completion of diagnosis necessary prior to final impression | 508.47 | 280.39 | 167 | 284 | 465 | 743 | 793 | 825 | 887 | 961 | 315 |
| D6545 | Retainer - cast metal for resin bonded fixed prosthesis | 677.76 | 300.39 | 331 | 445 | 650 | 876 | 938 | 995 | 1059 | 1200 | 541 |

**2016 Survey of Dental Fees
General Practitioners - National**

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|---|----------------|-----------------------|-----------------|---------|----------------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median 50th \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D6549 | Resin retainer – for resin bonded fixed prosthesis | 645.48 | 338.08 | 243 | 360 | 581 | 945 | 966 | 1025 | 1098 | 1260 | 80 |
| D6710 | Retainer crown - indirect resin based composite | 985.08 | 220.12 | 680 | 870 | 962 | 1146 | 1199 | 1222 | 1284 | 1341 | 147 |
| D6750 | Retainer crown - porcelain fused to high noble metal | 1,116.88 | 184.96 | 895 | 983 | 1100 | 1222 | 1265 | 1303 | 1365 | 1453 | 743 |
| D6751 | Retainer crown - porcelain fused to predominantly base metal | 1,037.08 | 176.07 | 825 | 915 | 1005 | 1150 | 1190 | 1210 | 1276 | 1365 | 473 |
| D6790 | Retainer crown - full cast high noble metal | 1,113.38 | 193.75 | 891 | 975 | 1095 | 1225 | 1265 | 1323 | 1377 | 1488 | 655 |
| D6793 | Provisional retainer crown - further treatment or completion of diagnosis necessary prior to final impression | 450.89 | 246.78 | 150 | 266 | 421 | 600 | 635 | 709 | 771 | 900 | 292 |
| D6930 | Re-cement or re-bond fixed partial denture | 154.64 | 47.27 | 96 | 120 | 150 | 184 | 190 | 200 | 210 | 238 | 764 |
| D7111 | Extraction, coronal remnants -deciduous tooth | 120.85 | 36.31 | 77 | 95 | 118 | 144 | 150 | 156 | 170 | 191 | 732 |
| D7140 | Extraction, erupted tooth or exposed root (elevation and/or forceps removal) | 169.65 | 41.90 | 120 | 140 | 165 | 191 | 200 | 210 | 225 | 250 | 922 |
| D7210 | Surgical removal of erupted tooth requiring removal of bone and/or sectioning of tooth, and including elevation of mucoperiosteal flap if indicated | 271.01 | 62.20 | 192 | 228 | 266 | 300 | 314 | 334 | 350 | 390 | 848 |
| D7220 | Removal of impacted tooth - soft tissue | 312.95 | 64.93 | 230 | 267 | 310 | 350 | 360 | 376 | 396 | 421 | 618 |
| D7230 | Removal of impacted tooth -partially bony | 386.60 | 77.06 | 290 | 327 | 390 | 433 | 446 | 461 | 485 | 515 | 551 |
| D7240 | Removal of impacted tooth -completely bony | 454.33 | 93.80 | 334 | 390 | 451 | 510 | 520 | 542 | 575 | 617 | 448 |
| D7250 | Surgical removal of residual tooth roots (cutting procedure) | 287.37 | 75.47 | 194 | 236 | 280 | 330 | 349 | 366 | 386 | 429 | 600 |
| D7251 | Coronectomy - intentional partial tooth removal | 408.53 | 171.71 | 150 | 290 | 419 | 506 | 548 | 565 | 647 | 716 | 100 |

**2016 Survey of Dental Fees
General Practitioners - National**

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|--|----------------|-----------------------|-----------------|---------|-----------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D7286 | Incisional biopsy of oral tissue - soft | 298.84 | 98.95 | 172 | 229 | 297 | 357 | 376 | 397 | 424 | 466 | 414 |
| D7287 | Exfoliative cytological sample collection | 193.02 | 66.30 | 107 | 150 | 185 | 230 | 245 | 250 | 275 | 320 | 123 |
| D7288 | Brush biopsy — transepithelial sample collection | 188.63 | 62.50 | 100 | 150 | 191 | 224 | 238 | 250 | 264 | 300 | 220 |
| D7295 | Harvest of bone for use in autogenous grafting procedure | 632.28 | 446.86 | 250 | 338 | 503 | 710 | 800 | 1134 | 1172 | 1601 | 32 |
| D7310 | Alveoloplasty in conjunction with extractions - four or more teeth or tooth spaces, per quadrant | 277.79 | 90.58 | 165 | 214 | 272 | 325 | 350 | 365 | 391 | 445 | 488 |
| D7320 | Alveoloplasty not in conjunction with extractions - four or more teeth or tooth spaces, per quadrant | 385.34 | 144.04 | 201 | 278 | 384 | 470 | 500 | 525 | 572 | 652 | 443 |
| D7410 | Excision of benign lesion up to 1.25 cm | 347.64 | 162.97 | 149 | 225 | 344 | 442 | 462 | 510 | 568 | 675 | 319 |
| D7440 | Excision of malignant tumor - lesion diameter up to 1.25 cm | 627.33 | 372.24 | 200 | 350 | 588 | 887 | 979 | 1000 | 1076 | 1235 | 88 |
| D7450 | Removal of benign odontogenic cyst or tumor - lesion diameter up to 1.25 cm | 521.58 | 239.27 | 219 | 350 | 505 | 655 | 705 | 764 | 861 | 1000 | 157 |
| D7640 | Mandible - closed reduction (teeth immobilized, if present) | 3,472.49 | 741.71 | 2406 | 3108 | 3420 | 3855 | 4025 | 4140 | 4316 | 4709 | 37 |
| D7880 | Occlusal orthotic device, by report | 767.74 | 361.34 | 375 | 500 | 700 | 948 | 1010 | 1148 | 1289 | 1480 | 332 |
| D7910 | Suture of recent small wounds up to 5 cm | 244.73 | 103.21 | 110 | 161 | 252 | 306 | 321 | 343 | 368 | 425 | 244 |
| D7921 | Collection and application of autologous blood concentrate product | 325.32 | 177.23 | 150 | 200 | 289 | 420 | 468 | 500 | 552 | 650 | 31 |
| D7953 | Bone replacement graft for ridge preservation — per site | 486.69 | 218.56 | 247 | 326 | 450 | 600 | 632 | 723 | 818 | 900 | 258 |
| D7960 | Frenulectomy — also known as frenectomy or frenotomy - separate procedure not incidental to another | 400.35 | 117.45 | 243 | 310 | 403 | 475 | 500 | 520 | 554 | 596 | 428 |
| D7970 | Excision of hyperplastic tissue - per arch | 405.52 | 174.52 | 175 | 275 | 405 | 519 | 550 | 586 | 625 | 700 | 326 |
| D8020 | Limited orthodontic treatment of the transitional dentition | 2,322.04 | 1,250.39 | 525 | 1500 | 2257 | 3000 | 3220 | 3720 | 4100 | 4500 | 159 |

**2016 Survey of Dental Fees
General Practitioners - National**

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|---|----------------|-----------------------|-----------------|---------|----------------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median 50th \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D8030 | Limited orthodontic treatment of the adolescent dentition | 2,672.75 | 1,189.02 | 815 | 1984 | 2738 | 3474 | 3689 | 4147 | 4339 | 4500 | 180 |
| D8040 | Limited orthodontic treatment of the adult dentition | 2,929.02 | 1,224.82 | 1088 | 2077 | 3000 | 3750 | 4000 | 4200 | 4500 | 4884 | 265 |
| D8050 | Interceptive orthodontic treatment of the primary dentition | 2,378.77 | 1,000.65 | 800 | 1911 | 2372 | 3060 | 3164 | 3373 | 3550 | 4000 | 114 |
| D8060 | Interceptive orthodontic treatment of the transitional dentition | 2,353.18 | 1,238.39 | 500 | 1438 | 2536 | 3062 | 3350 | 3520 | 3994 | 4550 | 147 |
| D8070 | Comprehensive orthodontic treatment of the transitional dentition | 5,149.07 | 827.51 | 4000 | 4600 | 5005 | 5610 | 5879 | 6012 | 6250 | 6500 | 122 |
| D8080 | Comprehensive orthodontic treatment of the adolescent dentition | 5,193.99 | 760.49 | 4195 | 4692 | 5102 | 5633 | 5870 | 6000 | 6250 | 6500 | 196 |
| D8090 | Comprehensive orthodontic treatment of the adult dentition | 5,278.82 | 795.89 | 4250 | 4762 | 5200 | 5821 | 5990 | 6000 | 6291 | 6613 | 302 |
| D8660 | Pre-orthodontic treatment examination to monitor growth and development | 249.08 | 184.76 | 55 | 94 | 218 | 350 | 382 | 444 | 500 | 610 | 141 |
| D8670 | Periodic orthodontic treatment visit | 237.85 | 178.20 | 50 | 103 | 213 | 312 | 326 | 348 | 435 | 750 | 75 |
| D8681 | Removable orthodontic retainer adjustment | 162.37 | 137.52 | 50 | 60 | 99 | 235 | 250 | 310 | 366 | 400 | 52 |
| D8690 | Orthodontic treatment (alternative billing to a contract fee) | 316.39 | 172.26 | 150 | 200 | 260 | 376 | 397 | 500 | 615 | 710 | 49 |
| D8692 | Replacement of lost or broken retainer | 285.63 | 121.85 | 134 | 189 | 289 | 360 | 385 | 411 | 450 | 500 | 331 |
| D9110 | Palliative (emergency) treatment of dental pain - minor procedure | 118.16 | 44.88 | 65 | 89 | 115 | 145 | 150 | 159 | 175 | 201 | 851 |
| D9120 | Fixed partial denture sectioning | 164.69 | 77.56 | 72 | 100 | 157 | 225 | 235 | 250 | 265 | 296 | 474 |
| D9210 | Local anesthesia not in conjunction with operative or surgical procedures | 58.65 | 27.56 | 25 | 39 | 57 | 75 | 77 | 82 | 93 | 108 | 344 |
| D9215 | Local anesthesia in conjunction with operative or surgical procedures | 35.65 | 29.21 | 0 | 0 | 38 | 60 | 63 | 66 | 70 | 80 | 327 |
| D9230 | Inhalation of nitrous oxide/analgesia, anxiolysis | 62.28 | 30.34 | 27 | 45 | 61 | 78 | 82 | 89 | 100 | 120 | 560 |

**2016 Survey of Dental Fees
General Practitioners - National**

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|---|-------------------|--------------------------|-----------------|------------|----------------------|------------|------------|------------|------------|------------|---------------------|
| | | | | 10th \$ | 25th \$ | Median 50th \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D9243 | Intravenous moderate (conscious) sedation/analgesia - each 15 minute increment | 190.69 | 133.15 | 85 | 110 | 150 | 200 | 225 | 300 | 450 | 475 | 42 |
| D9248 | Non-intravenous conscious sedation | 203.64 | 157.09 | 0 | 50 | 215 | 330 | 350 | 364 | 398 | 454 | 209 |
| D9310 | Consultation - diagnostic service provided by dentist or physician other than requesting dentist or physician | 98.27 | 55.66 | 20 | 62 | 95 | 131 | 143 | 150 | 170 | 199 | 557 |
| D9410 | House/extended care facility call | 181.50 | 85.45 | 75 | 108 | 175 | 240 | 251 | 272 | 294 | 325 | 258 |
| D9420 | Hospital or ambulatory surgical center call | 227.86 | 111.51 | 85 | 143 | 223 | 300 | 324 | 342 | 367 | 403 | 226 |
| D9430 | Office visit for observation (during regularly scheduled hours) - no other services performed | 60.40 | 34.82 | 0 | 43 | 63 | 79 | 84 | 89 | 100 | 117 | 517 |
| D9440 | Office visit - after regularly scheduled hours | 148.83 | 55.70 | 75 | 105 | 148 | 185 | 197 | 200 | 219 | 250 | 646 |
| D9450 | Case presentation, detailed and extensive treatment planning | 130.34 | 59.85 | 50 | 85 | 133 | 160 | 170 | 185 | 200 | 245 | 186 |
| D9610 | Therapeutic parenteral drug, single administration | 64.47 | 47.23 | 0 | 24 | 70 | 98 | 107 | 115 | 125 | 142 | 210 |
| D9630 | Other drugs and/or medicaments, by report | 30.11 | 23.05 | 5 | 15 | 25 | 40 | 45 | 50 | 62 | 80 | 379 |
| D9910 | Application of desensitizing medicament | 51.91 | 19.22 | 28 | 38 | 50 | 65 | 68 | 73 | 76 | 84 | 636 |
| D9911 | Application of desensitizing resin for cervical and/or root surface, per tooth | 56.49 | 29.31 | 20 | 35 | 55 | 78 | 81 | 87 | 91 | 100 | 463 |
| D9920 | Behavior management, by report | 111.81 | 59.39 | 34 | 62 | 113 | 151 | 159 | 169 | 179 | 218 | 182 |
| D9930 | Treatment of complications (post-surgical) — unusual circumstances, by report | 107.44 | 44.03 | 48 | 75 | 108 | 135 | 140 | 150 | 163 | 180 | 299 |
| D9932 | Cleaning and inspection of removable complete denture, maxillary | 62.54 | 41.16 | 20 | 29 | 50 | 88 | 100 | 100 | 110 | 150 | 84 |
| D9933 | Cleaning and inspection of removable complete denture, mandibular | 62.47 | 40.76 | 20 | 30 | 50 | 87 | 100 | 100 | 110 | 150 | 86 |

**2016 Survey of Dental Fees
General Practitioners - National**

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|---|----------------|-----------------------|-----------------|---------|----------------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median 50th \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D9934 | Cleaning and inspection of removable partial denture, maxillary | 64.72 | 41.45 | 20 | 30 | 53 | 89 | 95 | 100 | 110 | 150 | 86 |
| D9935 | Cleaning and inspection of removable partial denture, mandibular | 64.35 | 41.41 | 20 | 30 | 52 | 89 | 95 | 100 | 110 | 150 | 86 |
| D9940 | Occlusal guard, by report | 508.34 | 155.73 | 310 | 400 | 500 | 600 | 624 | 650 | 695 | 780 | 855 |
| D9941 | Fabrication of athletic mouthguard | 221.72 | 120.91 | 81 | 135 | 210 | 283 | 300 | 330 | 378 | 475 | 661 |
| D9943 | Occlusal guard adjustment | 97.71 | 62.42 | 40 | 50 | 85 | 125 | 138 | 150 | 194 | 212 | 104 |
| D9951 | Occlusal adjustment - limited | 141.56 | 69.37 | 55 | 90 | 140 | 180 | 195 | 203 | 220 | 260 | 633 |
| D9952 | Occlusal adjustment - complete | 527.33 | 263.55 | 180 | 313 | 531 | 709 | 742 | 787 | 844 | 917 | 535 |
| D9972 | External bleaching - per arch - performed in office | 287.08 | 127.94 | 150 | 199 | 263 | 360 | 388 | 425 | 499 | 550 | 533 |
| D9974 | Internal bleaching - per tooth | 248.82 | 88.69 | 125 | 183 | 250 | 302 | 319 | 334 | 350 | 389 | 546 |
| D9975 | External bleaching for home application, per arch; includes materials and fabrication of custom trays | 250.96 | 119.26 | 125 | 150 | 225 | 312 | 350 | 376 | 402 | 495 | 535 |

2016 Survey of Dental Fees
General Practitioners - New England Division
(Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|--|----------------|-----------------------|-----------------|---------|-----------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D0120 | Periodic oral evaluation — established patient | 51.08 | 9.29 | 40 | 45 | 50 | 58 | 59 | 60 | 62 | 67 | 52 |
| D0140 | Limited oral evaluation - problem focused | 78.38 | 23.45 | 50 | 73 | 81 | 91 | 94 | 98 | 100 | 103 | 47 |
| D0145 | Oral evaluation for a patient under three years of age and counseling with primary caregiver | 69.03 | 16.65 | 45 | 55 | 71 | 80 | 81 | 85 | 93 | 95 | 30 |
| D0150 | Comprehensive oral evaluation — new or established patient | 92.92 | 21.08 | 71 | 78 | 91 | 102 | 108 | 110 | 117 | 145 | 50 |
| D0170 | Re-evaluation - limited, problem focused (established patient; not post-operative visit) | 64.47 | 28.84 | 13 | 57 | 70 | 78 | 82 | 90 | 94 | 113 | 30 |
| D0180 | Comprehensive periodontal evaluation — new or established patient | 103.94 | 21.93 | 77 | 90 | 103 | 113 | 120 | 121 | 121 | 150 | 33 |
| D0210 | Intraoral - complete series of radiographic images | 150.22 | 20.16 | 126 | 133 | 150 | 161 | 164 | 166 | 175 | 188 | 50 |
| D0220 | Intraoral - periapical first radiographic image | 33.27 | 5.12 | 28 | 30 | 33 | 37 | 37 | 40 | 40 | 42 | 51 |
| D0230 | Intraoral - periapical each additional radiographic image | 26.65 | 5.38 | 20 | 25 | 26 | 29 | 30 | 31 | 35 | 36 | 51 |
| D0272 | Bitewings - two radiographic images | 52.35 | 9.67 | 44 | 45 | 52 | 55 | 58 | 60 | 66 | 72 | 51 |
| D0274 | Bitewings - four radiographic images | 72.33 | 11.66 | 59 | 65 | 72 | 80 | 80 | 80 | 86 | 99 | 49 |
| D0330 | Panoramic radiographic image | 131.78 | 19.32 | 110 | 119 | 125 | 142 | 150 | 155 | 162 | 175 | 32 |
| D0470 | Diagnostic casts | 107.71 | 35.39 | 65 | 80 | 110 | 132 | 138 | 150 | 150 | 158 | 31 |
| D1110 | Prophylaxis - adult | 104.04 | 14.48 | 89 | 96 | 103 | 111 | 115 | 119 | 120 | 132 | 52 |
| D1120 | Prophylaxis - child | 76.81 | 11.27 | 65 | 70 | 75 | 83 | 84 | 87 | 89 | 95 | 52 |
| D1206 | Topical application of fluoride varnish | 44.98 | 9.58 | 34 | 39 | 44 | 48 | 52 | 52 | 54 | 65 | 43 |
| D1208 | Topical application of fluoride – excluding varnish | 43.37 | 9.85 | 33 | 37 | 42 | 48 | 49 | 50 | 53 | 69 | 38 |
| D1351 | Sealant - per tooth | 58.90 | 10.88 | 48 | 51 | 57 | 65 | 67 | 70 | 74 | 80 | 48 |
| D2140 | Amalgam - one surface, primary or permanent | 150.90 | 26.36 | 118 | 133 | 149 | 173 | 175 | 180 | 183 | 200 | 40 |

2016 Survey of Dental Fees
General Practitioners - New England Division
(Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|--|----------------|-----------------------|-----------------|---------|----------------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median 50th \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D2150 | Amalgam - two surfaces, primary or permanent | 183.15 | 35.97 | 144 | 166 | 179 | 205 | 210 | 225 | 229 | 233 | 41 |
| D2160 | Amalgam - three surfaces, primary or permanent | 219.37 | 46.87 | 173 | 191 | 214 | 245 | 250 | 265 | 286 | 290 | 41 |
| D2161 | Amalgam - four or more surfaces, primary or permanent | 260.15 | 57.55 | 195 | 237 | 250 | 283 | 295 | 320 | 341 | 345 | 41 |
| D2330 | Resin-based composite - one surface, anterior | 175.41 | 30.15 | 138 | 148 | 179 | 195 | 199 | 210 | 210 | 225 | 51 |
| D2331 | Resin-based composite - two surfaces, anterior | 214.25 | 40.13 | 170 | 180 | 212 | 242 | 245 | 253 | 255 | 295 | 51 |
| D2332 | Resin-based composite - three surfaces, anterior | 259.06 | 44.45 | 210 | 224 | 253 | 295 | 295 | 305 | 311 | 328 | 51 |
| D2335 | Resin-based composite - four or more surfaces or involving incisal angle (anterior) | 325.25 | 66.96 | 260 | 269 | 319 | 368 | 379 | 387 | 395 | 450 | 51 |
| D2391 | Resin-based composite - one surface, posterior | 193.64 | 32.21 | 156 | 172 | 191 | 215 | 225 | 226 | 229 | 236 | 50 |
| D2392 | Resin-based composite - two surfaces, posterior | 247.36 | 46.02 | 194 | 215 | 250 | 265 | 273 | 287 | 295 | 343 | 50 |
| D2393 | Resin-based composite - three surfaces, posterior | 304.22 | 54.87 | 238 | 265 | 301 | 330 | 337 | 360 | 374 | 402 | 50 |
| D2394 | Resin-based composite - four or more surfaces, posterior | 359.57 | 54.13 | 290 | 334 | 357 | 391 | 395 | 415 | 418 | 465 | 46 |
| D2740 | Crown - porcelain/ceramic substrate | 1,336.16 | 169.84 | 1,150 | 1,200 | 1,350 | 1,399 | 1,425 | 1,473 | 1,550 | 1,600 | 43 |
| D2750 | Crown - porcelain fused to high noble metal | 1,328.89 | 174.07 | 1,104 | 1,210 | 1,350 | 1,420 | 1,475 | 1,525 | 1,550 | 1,600 | 46 |
| D2752 | Crown - porcelain fused to noble metal | 1,280.00 | 190.13 | 1,072 | 1,170 | 1,281 | 1,375 | 1,390 | 1,420 | 1,510 | 1,637 | 38 |
| D2790 | Crown - full cast high noble metal | 1,362.93 | 215.41 | 1,099 | 1,223 | 1,345 | 1,505 | 1,550 | 1,605 | 1,651 | 1,775 | 40 |
| D2799 | Provisional crown – further treatment or completion of diagnosis necessary prior to final impression | 413.73 | 155.96 | 213 | 320 | 417 | 541 | 548 | 550 | 596 | 700 | 30 |
| D2920 | Re-cement or re-bond crown | 120.40 | 27.19 | 84 | 98 | 125 | 140 | 140 | 140 | 150 | 160 | 47 |

2016 Survey of Dental Fees
General Practitioners - New England Division
(Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|--|----------------|-----------------------|-----------------|---------|-----------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D2940 | Protective restoration | 131.92 | 32.04 | 92 | 110 | 130 | 153 | 158 | 164 | 175 | 186 | 36 |
| D2950 | Core buildup, including any pins when required | 315.15 | 52.40 | 260 | 275 | 320 | 345 | 360 | 375 | 386 | 395 | 47 |
| D2952 | Post and core in addition to crown, indirectly fabricated | 467.97 | 81.29 | 365 | 406 | 465 | 510 | 525 | 535 | 595 | 624 | 39 |
| D2954 | Prefabricated post and core in addition to crown | 378.19 | 65.69 | 295 | 342 | 376 | 405 | 420 | 420 | 495 | 505 | 48 |
| D2962 | Labial veneer (porcelain laminate) - laboratory | 1,279.13 | 238.32 | 960 | 1,144 | 1,300 | 1,416 | 1,426 | 1,510 | 1,596 | 1,738 | 39 |
| D3110 | Pulp cap - direct (excluding final restoration) | 86.14 | 20.24 | 50 | 75 | 90 | 100 | 105 | 105 | 110 | 123 | 37 |
| D3120 | Pulp cap - indirect (excluding final restoration) | 84.90 | 20.29 | 55 | 71 | 87 | 100 | 102 | 105 | 113 | 115 | 30 |
| D3220 | Therapeutic pulpotomy (excluding final restoration)... | 217.97 | 48.94 | 150 | 190 | 228 | 244 | 249 | 255 | 262 | 326 | 36 |
| D3310 | Endodontic therapy, anterior tooth (excluding final restoration) | 852.72 | 132.48 | 705 | 765 | 850 | 910 | 925 | 963 | 1,050 | 1,122 | 43 |
| D3320 | Endodontic therapy, bicuspid tooth (excluding final restoration) | 1,000.79 | 162.47 | 840 | 900 | 990 | 1,125 | 1,134 | 1,187 | 1,200 | 1,285 | 42 |
| D3330 | Endodontic therapy, molar (excluding final restoration) | 1,206.44 | 198.38 | 988 | 1,076 | 1,200 | 1,350 | 1,375 | 1,393 | 1,400 | 1,520 | 41 |
| D4211 | Gingivectomy or gingivoplasty - one to three contiguous teeth or tooth bounded spaces per quadrant | 324.36 | 121.28 | 162 | 235 | 355 | 399 | 400 | 450 | 455 | 595 | 33 |
| D4341 | Periodontal scaling and root planing - four or more teeth per quadrant | 274.58 | 40.49 | 225 | 250 | 276 | 307 | 318 | 320 | 320 | 325 | 48 |
| D4342 | Periodontal scaling and root planing - one to three teeth per quadrant | 198.37 | 48.44 | 140 | 161 | 196 | 225 | 229 | 250 | 260 | 272 | 41 |
| D4355 | Full mouth debridement to enable comprehensive evaluation and diagnosis | 184.45 | 40.21 | 135 | 155 | 183 | 215 | 215 | 225 | 229 | 242 | 42 |

2016 Survey of Dental Fees
General Practitioners - New England Division
(Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|--|----------------|-----------------------|-----------------|---------|----------------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median 50th \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D4381 | Localized delivery of antimicrobial agents via a controlled release vehicle into diseased crevicular tissue, per tooth | 73.26 | 39.43 | 35 | 40 | 65 | 83 | 90 | 100 | 129 | 165 | 31 |
| D4910 | Periodontal maintenance | 147.61 | 20.43 | 121 | 135 | 148 | 165 | 165 | 170 | 170 | 180 | 44 |
| D5110 | Complete denture - maxillary | 1,839.94 | 420.87 | 1,400 | 1,588 | 1,750 | 2,142 | 2,150 | 2,226 | 2,450 | 2,600 | 51 |
| D5120 | Complete denture - mandibular | 1,841.78 | 421.54 | 1,400 | 1,588 | 1,750 | 2,142 | 2,150 | 2,226 | 2,450 | 2,600 | 51 |
| D5130 | Immediate denture - maxillary | 1,890.54 | 403.67 | 1,400 | 1,700 | 1,828 | 2,100 | 2,170 | 2,322 | 2,400 | 2,450 | 46 |
| D5140 | Immediate denture - mandibular | 1,915.79 | 431.74 | 1,400 | 1,700 | 1,850 | 2,132 | 2,200 | 2,322 | 2,410 | 2,888 | 47 |
| D5211 | Maxillary partial denture - resin base (including any conventional clasps, rests and teeth) | 1,433.45 | 423.12 | 1,000 | 1,150 | 1,357 | 1,766 | 1,795 | 1,875 | 1,950 | 2,100 | 42 |
| D5212 | Mandibular partial denture - resin base (including any conventional clasps, rests and teeth) | 1,441.58 | 385.45 | 1,048 | 1,156 | 1,357 | 1,733 | 1,781 | 1,838 | 1,950 | 2,100 | 40 |
| D5213 | Maxillary partial denture - cast metal framework with resin denture bases (including any conventional clasps, rests, and teeth) | 1,899.64 | 390.82 | 1,495 | 1,643 | 1,826 | 2,150 | 2,224 | 2,230 | 2,459 | 2,650 | 47 |
| D5214 | Mandibular partial denture - cast metal framework with resin denture bases (including any conventional clasps, rests, and teeth) | 1,898.26 | 389.45 | 1,495 | 1,633 | 1,826 | 2,150 | 2,185 | 2,237 | 2,459 | 2,650 | 47 |
| D5225 | Maxillary partial denture — flexible base (including any clasps, rests, and teeth) | 1,615.21 | 390.98 | 1,115 | 1,300 | 1,600 | 1,950 | 1,970 | 1,970 | 2,000 | 2,450 | 34 |
| D5226 | Mandibular partial denture - flexible base (including any clasps, rests, and teeth) | 1,619.58 | 367.04 | 1,170 | 1,300 | 1,600 | 1,946 | 1,950 | 1,990 | 2,000 | 2,450 | 31 |
| D5510 | Repair broken complete denture base | 228.19 | 62.36 | 160 | 189 | 220 | 260 | 265 | 271 | 324 | 332 | 42 |
| D5520 | Replace missing or broken teeth — complete denture (each tooth) | 194.82 | 43.06 | 136 | 161 | 198 | 235 | 235 | 237 | 250 | 265 | 38 |
| D5610 | Repair resin denture base | 230.03 | 63.94 | 160 | 185 | 216 | 263 | 265 | 273 | 324 | 400 | 37 |
| D5640 | Replace broken teeth - per tooth | 201.73 | 50.54 | 138 | 165 | 200 | 235 | 239 | 248 | 256 | 291 | 40 |

2016 Survey of Dental Fees
General Practitioners - New England Division
(Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|--|----------------|-----------------------|-----------------|---------|----------------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median 50th \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D5650 | Add tooth to existing partial denture | 227.80 | 53.14 | 170 | 195 | 232 | 261 | 265 | 275 | 282 | 284 | 44 |
| D5660 | Add clasp to existing partial denture – per tooth | 283.35 | 70.96 | 198 | 237 | 269 | 328 | 337 | 344 | 379 | 413 | 40 |
| D5730 | Reline complete maxillary denture (chairside) | 373.27 | 99.28 | 225 | 317 | 371 | 450 | 458 | 490 | 495 | 540 | 37 |
| D5731 | Reline complete mandibular denture (chairside) | 376.67 | 98.02 | 225 | 327 | 373 | 454 | 458 | 490 | 495 | 540 | 36 |
| D5750 | Reline complete maxillary denture (laboratory) | 513.48 | 103.57 | 375 | 450 | 513 | 570 | 600 | 630 | 642 | 710 | 44 |
| D5751 | Reline complete mandibular denture (laboratory) | 515.63 | 103.87 | 375 | 450 | 515 | 590 | 600 | 630 | 642 | 710 | 43 |
| D6056 | Prefabricated abutment — includes modification and placement | 696.29 | 161.08 | 450 | 600 | 695 | 825 | 825 | 865 | 918 | 950 | 31 |
| D6057 | Custom fabricated abutment - includes placement | 890.12 | 259.47 | 610 | 728 | 834 | 985 | 1,065 | 1,139 | 1,200 | 1,206 | 41 |
| D6059 | Abutment supported porcelain fused to metal crown (high noble metal) | 1,531.42 | 268.81 | 1,255 | 1,382 | 1,520 | 1,643 | 1,650 | 1,700 | 1,800 | 2,214 | 36 |
| D6210 | Pontic - cast high noble metal | 1,298.50 | 209.01 | 1,030 | 1,160 | 1,299 | 1,391 | 1,420 | 1,550 | 1,608 | 1,665 | 36 |
| D6240 | Pontic - porcelain fused to high noble metal | 1,306.86 | 177.77 | 1,090 | 1,185 | 1,324 | 1,400 | 1,420 | 1,500 | 1,510 | 1,590 | 44 |
| D6245 | Pontic - porcelain/ceramic | 1,297.85 | 117.26 | 1,125 | 1,200 | 1,340 | 1,375 | 1,395 | 1,400 | 1,420 | 1,450 | 34 |
| D6750 | Retainer crown - porcelain fused to high noble metal | 1,305.16 | 189.87 | 1,082 | 1,165 | 1,291 | 1,419 | 1,500 | 1,525 | 1,550 | 1,637 | 38 |
| D6790 | Retainer crown - full cast high noble metal | 1,296.29 | 214.64 | 1,035 | 1,113 | 1,300 | 1,419 | 1,500 | 1,550 | 1,590 | 1,637 | 31 |
| D6930 | Re-cement or re-bond fixed partial denture | 183.70 | 52.53 | 115 | 145 | 175 | 210 | 214 | 245 | 258 | 301 | 37 |
| D7111 | Extraction, coronal remnants -deciduous tooth | 138.56 | 33.11 | 90 | 117 | 139 | 159 | 166 | 170 | 178 | 200 | 36 |
| D7140 | Extraction, erupted tooth or exposed root (elevation and/or forceps removal) | 195.12 | 42.79 | 148 | 165 | 190 | 221 | 230 | 230 | 254 | 275 | 49 |

**2016 Survey of Dental Fees
General Practitioners - New England Division
(Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont)**

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|---|----------------|-----------------------|-----------------|---------|----------------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median 50th \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D7210 | Surgical removal of erupted tooth requiring removal of bone and/or sectioning of tooth, and including elevation of mucoperiosteal flap if indicated | 312.68 | 68.90 | 250 | 264 | 309 | 350 | 355 | 369 | 405 | 449 | 41 |
| D9110 | Palliative (emergency) treatment of dental pain - minor procedure | 129.38 | 35.33 | 90 | 105 | 131 | 150 | 150 | 150 | 165 | 180 | 48 |
| D9910 | Application of desensitizing medicament | 60.91 | 15.48 | 40 | 50 | 66 | 72 | 75 | 78 | 78 | 80 | 32 |
| D9940 | Occlusal guard, by report | 521.02 | 121.33 | 370 | 425 | 510 | 600 | 615 | 650 | 661 | 708 | 45 |
| D9941 | Fabrication of athletic mouthguard | 257.50 | 139.49 | 49 | 117 | 280 | 368 | 384 | 384 | 416 | 475 | 34 |
| D9951 | Occlusal adjustment - limited | 160.84 | 57.51 | 85 | 125 | 156 | 200 | 203 | 210 | 214 | 250 | 31 |

2016 Survey of Dental Fees
General Practitioners - Middle Atlantic Division
(New Jersey, New York, Pennsylvania)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|--|----------------|-----------------------|-----------------|---------|-----------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D0120 | Periodic oral evaluation — established patient | 49.67 | 16.24 | 34 | 38 | 46 | 60 | 64 | 67 | 75 | 85 | 111 |
| D0140 | Limited oral evaluation - problem focused | 63.09 | 21.15 | 40 | 48 | 61 | 75 | 81 | 85 | 90 | 100 | 110 |
| D0145 | Oral evaluation for a patient under three years of age and counseling with primary caregiver | 56.83 | 23.10 | 30 | 36 | 50 | 75 | 80 | 85 | 85 | 95 | 52 |
| D0150 | Comprehensive oral evaluation — new or established patient | 76.35 | 29.01 | 50 | 55 | 70 | 90 | 98 | 103 | 113 | 150 | 107 |
| D0160 | Detailed and extensive oral evaluation — problem focused, by report | 96.29 | 53.92 | 40 | 60 | 92 | 130 | 145 | 150 | 163 | 200 | 62 |
| D0170 | Re-evaluation - limited, problem focused (established patient; not post-operative visit) | 54.46 | 27.21 | 0 | 40 | 58 | 75 | 75 | 85 | 90 | 100 | 65 |
| D0171 | Re-evaluation – post-operative office visit | 19.10 | 26.49 | 0 | 0 | 0 | 50 | 50 | 50 | 55 | 65 | 41 |
| D0180 | Comprehensive periodontal evaluation — new or established patient | 90.26 | 29.50 | 50 | 70 | 86 | 100 | 118 | 124 | 125 | 150 | 65 |
| D0210 | Intraoral - complete series of radiographic images | 132.59 | 30.25 | 95 | 110 | 130 | 150 | 155 | 168 | 175 | 195 | 99 |
| D0220 | Intraoral - periapical first radiographic image | 25.18 | 7.57 | 16 | 20 | 25 | 30 | 30 | 33 | 35 | 37 | 115 |
| D0230 | Intraoral - periapical each additional radiographic image | 20.19 | 7.19 | 11 | 15 | 20 | 25 | 26 | 27 | 30 | 32 | 110 |
| D0272 | Bitewings - two radiographic images | 42.72 | 10.50 | 30 | 35 | 40 | 50 | 50 | 52 | 58 | 65 | 98 |
| D0273 | Bitewings - three radiographic images | 53.78 | 12.32 | 41 | 45 | 50 | 60 | 63 | 68 | 73 | 79 | 60 |
| D0274 | Bitewings - four radiographic images | 61.54 | 15.26 | 44 | 50 | 60 | 75 | 75 | 80 | 80 | 88 | 109 |
| D0277 | Vertical bitewings - 7 to 8 radiographic images | 96.35 | 22.20 | 72 | 85 | 95 | 110 | 110 | 118 | 125 | 150 | 37 |
| D0330 | Panoramic radiographic image | 112.60 | 23.28 | 85 | 95 | 110 | 130 | 131 | 135 | 143 | 150 | 65 |
| D0350 | 2D oral/facial photographic image obtained intra-orally or extra-orally | 41.70 | 33.88 | 0 | 0 | 41 | 65 | 68 | 73 | 84 | 107 | 30 |

2016 Survey of Dental Fees
General Practitioners - Middle Atlantic Division
(New Jersey, New York, Pennsylvania)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|--|----------------|-----------------------|-----------------|---------|-----------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D0470 | Diagnostic casts | 93.01 | 37.49 | 50 | 64 | 90 | 115 | 125 | 125 | 142 | 180 | 70 |
| D1110 | Prophylaxis - adult | 94.63 | 24.96 | 65 | 75 | 90 | 110 | 120 | 125 | 130 | 145 | 117 |
| D1120 | Prophylaxis - child | 70.33 | 20.47 | 47 | 55 | 66 | 84 | 90 | 95 | 100 | 105 | 116 |
| D1206 | Topical application of fluoride varnish | 41.70 | 14.75 | 25 | 30 | 40 | 54 | 55 | 60 | 61 | 75 | 86 |
| D1208 | Topical application of fluoride – excluding varnish | 39.24 | 13.29 | 25 | 30 | 36 | 49 | 50 | 52 | 55 | 65 | 87 |
| D1320 | Tobacco counseling for the control and prevention of oral disease | 35.23 | 36.47 | 0 | 0 | 32 | 55 | 65 | 79 | 89 | 107 | 30 |
| D1330 | Oral hygiene instructions | 22.82 | 25.41 | 0 | 0 | 11 | 40 | 50 | 52 | 56 | 73 | 57 |
| D1351 | Sealant - per tooth | 50.68 | 13.46 | 35 | 40 | 50 | 59 | 60 | 65 | 70 | 75 | 106 |
| D1352 | Preventive resin restoration in a moderate to high caries risk patient — permanent tooth | 90.53 | 40.37 | 47 | 50 | 88 | 125 | 127 | 142 | 150 | 165 | 30 |
| D1510 | Space maintainer - fixed -unilateral | 288.77 | 66.09 | 204 | 235 | 280 | 347 | 350 | 375 | 395 | 398 | 52 |
| D1515 | Space maintainer - fixed -bilateral | 397.62 | 103.93 | 260 | 310 | 400 | 450 | 475 | 478 | 535 | 578 | 47 |
| D2140 | Amalgam - one surface, primary or permanent | 133.47 | 37.53 | 90 | 104 | 125 | 150 | 164 | 175 | 185 | 205 | 87 |
| D2150 | Amalgam - two surfaces, primary or permanent | 168.03 | 43.50 | 115 | 132 | 162 | 200 | 200 | 215 | 236 | 249 | 86 |
| D2160 | Amalgam - three surfaces, primary or permanent | 199.36 | 52.79 | 139 | 154 | 193 | 240 | 250 | 262 | 275 | 285 | 86 |
| D2161 | Amalgam - four or more surfaces, primary or permanent | 235.21 | 62.63 | 165 | 183 | 225 | 280 | 295 | 300 | 313 | 345 | 84 |
| D2330 | Resin-based composite - one surface, anterior | 151.85 | 38.75 | 106 | 122 | 150 | 175 | 179 | 187 | 200 | 225 | 105 |
| D2331 | Resin-based composite - two surfaces, anterior | 185.54 | 49.15 | 126 | 146 | 178 | 215 | 225 | 242 | 260 | 279 | 109 |
| D2332 | Resin-based composite - three surfaces, anterior | 223.93 | 61.72 | 150 | 175 | 217 | 262 | 275 | 291 | 300 | 335 | 108 |
| D2335 | Resin-based composite - four or more surfaces or involving incisal angle (anterior) | 277.09 | 80.02 | 177 | 209 | 274 | 328 | 350 | 361 | 394 | 425 | 104 |

2016 Survey of Dental Fees
General Practitioners - Middle Atlantic Division
(New Jersey, New York, Pennsylvania)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|--|----------------|-----------------------|-----------------|---------|----------------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median 50th \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D2390 | Resin-based composite crown, anterior | 364.86 | 152.23 | 180 | 245 | 350 | 495 | 525 | 531 | 575 | 600 | 44 |
| D2391 | Resin-based composite - one surface, posterior | 167.77 | 44.87 | 115 | 134 | 160 | 195 | 204 | 214 | 231 | 250 | 96 |
| D2392 | Resin-based composite - two surfaces, posterior | 219.35 | 57.65 | 150 | 175 | 210 | 258 | 267 | 285 | 295 | 319 | 96 |
| D2393 | Resin-based composite - three surfaces, posterior | 265.67 | 74.61 | 180 | 207 | 250 | 320 | 334 | 351 | 375 | 424 | 97 |
| D2394 | Resin-based composite - four or more surfaces, posterior | 307.85 | 95.24 | 195 | 231 | 295 | 365 | 385 | 400 | 450 | 480 | 97 |
| D2520 | Inlay - metallic - two surfaces | 866.29 | 273.58 | 575 | 650 | 800 | 1,000 | 1,100 | 1,189 | 1,200 | 1,365 | 41 |
| D2543 | Onlay - metallic - three surfaces | 1,002.35 | 255.93 | 700 | 794 | 986 | 1,198 | 1,268 | 1,350 | 1,400 | 1,400 | 48 |
| D2620 | Inlay - porcelain/ceramic - two surfaces | 942.54 | 215.98 | 650 | 798 | 950 | 1,033 | 1,087 | 1,200 | 1,226 | 1,325 | 46 |
| D2642 | Onlay - porcelain/ceramic - two surfaces | 1,006.55 | 218.83 | 725 | 832 | 1,000 | 1,200 | 1,200 | 1,300 | 1,325 | 1,375 | 47 |
| D2643 | Onlay - porcelain/ceramic - three surfaces | 1,075.30 | 248.53 | 750 | 894 | 1,055 | 1,225 | 1,353 | 1,376 | 1,400 | 1,500 | 50 |
| D2644 | Onlay - porcelain/ceramic - four or more surfaces | 1,107.43 | 250.82 | 800 | 925 | 1,087 | 1,300 | 1,365 | 1,397 | 1,472 | 1,500 | 49 |
| D2663 | Onlay - resin-based composite - three surfaces | 946.13 | 242.09 | 650 | 750 | 920 | 1,168 | 1,194 | 1,250 | 1,294 | 1,365 | 32 |
| D2710 | Crown - resin-based composite (indirect) | 787.37 | 356.29 | 300 | 500 | 800 | 1,195 | 1,211 | 1,235 | 1,250 | 1,272 | 35 |
| D2740 | Crown - porcelain/ceramic substrate | 1,166.22 | 243.86 | 900 | 965 | 1,125 | 1,317 | 1,380 | 1,440 | 1,500 | 1,600 | 90 |
| D2750 | Crown - porcelain fused to high noble metal | 1,153.99 | 217.55 | 900 | 1,000 | 1,102 | 1,300 | 1,370 | 1,410 | 1,486 | 1,500 | 95 |
| D2751 | Crown - porcelain fused to predominantly base metal | 1,072.14 | 206.26 | 800 | 900 | 1,055 | 1,240 | 1,250 | 1,338 | 1,350 | 1,400 | 51 |
| D2752 | Crown - porcelain fused to noble metal | 1,112.17 | 205.14 | 895 | 940 | 1,079 | 1,292 | 1,300 | 1,367 | 1,400 | 1,448 | 71 |
| D2783 | Crown - ¾ porcelain/ceramic | 1,127.05 | 215.91 | 850 | 979 | 1,100 | 1,250 | 1,317 | 1,325 | 1,382 | 1,450 | 37 |
| D2790 | Crown - full cast high noble metal | 1,201.95 | 220.11 | 925 | 1,015 | 1,200 | 1,350 | 1,385 | 1,450 | 1,500 | 1,558 | 61 |

2016 Survey of Dental Fees
General Practitioners - Middle Atlantic Division
(New Jersey, New York, Pennsylvania)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|--|----------------|-----------------------|-----------------|---------|----------------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median 50th \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D2799 | Provisional crown – further treatment or completion of diagnosis necessary prior to final impression | 367.76 | 187.97 | 175 | 228 | 350 | 500 | 528 | 566 | 600 | 650 | 55 |
| D2920 | Re-cement or re-bond crown | 101.41 | 31.88 | 65 | 75 | 100 | 125 | 125 | 132 | 144 | 162 | 93 |
| D2930 | Prefabricated stainless steel crown - primary tooth | 266.96 | 71.14 | 175 | 211 | 253 | 316 | 340 | 350 | 355 | 375 | 48 |
| D2931 | Prefabricated stainless steel crown - permanent tooth | 329.33 | 79.93 | 238 | 250 | 311 | 395 | 400 | 425 | 438 | 465 | 36 |
| D2940 | Protective restoration | 106.27 | 40.06 | 65 | 75 | 90 | 135 | 150 | 154 | 169 | 188 | 60 |
| D2950 | Core buildup, including any pins when required | 256.84 | 75.30 | 170 | 199 | 246 | 299 | 312 | 340 | 350 | 405 | 92 |
| D2952 | Post and core in addition to crown, indirectly fabricated | 405.53 | 118.34 | 250 | 322 | 400 | 475 | 500 | 538 | 575 | 650 | 77 |
| D2954 | Prefabricated post and core in addition to crown | 319.63 | 80.84 | 225 | 260 | 300 | 375 | 385 | 411 | 430 | 465 | 92 |
| D2961 | Labial veneer (resin laminate) - laboratory | 859.56 | 305.31 | 500 | 600 | 876 | 1,048 | 1,150 | 1,205 | 1,300 | 1,406 | 45 |
| D2962 | Labial veneer (porcelain laminate) - laboratory | 1,115.24 | 244.69 | 850 | 927 | 1,032 | 1,275 | 1,300 | 1,400 | 1,472 | 1,500 | 86 |
| D2980 | Crown repair necessitated by restorative material failure | 247.98 | 123.53 | 105 | 150 | 225 | 350 | 375 | 400 | 420 | 426 | 61 |
| D3110 | Pulp cap - direct (excluding final restoration) | 79.25 | 34.18 | 44 | 51 | 75 | 100 | 108 | 115 | 125 | 150 | 64 |
| D3120 | Pulp cap - indirect (excluding final restoration) | 72.52 | 31.44 | 38 | 50 | 68 | 90 | 100 | 106 | 111 | 127 | 62 |
| D3220 | Therapeutic pulpotomy (excluding final restoration)... | 176.91 | 70.67 | 100 | 125 | 160 | 225 | 240 | 250 | 279 | 300 | 81 |
| D3221 | Pulpal debridement, primary and permanent teeth | 185.58 | 89.31 | 78 | 125 | 175 | 250 | 261 | 275 | 296 | 350 | 50 |
| D3230 | Pulpal therapy (resorbable filling) - anterior, primary tooth (excluding final restoration) | 287.75 | 103.38 | 150 | 206 | 291 | 354 | 390 | 406 | 445 | 450 | 32 |

2016 Survey of Dental Fees
General Practitioners - Middle Atlantic Division
(New Jersey, New York, Pennsylvania)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|--|----------------|-----------------------|-----------------|---------|-----------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D3240 | Pulpal therapy (resorbable filling) - posterior, primary tooth (excluding final restoration) | 316.53 | 96.84 | 176 | 257 | 306 | 395 | 400 | 408 | 425 | 500 | 34 |
| D3310 | Endodontic therapy, anterior tooth (excluding final restoration) | 749.94 | 155.70 | 550 | 625 | 750 | 865 | 887 | 900 | 962 | 1,010 | 95 |
| D3320 | Endodontic therapy, bicuspid tooth (excluding final restoration) | 872.31 | 178.44 | 636 | 750 | 843 | 1,000 | 1,000 | 1,056 | 1,116 | 1,200 | 96 |
| D3330 | Endodontic therapy, molar (excluding final restoration) | 1,038.60 | 199.58 | 800 | 900 | 1,000 | 1,200 | 1,208 | 1,275 | 1,300 | 1,380 | 95 |
| D3332 | Incomplete endodontic therapy; inoperable, unrestorable or fractured tooth | 347.80 | 193.51 | 0 | 250 | 393 | 470 | 498 | 540 | 563 | 613 | 30 |
| D3346 | Retreatment of previous root canal therapy — anterior | 851.37 | 236.42 | 550 | 684 | 827 | 1,000 | 1,050 | 1,131 | 1,150 | 1,295 | 46 |
| D3347 | Retreatment of previous root canal therapy — bicuspid | 969.91 | 238.16 | 700 | 800 | 950 | 1,150 | 1,180 | 1,200 | 1,250 | 1,295 | 43 |
| D3348 | Retreatment of previous root canal therapy — molar | 1,142.83 | 265.40 | 800 | 963 | 1,150 | 1,311 | 1,350 | 1,350 | 1,472 | 1,500 | 41 |
| D4210 | Gingivectomy or gingivoplasty - four or more contiguous teeth or tooth bounded spaces per quadrant | 542.39 | 184.08 | 300 | 400 | 537 | 683 | 728 | 750 | 800 | 870 | 56 |
| D4211 | Gingivectomy or gingivoplasty - one to three contiguous teeth or tooth bounded spaces per quadrant | 294.05 | 135.02 | 138 | 199 | 289 | 378 | 395 | 450 | 500 | 550 | 64 |
| D4240 | Gingival flap procedure, including root planing — four or more contiguous teeth or tooth bounded spaces per quadrant | 624.17 | 209.49 | 341 | 461 | 600 | 777 | 825 | 874 | 956 | 965 | 36 |
| D4241 | Gingival flap procedure, including root planing — one to three contiguous teeth or tooth bounded spaces per quadrant | 490.16 | 184.84 | 239 | 350 | 515 | 623 | 641 | 650 | 662 | 835 | 31 |
| D4249 | Clinical crown lengthening — hard tissue | 664.21 | 214.02 | 300 | 600 | 680 | 775 | 816 | 874 | 900 | 1,025 | 43 |

2016 Survey of Dental Fees
General Practitioners - Middle Atlantic Division
(New Jersey, New York, Pennsylvania)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|---|----------------|-----------------------|-----------------|---------|----------------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median 50th \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D4260 | Osseous surgery (including elevation of a full thickness flap and closure) - four or more contiguous teeth or tooth bounded spaces per quadrant | 1,015.03 | 300.74 | 682 | 874 | 1,005 | 1,160 | 1,212 | 1,250 | 1,341 | 1,486 | 30 |
| D4321 | Provisional splinting - extracoronal | 333.69 | 166.21 | 150 | 181 | 320 | 480 | 495 | 500 | 590 | 624 | 54 |
| D4341 | Periodontal scaling and root planing - four or more teeth per quadrant | 241.07 | 61.22 | 175 | 197 | 234 | 275 | 277 | 300 | 323 | 375 | 86 |
| D4342 | Periodontal scaling and root planing - one to three teeth per quadrant | 161.89 | 56.70 | 95 | 110 | 150 | 195 | 200 | 225 | 250 | 275 | 79 |
| D4355 | Full mouth debridement to enable comprehensive evaluation and diagnosis | 161.14 | 50.02 | 100 | 117 | 156 | 195 | 210 | 225 | 230 | 250 | 84 |
| D4381 | Localized delivery of antimicrobial agents via a controlled release vehicle into diseased crevicular tissue, per tooth | 79.21 | 51.92 | 35 | 45 | 57 | 90 | 100 | 150 | 161 | 203 | 57 |
| D4910 | Periodontal maintenance | 132.69 | 34.57 | 95 | 105 | 125 | 154 | 162 | 175 | 178 | 195 | 88 |
| D5110 | Complete denture - maxillary | 1,587.30 | 431.57 | 1,050 | 1,239 | 1,513 | 1,864 | 1,925 | 2,000 | 2,000 | 2,350 | 108 |
| D5120 | Complete denture - mandibular | 1,585.94 | 435.60 | 1,050 | 1,223 | 1,508 | 1,899 | 1,950 | 2,000 | 2,000 | 2,350 | 108 |
| D5130 | Immediate denture - maxillary | 1,695.24 | 435.28 | 1,170 | 1,350 | 1,675 | 2,000 | 2,100 | 2,200 | 2,351 | 2,500 | 99 |
| D5140 | Immediate denture - mandibular | 1,694.31 | 435.96 | 1,170 | 1,350 | 1,650 | 2,000 | 2,100 | 2,200 | 2,375 | 2,500 | 99 |
| D5211 | Maxillary partial denture - resin base (including any conventional clasps, rests and teeth) | 1,261.93 | 502.50 | 682 | 850 | 1,200 | 1,658 | 1,722 | 1,853 | 2,000 | 2,200 | 96 |
| D5212 | Mandibular partial denture - resin base (including any conventional clasps, rests and teeth) | 1,293.87 | 484.17 | 720 | 950 | 1,210 | 1,658 | 1,722 | 1,853 | 1,925 | 2,200 | 92 |
| D5213 | Maxillary partial denture - cast metal framework with resin denture bases (including any conventional clasps, rests, and teeth) | 1,645.36 | 416.67 | 1,125 | 1,320 | 1,600 | 1,895 | 1,900 | 2,000 | 2,200 | 2,500 | 101 |

2016 Survey of Dental Fees
General Practitioners - Middle Atlantic Division
(New Jersey, New York, Pennsylvania)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|--|----------------|-----------------------|-----------------|---------|-----------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D5214 | Mandibular partial denture - cast metal framework with resin denture bases (including any conventional clasps, rests, and teeth) | 1,652.44 | 417.41 | 1,113 | 1,335 | 1,625 | 1,898 | 1,902 | 2,010 | 2,246 | 2,500 | 100 |
| D5221 | Immediate maxillary partial denture - resin base (including any conventional clasps, rests and teeth) | 1,355.76 | 493.66 | 800 | 975 | 1,325 | 1,800 | 1,850 | 1,850 | 1,900 | 2,000 | 34 |
| D5222 | Immediate mandibular partial denture - resin base (including any conventional clasps, rests and teeth) | 1,394.37 | 494.19 | 800 | 975 | 1,375 | 1,800 | 1,850 | 1,875 | 1,906 | 2,000 | 30 |
| D5225 | Maxillary partial denture — flexible base (including any clasps, rests, and teeth) | 1,516.30 | 456.11 | 950 | 1,195 | 1,500 | 1,825 | 1,900 | 1,971 | 2,050 | 2,400 | 74 |
| D5226 | Mandibular partial denture - flexible base (including any clasps, rests, and teeth) | 1,512.97 | 452.10 | 950 | 1,195 | 1,500 | 1,825 | 1,900 | 1,953 | 2,050 | 2,400 | 75 |
| D5510 | Repair broken complete denture base | 202.10 | 68.56 | 120 | 150 | 200 | 250 | 250 | 275 | 282 | 325 | 92 |
| D5520 | Replace missing or broken teeth — complete denture (each tooth) | 173.01 | 56.05 | 100 | 125 | 175 | 210 | 220 | 250 | 250 | 275 | 89 |
| D5610 | Repair resin denture base | 197.49 | 71.78 | 100 | 143 | 195 | 250 | 250 | 275 | 300 | 310 | 88 |
| D5640 | Replace broken teeth - per tooth | 173.78 | 59.61 | 100 | 125 | 172 | 202 | 223 | 240 | 250 | 275 | 89 |
| D5650 | Add tooth to existing partial denture | 195.00 | 62.46 | 115 | 150 | 195 | 240 | 250 | 250 | 275 | 315 | 92 |
| D5660 | Add clasp to existing partial denture – per tooth | 235.00 | 77.52 | 150 | 175 | 225 | 274 | 281 | 300 | 342 | 365 | 89 |
| D5710 | Rebase complete maxillary denture | 516.15 | 160.85 | 300 | 380 | 500 | 648 | 653 | 700 | 750 | 796 | 55 |
| D5711 | Rebase complete mandibular denture | 513.11 | 159.41 | 300 | 380 | 500 | 605 | 655 | 700 | 750 | 788 | 54 |
| D5720 | Rebase maxillary partial denture | 482.98 | 154.65 | 300 | 350 | 495 | 574 | 600 | 650 | 710 | 745 | 49 |
| D5721 | Rebase mandibular partial denture | 487.41 | 151.78 | 300 | 350 | 495 | 574 | 625 | 650 | 713 | 745 | 49 |
| D5730 | Reline complete maxillary denture (chairside) | 306.96 | 132.35 | 150 | 215 | 306 | 380 | 400 | 448 | 490 | 513 | 89 |
| D5731 | Reline complete mandibular denture (chairside) | 306.00 | 132.99 | 150 | 215 | 290 | 378 | 420 | 451 | 490 | 500 | 89 |

2016 Survey of Dental Fees
General Practitioners - Middle Atlantic Division
(New Jersey, New York, Pennsylvania)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|---|----------------|-----------------------|-----------------|---------|-----------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D5750 | Reline complete maxillary denture (laboratory) | 396.60 | 123.07 | 250 | 306 | 400 | 490 | 500 | 500 | 550 | 599 | 98 |
| D5751 | Reline complete mandibular denture (laboratory) | 400.91 | 131.16 | 250 | 320 | 400 | 499 | 500 | 512 | 555 | 600 | 95 |
| D5986 | Fluoride gel carrier | 177.31 | 82.02 | 50 | 98 | 201 | 245 | 250 | 250 | 256 | 300 | 32 |
| D6056 | Prefabricated abutment — includes modification and placement | 696.39 | 213.36 | 415 | 550 | 690 | 850 | 875 | 934 | 962 | 1,040 | 66 |
| D6057 | Custom fabricated abutment - includes placement | 838.51 | 224.10 | 550 | 660 | 814 | 995 | 1,025 | 1,125 | 1,200 | 1,250 | 78 |
| D6059 | Abutment supported porcelain fused to metal crown (high noble metal) | 1,329.42 | 303.85 | 975 | 1,100 | 1,267 | 1,500 | 1,550 | 1,620 | 1,800 | 1,875 | 81 |
| D6066 | Implant supported porcelain fused to metal crown (titanium, titanium alloy, high noble metal) | 1,486.19 | 361.13 | 1,060 | 1,195 | 1,500 | 1,800 | 1,896 | 1,980 | 2,000 | 2,000 | 63 |
| D6069 | Abutment supported retainer for porcelain fused to metal FPD (high noble metal) | 1,398.96 | 321.08 | 1,005 | 1,159 | 1,350 | 1,600 | 1,695 | 1,825 | 1,890 | 1,971 | 47 |
| D6080 | Implant maintenance procedures when prostheses are removed and reinserted... | 217.30 | 115.49 | 100 | 130 | 200 | 275 | 286 | 345 | 396 | 440 | 43 |
| D6210 | Pontic - cast high noble metal | 1,129.07 | 230.83 | 865 | 925 | 1,100 | 1,250 | 1,370 | 1,400 | 1,500 | 1,511 | 55 |
| D6240 | Pontic - porcelain fused to high noble metal | 1,140.62 | 250.62 | 875 | 957 | 1,100 | 1,292 | 1,395 | 1,425 | 1,500 | 1,625 | 85 |
| D6241 | Pontic - porcelain fused to predominantly base metal | 1,022.67 | 217.52 | 725 | 879 | 998 | 1,106 | 1,200 | 1,250 | 1,354 | 1,486 | 54 |
| D6245 | Pontic - porcelain/ceramic | 1,176.97 | 261.85 | 895 | 965 | 1,100 | 1,415 | 1,440 | 1,500 | 1,500 | 1,650 | 59 |
| D6545 | Retainer - cast metal for resin bonded fixed prosthesis | 582.19 | 324.75 | 250 | 374 | 500 | 660 | 800 | 1,025 | 1,100 | 1,365 | 53 |
| D6750 | Retainer crown - porcelain fused to high noble metal | 1,164.10 | 219.80 | 900 | 1,000 | 1,138 | 1,350 | 1,370 | 1,410 | 1,500 | 1,525 | 70 |
| D6751 | Retainer crown - porcelain fused to predominantly base metal | 1,060.34 | 210.93 | 775 | 914 | 1,003 | 1,218 | 1,250 | 1,350 | 1,365 | 1,400 | 44 |

2016 Survey of Dental Fees
General Practitioners - Middle Atlantic Division
(New Jersey, New York, Pennsylvania)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|---|----------------|-----------------------|-----------------|---------|-----------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D6790 | Retainer crown - full cast high noble metal | 1,196.13 | 230.40 | 927 | 991 | 1,132 | 1,388 | 1,443 | 1,500 | 1,517 | 1,638 | 48 |
| D6930 | Re-cement or re-bond fixed partial denture | 141.68 | 52.41 | 84 | 100 | 125 | 175 | 195 | 195 | 200 | 225 | 73 |
| D7111 | Extraction, coronal remnants -deciduous tooth | 128.97 | 43.96 | 77 | 94 | 123 | 167 | 175 | 180 | 193 | 212 | 74 |
| D7140 | Extraction, erupted tooth or exposed root (elevation and/or forceps removal) | 183.51 | 53.87 | 120 | 142 | 175 | 225 | 226 | 250 | 260 | 290 | 101 |
| D7210 | Surgical removal of erupted tooth requiring removal of bone and/or sectioning of tooth, and including elevation of mucoperiosteal flap if indicated | 282.98 | 85.06 | 175 | 225 | 265 | 350 | 350 | 370 | 400 | 475 | 84 |
| D7220 | Removal of impacted tooth - soft tissue | 329.37 | 76.47 | 237 | 268 | 325 | 375 | 379 | 396 | 400 | 500 | 35 |
| D7230 | Removal of impacted tooth -partially bony | 419.87 | 105.90 | 300 | 335 | 400 | 497 | 500 | 533 | 585 | 600 | 31 |
| D7250 | Surgical removal of residual tooth roots (cutting procedure) | 280.60 | 83.91 | 170 | 232 | 275 | 332 | 360 | 368 | 395 | 450 | 48 |
| D7286 | Incisional biopsy of oral tissue - soft | 289.64 | 107.00 | 150 | 200 | 275 | 375 | 412 | 412 | 442 | 477 | 33 |
| D7310 | Alveoloplasty in conjunction with extractions - four or more teeth or tooth spaces, per quadrant | 268.56 | 108.07 | 150 | 195 | 252 | 335 | 350 | 360 | 400 | 500 | 34 |
| D7960 | Frenulectomy — also known as frenectomy or frenotomy - separate procedure not incidental to another | 401.97 | 142.94 | 234 | 291 | 386 | 470 | 508 | 566 | 603 | 717 | 30 |
| D9110 | Palliative (emergency) treatment of dental pain - minor procedure | 105.99 | 47.30 | 59 | 75 | 99 | 129 | 145 | 150 | 170 | 200 | 100 |
| D9120 | Fixed partial denture sectioning | 156.98 | 71.13 | 78 | 100 | 148 | 200 | 227 | 236 | 278 | 300 | 50 |
| D9210 | Local anesthesia not in conjunction with operative or surgical procedures | 53.35 | 24.39 | 27 | 35 | 53 | 74 | 74 | 75 | 75 | 96 | 31 |
| D9215 | Local anesthesia in conjunction with operative or surgical procedures | 30.39 | 30.32 | 0 | 0 | 26 | 57 | 64 | 65 | 65 | 80 | 31 |

2016 Survey of Dental Fees
General Practitioners - Middle Atlantic Division
(New Jersey, New York, Pennsylvania)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|---|----------------|-----------------------|-----------------|---------|-----------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D9230 | Inhalation of nitrous oxide/analgesia, anxiolysis | 57.91 | 39.20 | 0 | 40 | 50 | 75 | 78 | 102 | 122 | 150 | 46 |
| D9310 | Consultation - diagnostic service provided by dentist or physician other than requesting dentist or physician | 97.25 | 56.66 | 25 | 65 | 95 | 128 | 145 | 150 | 175 | 200 | 61 |
| D9430 | Office visit for observation (during regularly scheduled hours) - no other services performed | 48.98 | 36.74 | 0 | 25 | 50 | 65 | 78 | 80 | 90 | 116 | 43 |
| D9440 | Office visit - after regularly scheduled hours | 137.32 | 69.60 | 61 | 85 | 114 | 180 | 185 | 200 | 226 | 300 | 56 |
| D9910 | Application of desensitizing medicament | 54.47 | 21.99 | 30 | 35 | 52 | 70 | 75 | 75 | 80 | 100 | 64 |
| D9911 | Application of desensitizing resin for cervical and/or root surface, per tooth | 54.62 | 35.25 | 0 | 31 | 50 | 77 | 91 | 95 | 100 | 107 | 47 |
| D9940 | Occlusal guard, by report | 464.85 | 155.68 | 268 | 350 | 450 | 550 | 588 | 605 | 672 | 764 | 95 |
| D9941 | Fabrication of athletic mouthguard | 247.06 | 136.33 | 86 | 150 | 202 | 344 | 380 | 400 | 450 | 500 | 72 |
| D9951 | Occlusal adjustment - limited | 130.14 | 69.25 | 55 | 80 | 108 | 173 | 175 | 200 | 225 | 279 | 58 |
| D9952 | Occlusal adjustment - complete | 399.02 | 248.15 | 150 | 231 | 308 | 573 | 645 | 663 | 730 | 888 | 48 |
| D9972 | External bleaching - per arch - performed in office | 327.54 | 137.82 | 165 | 215 | 295 | 450 | 481 | 500 | 550 | 575 | 59 |
| D9974 | Internal bleaching - per tooth | 247.29 | 101.56 | 120 | 161 | 250 | 300 | 338 | 350 | 375 | 425 | 45 |
| D9975 | External bleaching for home application, per arch; includes materials and fabrication of custom trays | 307.38 | 138.33 | 150 | 200 | 290 | 398 | 450 | 450 | 495 | 575 | 64 |

2016 Survey of Dental Fees
General Practitioners - East North Central Division
(Illinois, Indiana, Michigan, Ohio, Wisconsin)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|--|----------------|-----------------------|-----------------|---------|-----------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D0120 | Periodic oral evaluation — established patient | 47.69 | 8.18 | 38 | 42 | 48 | 52 | 55 | 55 | 59 | 62 | 181 |
| D0140 | Limited oral evaluation - problem focused | 68.30 | 15.97 | 45 | 60 | 70 | 78 | 80 | 84 | 86 | 89 | 177 |
| D0145 | Oral evaluation for a patient under three years of age and counseling with primary caregiver | 58.63 | 17.47 | 38 | 45 | 59 | 71 | 72 | 75 | 77 | 88 | 91 |
| D0150 | Comprehensive oral evaluation — new or established patient | 78.30 | 18.31 | 55 | 67 | 78 | 90 | 92 | 96 | 100 | 105 | 176 |
| D0160 | Detailed and extensive oral evaluation — problem focused, by report | 104.84 | 57.29 | 25 | 66 | 100 | 154 | 162 | 166 | 173 | 185 | 105 |
| D0170 | Re-evaluation - limited, problem focused (established patient; not post-operative visit) | 54.30 | 25.49 | 13 | 40 | 60 | 70 | 74 | 77 | 82 | 88 | 100 |
| D0171 | Re-evaluation – post-operative office visit | 13.37 | 27.31 | 0 | 0 | 0 | 0 | 20 | 45 | 64 | 75 | 41 |
| D0180 | Comprehensive periodontal evaluation — new or established patient | 85.40 | 20.94 | 60 | 68 | 85 | 100 | 102 | 106 | 115 | 121 | 102 |
| D0210 | Intraoral - complete series of radiographic images | 130.21 | 19.72 | 105 | 119 | 130 | 144 | 148 | 150 | 157 | 165 | 162 |
| D0220 | Intraoral - periapical first radiographic image | 27.96 | 5.61 | 21 | 25 | 28 | 31 | 32 | 34 | 35 | 37 | 178 |
| D0230 | Intraoral - periapical each additional radiographic image | 23.01 | 5.71 | 15 | 20 | 24 | 27 | 27 | 29 | 30 | 31 | 176 |
| D0272 | Bitewings - two radiographic images | 43.65 | 8.01 | 34 | 38 | 43 | 48 | 49 | 51 | 54 | 59 | 171 |
| D0273 | Bitewings - three radiographic images | 53.58 | 9.01 | 43 | 47 | 53 | 59 | 61 | 63 | 65 | 70 | 96 |
| D0274 | Bitewings - four radiographic images | 61.45 | 10.19 | 49 | 55 | 61 | 67 | 69 | 72 | 74 | 78 | 172 |
| D0277 | Vertical bitewings - 7 to 8 radiographic images | 89.92 | 14.48 | 73 | 80 | 91 | 100 | 101 | 103 | 105 | 109 | 62 |
| D0330 | Panoramic radiographic image | 113.41 | 17.65 | 90 | 105 | 112 | 123 | 129 | 130 | 136 | 144 | 152 |
| D0350 | 2D oral/facial photographic image obtained intra-orally or extra-orally | 51.13 | 37.03 | 0 | 20 | 58 | 75 | 77 | 80 | 85 | 100 | 63 |

2016 Survey of Dental Fees
General Practitioners - East North Central Division
(Illinois, Indiana, Michigan, Ohio, Wisconsin)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|--|----------------|-----------------------|-----------------|---------|-----------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D0470 | Diagnostic casts | 100.93 | 29.23 | 67 | 79 | 100 | 118 | 124 | 129 | 140 | 152 | 122 |
| D1110 | Prophylaxis - adult | 85.16 | 13.36 | 70 | 76 | 85 | 93 | 95 | 98 | 103 | 108 | 180 |
| D1120 | Prophylaxis - child | 62.71 | 9.72 | 50 | 57 | 63 | 68 | 71 | 73 | 76 | 79 | 177 |
| D1206 | Topical application of fluoride varnish | 37.35 | 8.24 | 26 | 30 | 38 | 44 | 45 | 46 | 48 | 50 | 146 |
| D1208 | Topical application of fluoride – excluding varnish | 35.20 | 7.65 | 26 | 30 | 35 | 41 | 42 | 45 | 45 | 48 | 128 |
| D1320 | Tobacco counseling for the control and prevention of oral disease | 32.60 | 35.80 | 0 | 0 | 10 | 70 | 75 | 79 | 81 | 89 | 57 |
| D1330 | Oral hygiene instructions | 20.80 | 24.43 | 0 | 0 | 0 | 44 | 47 | 53 | 56 | 63 | 92 |
| D1351 | Sealant - per tooth | 51.46 | 10.63 | 40 | 45 | 50 | 57 | 58 | 60 | 62 | 68 | 171 |
| D1352 | Preventive resin restoration in a moderate to high caries risk patient — permanent tooth | 100.43 | 37.83 | 59 | 75 | 97 | 115 | 120 | 129 | 145 | 170 | 47 |
| D1510 | Space maintainer - fixed -unilateral | 310.63 | 63.95 | 240 | 272 | 310 | 340 | 355 | 366 | 380 | 425 | 118 |
| D1515 | Space maintainer - fixed -bilateral | 406.85 | 81.11 | 303 | 350 | 404 | 461 | 468 | 484 | 512 | 530 | 110 |
| D2140 | Amalgam - one surface, primary or permanent | 130.16 | 26.79 | 98 | 112 | 128 | 150 | 154 | 159 | 163 | 175 | 141 |
| D2150 | Amalgam - two surfaces, primary or permanent | 161.87 | 35.05 | 122 | 138 | 155 | 185 | 191 | 198 | 204 | 227 | 138 |
| D2160 | Amalgam - three surfaces, primary or permanent | 193.64 | 41.32 | 142 | 165 | 189 | 225 | 232 | 239 | 245 | 261 | 138 |
| D2161 | Amalgam - four or more surfaces, primary or permanent | 231.31 | 52.38 | 167 | 191 | 223 | 270 | 279 | 287 | 295 | 325 | 136 |
| D2330 | Resin-based composite - one surface, anterior | 151.71 | 28.66 | 116 | 131 | 150 | 172 | 178 | 184 | 189 | 200 | 178 |
| D2331 | Resin-based composite - two surfaces, anterior | 186.44 | 34.58 | 145 | 164 | 183 | 210 | 216 | 225 | 230 | 249 | 177 |
| D2332 | Resin-based composite - three surfaces, anterior | 225.36 | 42.83 | 172 | 196 | 223 | 250 | 265 | 272 | 283 | 297 | 177 |
| D2335 | Resin-based composite - four or more surfaces or involving incisal angle (anterior) | 277.91 | 59.88 | 200 | 240 | 273 | 324 | 329 | 335 | 354 | 379 | 174 |

2016 Survey of Dental Fees
General Practitioners - East North Central Division
(Illinois, Indiana, Michigan, Ohio, Wisconsin)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|--|----------------|-----------------------|-----------------|---------|-----------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D2390 | Resin-based composite crown, anterior | 385.18 | 126.54 | 225 | 280 | 388 | 482 | 495 | 501 | 530 | 560 | 78 |
| D2391 | Resin-based composite - one surface, posterior | 168.16 | 29.56 | 130 | 146 | 166 | 189 | 194 | 199 | 205 | 215 | 166 |
| D2392 | Resin-based composite - two surfaces, posterior | 213.85 | 39.00 | 165 | 185 | 212 | 242 | 248 | 253 | 263 | 279 | 168 |
| D2393 | Resin-based composite - three surfaces, posterior | 259.77 | 49.49 | 191 | 225 | 260 | 295 | 303 | 310 | 326 | 342 | 167 |
| D2394 | Resin-based composite - four or more surfaces, posterior | 308.96 | 66.05 | 220 | 260 | 309 | 353 | 363 | 372 | 391 | 423 | 162 |
| D2520 | Inlay - metallic - two surfaces | 849.98 | 205.53 | 580 | 698 | 832 | 988 | 1,026 | 1,070 | 1,160 | 1,200 | 64 |
| D2543 | Onlay - metallic - three surfaces | 968.07 | 166.99 | 719 | 863 | 993 | 1,092 | 1,111 | 1,163 | 1,177 | 1,200 | 60 |
| D2620 | Inlay - porcelain/ceramic - two surfaces | 944.04 | 187.57 | 705 | 800 | 948 | 1,038 | 1,099 | 1,128 | 1,184 | 1,300 | 75 |
| D2642 | Onlay - porcelain/ceramic - two surfaces | 1,014.50 | 162.02 | 784 | 886 | 1,028 | 1,120 | 1,150 | 1,170 | 1,200 | 1,244 | 68 |
| D2643 | Onlay - porcelain/ceramic - three surfaces | 1,061.07 | 155.65 | 876 | 950 | 1,070 | 1,165 | 1,196 | 1,200 | 1,236 | 1,320 | 73 |
| D2644 | Onlay - porcelain/ceramic - four or more surfaces | 1,080.85 | 171.92 | 850 | 975 | 1,100 | 1,178 | 1,200 | 1,205 | 1,288 | 1,352 | 78 |
| D2651 | Inlay - resin-based composite - two surfaces | 836.44 | 185.06 | 594 | 672 | 827 | 948 | 1,015 | 1,032 | 1,059 | 1,120 | 34 |
| D2662 | Onlay - resin-based composite - two surfaces | 896.24 | 195.22 | 650 | 796 | 896 | 1,037 | 1,059 | 1,120 | 1,120 | 1,196 | 33 |
| D2663 | Onlay - resin-based composite - three surfaces | 919.11 | 178.55 | 631 | 825 | 926 | 1,059 | 1,069 | 1,119 | 1,120 | 1,239 | 37 |
| D2664 | Onlay - resin-based composite - four or more surfaces | 956.13 | 162.69 | 693 | 863 | 937 | 1,069 | 1,120 | 1,150 | 1,196 | 1,264 | 39 |
| D2710 | Crown - resin-based composite (indirect) | 820.43 | 271.12 | 399 | 635 | 879 | 1,023 | 1,049 | 1,091 | 1,122 | 1,300 | 56 |
| D2740 | Crown - porcelain/ceramic substrate | 1,087.71 | 159.16 | 900 | 950 | 1,092 | 1,199 | 1,217 | 1,262 | 1,298 | 1,346 | 160 |
| D2750 | Crown - porcelain fused to high noble metal | 1,085.16 | 156.48 | 905 | 960 | 1,067 | 1,200 | 1,218 | 1,264 | 1,295 | 1,350 | 157 |

2016 Survey of Dental Fees
General Practitioners - East North Central Division
(Illinois, Indiana, Michigan, Ohio, Wisconsin)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|--|----------------|-----------------------|-----------------|---------|-----------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D2751 | Crown - porcelain fused to predominantly base metal | 1,023.03 | 155.81 | 833 | 922 | 1,000 | 1,120 | 1,165 | 1,189 | 1,218 | 1,300 | 89 |
| D2752 | Crown - porcelain fused to noble metal | 1,055.41 | 147.34 | 885 | 946 | 1,030 | 1,152 | 1,171 | 1,200 | 1,264 | 1,350 | 126 |
| D2780 | Crown - ¾ cast high noble metal | 1,086.21 | 161.48 | 900 | 970 | 1,061 | 1,181 | 1,200 | 1,260 | 1,301 | 1,350 | 61 |
| D2783 | Crown - ¾ porcelain/ceramic | 1,100.96 | 161.69 | 914 | 974 | 1,100 | 1,198 | 1,200 | 1,220 | 1,286 | 1,349 | 67 |
| D2790 | Crown - full cast high noble metal | 1,106.90 | 158.88 | 910 | 991 | 1,100 | 1,204 | 1,250 | 1,281 | 1,350 | 1,377 | 144 |
| D2799 | Provisional crown – further treatment or completion of diagnosis necessary prior to final impression | 311.86 | 163.64 | 99 | 181 | 322 | 440 | 464 | 474 | 483 | 545 | 83 |
| D2920 | Re-cement or re-bond crown | 102.56 | 19.08 | 79 | 90 | 100 | 116 | 120 | 125 | 128 | 135 | 165 |
| D2930 | Prefabricated stainless steel crown - primary tooth | 272.68 | 66.65 | 184 | 230 | 274 | 310 | 316 | 326 | 350 | 396 | 116 |
| D2931 | Prefabricated stainless steel crown - permanent tooth | 315.01 | 68.61 | 234 | 268 | 312 | 364 | 373 | 377 | 396 | 442 | 95 |
| D2940 | Protective restoration | 111.80 | 27.12 | 75 | 95 | 110 | 128 | 129 | 139 | 152 | 158 | 128 |
| D2950 | Core buildup, including any pins when required | 261.13 | 50.46 | 197 | 230 | 262 | 290 | 295 | 309 | 323 | 342 | 169 |
| D2952 | Post and core in addition to crown, indirectly fabricated | 388.65 | 80.78 | 280 | 338 | 392 | 446 | 469 | 475 | 488 | 510 | 124 |
| D2954 | Prefabricated post and core in addition to crown | 327.18 | 65.45 | 240 | 288 | 320 | 364 | 378 | 394 | 405 | 445 | 158 |
| D2961 | Labial veneer (resin laminate) - laboratory | 931.60 | 279.27 | 567 | 700 | 925 | 1,115 | 1,165 | 1,200 | 1,237 | 1,379 | 68 |
| D2962 | Labial veneer (porcelain laminate) - laboratory | 1,088.44 | 189.26 | 835 | 950 | 1,100 | 1,212 | 1,237 | 1,295 | 1,350 | 1,406 | 139 |
| D2980 | Crown repair necessitated by restorative material failure | 241.76 | 84.64 | 142 | 171 | 235 | 303 | 314 | 325 | 351 | 414 | 87 |
| D3110 | Pulp cap - direct (excluding final restoration) | 76.09 | 22.79 | 49 | 57 | 76 | 89 | 93 | 98 | 103 | 117 | 116 |
| D3120 | Pulp cap - indirect (excluding final restoration) | 71.87 | 24.15 | 45 | 51 | 73 | 87 | 89 | 94 | 98 | 104 | 104 |

2016 Survey of Dental Fees
General Practitioners - East North Central Division
(Illinois, Indiana, Michigan, Ohio, Wisconsin)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|--|----------------|-----------------------|-----------------|---------|----------------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median 50th \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D3220 | Therapeutic pulpotomy (excluding final restoration)... | 185.10 | 55.41 | 121 | 150 | 184 | 216 | 225 | 237 | 256 | 275 | 139 |
| D3221 | Pulpal debridement, primary and permanent teeth | 196.09 | 64.83 | 130 | 160 | 196 | 234 | 240 | 246 | 258 | 291 | 105 |
| D3230 | Pulpal therapy (resorbable filling) - anterior, primary tooth (excluding final restoration) | 247.92 | 72.29 | 153 | 210 | 245 | 284 | 288 | 312 | 320 | 421 | 50 |
| D3240 | Pulpal therapy (resorbable filling) - posterior, primary tooth (excluding final restoration) | 278.73 | 98.60 | 150 | 225 | 275 | 321 | 331 | 346 | 369 | 494 | 55 |
| D3310 | Endodontic therapy, anterior tooth (excluding final restoration) | 711.16 | 109.63 | 550 | 650 | 710 | 795 | 808 | 825 | 850 | 875 | 159 |
| D3320 | Endodontic therapy, bicuspid tooth (excluding final restoration) | 824.11 | 119.35 | 656 | 748 | 825 | 898 | 925 | 950 | 983 | 1,008 | 158 |
| D3330 | Endodontic therapy, molar (excluding final restoration) | 995.92 | 148.83 | 800 | 895 | 995 | 1,089 | 1,100 | 1,147 | 1,171 | 1,218 | 152 |
| D3332 | Incomplete endodontic therapy; inoperable, unrestorable or fractured tooth | 326.86 | 174.05 | 0 | 200 | 382 | 450 | 475 | 500 | 519 | 541 | 63 |
| D3346 | Retreatment of previous root canal therapy — anterior | 841.34 | 140.81 | 643 | 756 | 850 | 918 | 950 | 975 | 1,005 | 1,070 | 73 |
| D3347 | Retreatment of previous root canal therapy — bicuspid | 951.30 | 153.26 | 740 | 866 | 968 | 1,066 | 1,099 | 1,100 | 1,146 | 1,175 | 71 |
| D3348 | Retreatment of previous root canal therapy — molar | 1,121.70 | 206.70 | 840 | 1,009 | 1,142 | 1,223 | 1,273 | 1,316 | 1,365 | 1,494 | 76 |
| D3351 | Apexification/recalcification - initial visit... | 320.67 | 83.38 | 197 | 250 | 325 | 364 | 413 | 425 | 427 | 459 | 39 |
| D3352 | Apexification/recalcification - interim medication replacement | 213.60 | 64.62 | 120 | 175 | 202 | 259 | 275 | 286 | 301 | 312 | 35 |
| D3353 | Apexification/recalcification — final visit... | 464.11 | 135.93 | 287 | 355 | 475 | 549 | 573 | 612 | 630 | 685 | 35 |
| D3410 | Apicoectomy/periradicular surgery - anterior | 662.20 | 191.56 | 390 | 508 | 689 | 778 | 800 | 840 | 930 | 941 | 44 |

2016 Survey of Dental Fees
General Practitioners - East North Central Division
(Illinois, Indiana, Michigan, Ohio, Wisconsin)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|---|----------------|-----------------------|-----------------|---------|----------------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median 50th \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D3421 | Apicoectomy/periradicular surgery - bicuspid (first root) | 754.10 | 158.18 | 560 | 621 | 769 | 861 | 871 | 898 | 917 | 1,039 | 30 |
| D4210 | Gingivectomy or gingivoplasty - four or more contiguous teeth or tooth bounded spaces per quadrant | 568.24 | 179.42 | 331 | 432 | 600 | 682 | 714 | 750 | 768 | 850 | 92 |
| D4211 | Gingivectomy or gingivoplasty - one to three contiguous teeth or tooth bounded spaces per quadrant | 266.65 | 113.99 | 130 | 176 | 254 | 330 | 341 | 389 | 400 | 460 | 112 |
| D4212 | Gingivectomy or gingivoplasty to allow access for restorative procedure, per tooth | 189.79 | 113.10 | 48 | 80 | 165 | 255 | 278 | 318 | 364 | 400 | 43 |
| D4240 | Gingival flap procedure, including root planing — four or more contiguous teeth or tooth bounded spaces per quadrant | 623.47 | 197.72 | 375 | 464 | 692 | 775 | 782 | 794 | 831 | 891 | 53 |
| D4241 | Gingival flap procedure, including root planing — one to three contiguous teeth or tooth bounded spaces per quadrant | 535.22 | 180.90 | 246 | 400 | 580 | 665 | 689 | 711 | 734 | 782 | 37 |
| D4249 | Clinical crown lengthening — hard tissue | 704.96 | 221.42 | 376 | 525 | 726 | 830 | 879 | 895 | 975 | 1,140 | 77 |
| D4260 | Osseous surgery (including elevation of a full thickness flap and closure) - four or more contiguous teeth or tooth bounded spaces per quadrant | 984.74 | 298.90 | 550 | 770 | 1,010 | 1,209 | 1,217 | 1,272 | 1,300 | 1,340 | 46 |
| D4261 | Osseous surgery (including elevation of a full thickness flap and closure) - one to three contiguous teeth or tooth bounded spaces per quadrant | 773.89 | 232.74 | 400 | 608 | 841 | 918 | 957 | 974 | 1,019 | 1,115 | 38 |
| D4263 | Bone replacement graft - first site in quadrant | 564.20 | 181.54 | 320 | 461 | 565 | 698 | 714 | 746 | 778 | 863 | 40 |
| D4321 | Provisional splinting - extracoronal | 370.95 | 153.13 | 175 | 250 | 364 | 460 | 471 | 488 | 501 | 650 | 94 |
| D4341 | Periodontal scaling and root planing - four or more teeth per quadrant | 242.43 | 40.92 | 180 | 220 | 246 | 270 | 278 | 283 | 292 | 302 | 157 |

2016 Survey of Dental Fees
General Practitioners - East North Central Division
(Illinois, Indiana, Michigan, Ohio, Wisconsin)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|--|----------------|-----------------------|-----------------|---------|----------------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median 50th \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D4342 | Periodontal scaling and root planing - one to three teeth per quadrant | 162.01 | 38.01 | 109 | 134 | 165 | 192 | 197 | 201 | 210 | 219 | 143 |
| D4355 | Full mouth debridement to enable comprehensive evaluation and diagnosis | 170.80 | 36.18 | 124 | 148 | 174 | 194 | 199 | 210 | 220 | 227 | 156 |
| D4381 | Localized delivery of antimicrobial agents via a controlled release vehicle into diseased crevicular tissue, per tooth | 82.07 | 53.54 | 35 | 45 | 62 | 96 | 120 | 150 | 161 | 190 | 97 |
| D4910 | Periodontal maintenance | 131.03 | 25.40 | 95 | 110 | 132 | 150 | 153 | 158 | 162 | 175 | 158 |
| D5110 | Complete denture - maxillary | 1,574.75 | 345.55 | 1,180 | 1,350 | 1,550 | 1,800 | 1,850 | 1,889 | 2,013 | 2,132 | 169 |
| D5120 | Complete denture - mandibular | 1,577.61 | 350.67 | 1,168 | 1,350 | 1,550 | 1,800 | 1,850 | 1,926 | 2,030 | 2,132 | 169 |
| D5130 | Immediate denture - maxillary | 1,710.03 | 392.43 | 1,260 | 1,445 | 1,700 | 1,902 | 1,974 | 2,040 | 2,176 | 2,407 | 162 |
| D5140 | Immediate denture - mandibular | 1,712.29 | 389.38 | 1,260 | 1,450 | 1,700 | 1,913 | 2,000 | 2,087 | 2,200 | 2,400 | 162 |
| D5211 | Maxillary partial denture - resin base (including any conventional clasps, rests and teeth) | 1,212.56 | 400.53 | 750 | 900 | 1,172 | 1,429 | 1,505 | 1,596 | 1,717 | 1,950 | 131 |
| D5212 | Mandibular partial denture - resin base (including any conventional clasps, rests and teeth) | 1,208.97 | 391.71 | 750 | 911 | 1,155 | 1,423 | 1,500 | 1,595 | 1,717 | 1,943 | 129 |
| D5213 | Maxillary partial denture - cast metal framework with resin denture bases (including any conventional clasps, rests, and teeth) | 1,662.50 | 330.17 | 1,210 | 1,425 | 1,665 | 1,855 | 1,918 | 2,000 | 2,125 | 2,236 | 167 |
| D5214 | Mandibular partial denture - cast metal framework with resin denture bases (including any conventional clasps, rests, and teeth) | 1,663.77 | 329.65 | 1,229 | 1,425 | 1,669 | 1,859 | 1,924 | 2,000 | 2,128 | 2,236 | 167 |
| D5225 | Maxillary partial denture — flexible base (including any clasps, rests, and teeth) | 1,437.42 | 331.14 | 995 | 1,200 | 1,470 | 1,655 | 1,675 | 1,750 | 1,820 | 1,961 | 91 |
| D5226 | Mandibular partial denture - flexible base (including any clasps, rests, and teeth) | 1,442.39 | 330.46 | 988 | 1,208 | 1,473 | 1,639 | 1,685 | 1,750 | 1,835 | 1,979 | 90 |
| D5510 | Repair broken complete denture base | 196.28 | 62.64 | 128 | 150 | 185 | 230 | 240 | 250 | 260 | 300 | 151 |

2016 Survey of Dental Fees
General Practitioners - East North Central Division
(Illinois, Indiana, Michigan, Ohio, Wisconsin)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|--|----------------|-----------------------|-----------------|---------|----------------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median 50th \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D5520 | Replace missing or broken teeth — complete denture (each tooth) | 167.34 | 42.26 | 105 | 135 | 170 | 198 | 202 | 212 | 220 | 235 | 155 |
| D5610 | Repair resin denture base | 191.48 | 51.76 | 132 | 150 | 186 | 226 | 240 | 250 | 260 | 272 | 136 |
| D5640 | Replace broken teeth - per tooth | 169.50 | 43.83 | 120 | 131 | 171 | 200 | 202 | 215 | 228 | 240 | 141 |
| D5650 | Add tooth to existing partial denture | 205.23 | 51.24 | 135 | 166 | 208 | 240 | 250 | 258 | 275 | 288 | 152 |
| D5660 | Add clasp to existing partial denture – per tooth | 248.98 | 63.02 | 170 | 200 | 250 | 284 | 293 | 310 | 325 | 349 | 143 |
| D5710 | Rebase complete maxillary denture | 524.20 | 128.47 | 347 | 430 | 533 | 625 | 641 | 653 | 675 | 725 | 105 |
| D5711 | Rebase complete mandibular denture | 524.16 | 127.65 | 350 | 425 | 533 | 623 | 636 | 653 | 675 | 725 | 103 |
| D5720 | Rebase maxillary partial denture | 513.17 | 125.23 | 350 | 420 | 519 | 597 | 618 | 638 | 658 | 750 | 98 |
| D5721 | Rebase mandibular partial denture | 512.90 | 126.78 | 345 | 400 | 519 | 600 | 618 | 638 | 653 | 750 | 96 |
| D5730 | Reline complete maxillary denture (chairside) | 327.13 | 100.64 | 193 | 269 | 347 | 396 | 405 | 421 | 439 | 475 | 132 |
| D5731 | Reline complete mandibular denture (chairside) | 326.47 | 99.90 | 193 | 270 | 347 | 395 | 403 | 418 | 434 | 475 | 132 |
| D5750 | Reline complete maxillary denture (laboratory) | 434.02 | 98.21 | 300 | 381 | 441 | 500 | 504 | 525 | 545 | 577 | 162 |
| D5751 | Reline complete mandibular denture (laboratory) | 436.64 | 96.88 | 300 | 378 | 443 | 500 | 510 | 525 | 550 | 584 | 163 |
| D5986 | Fluoride gel carrier | 156.31 | 64.25 | 65 | 100 | 151 | 209 | 225 | 232 | 249 | 265 | 49 |
| D6010 | Surgical placement of implant body: endosteal implant | 1,881.38 | 328.66 | 1,500 | 1,565 | 1,898 | 2,113 | 2,200 | 2,266 | 2,298 | 2,419 | 52 |
| D6055 | Connecting bar - implant supported or abutment supported | 2,733.94 | 1,086.35 | 1,500 | 2,154 | 2,643 | 3,184 | 3,300 | 3,400 | 3,967 | 4,800 | 52 |
| D6056 | Prefabricated abutment — includes modification and placement | 666.00 | 172.83 | 450 | 540 | 662 | 800 | 805 | 828 | 870 | 920 | 111 |
| D6057 | Custom fabricated abutment - includes placement | 809.70 | 203.41 | 539 | 648 | 810 | 954 | 993 | 1,001 | 1,062 | 1,175 | 120 |
| D6059 | Abutment supported porcelain fused to metal crown (high noble metal) | 1,297.34 | 255.55 | 960 | 1,127 | 1,281 | 1,450 | 1,479 | 1,540 | 1,637 | 1,815 | 122 |

2016 Survey of Dental Fees
General Practitioners - East North Central Division
(Illinois, Indiana, Michigan, Ohio, Wisconsin)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|---|----------------|-----------------------|-----------------|---------|-----------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D6066 | Implant supported porcelain fused to metal crown (titanium, titanium alloy, high noble metal) | 1,429.78 | 298.09 | 1,063 | 1,213 | 1,400 | 1,592 | 1,639 | 1,750 | 1,850 | 1,990 | 90 |
| D6069 | Abutment supported retainer for porcelain fused to metal FPD (high noble metal) | 1,307.85 | 238.41 | 1,023 | 1,122 | 1,298 | 1,450 | 1,496 | 1,565 | 1,637 | 1,720 | 75 |
| D6076 | Implant supported retainer for porcelain fused to metal FPD (titanium, titanium alloy, or high noble metal) | 1,413.04 | 298.01 | 1,050 | 1,180 | 1,404 | 1,613 | 1,638 | 1,660 | 1,835 | 1,864 | 49 |
| D6080 | Implant maintenance procedures when prostheses are removed and reinserted... | 192.86 | 119.63 | 0 | 89 | 195 | 295 | 304 | 325 | 332 | 365 | 65 |
| D6210 | Pontic - cast high noble metal | 1,057.94 | 156.86 | 875 | 940 | 1,045 | 1,175 | 1,197 | 1,226 | 1,287 | 1,320 | 122 |
| D6240 | Pontic - porcelain fused to high noble metal | 1,076.33 | 159.12 | 850 | 950 | 1,069 | 1,197 | 1,215 | 1,250 | 1,288 | 1,325 | 147 |
| D6241 | Pontic - porcelain fused to predominantly base metal | 1,019.96 | 164.48 | 825 | 905 | 1,008 | 1,148 | 1,160 | 1,191 | 1,218 | 1,315 | 93 |
| D6245 | Pontic - porcelain/ceramic | 1,088.54 | 160.50 | 886 | 950 | 1,100 | 1,200 | 1,205 | 1,267 | 1,312 | 1,342 | 123 |
| D6253 | Provisional pontic - further treatment or completion of diagnosis necessary prior to final impression | 607.15 | 278.48 | 249 | 380 | 645 | 807 | 818 | 833 | 897 | 1,035 | 40 |
| D6545 | Retainer - cast metal for resin bonded fixed prosthesis | 660.71 | 281.56 | 300 | 408 | 645 | 875 | 900 | 943 | 998 | 1,112 | 87 |
| D6750 | Retainer crown - porcelain fused to high noble metal | 1,089.32 | 160.86 | 890 | 970 | 1,074 | 1,200 | 1,224 | 1,264 | 1,301 | 1,361 | 128 |
| D6751 | Retainer crown - porcelain fused to predominantly base metal | 1,030.64 | 176.54 | 789 | 921 | 1,016 | 1,157 | 1,183 | 1,203 | 1,261 | 1,323 | 80 |
| D6790 | Retainer crown - full cast high noble metal | 1,069.32 | 160.05 | 875 | 950 | 1,070 | 1,177 | 1,207 | 1,230 | 1,287 | 1,350 | 105 |
| D6793 | Provisional retainer crown - further treatment or completion of diagnosis necessary prior to final impression | 463.89 | 221.89 | 125 | 290 | 482 | 605 | 619 | 650 | 679 | 770 | 38 |

2016 Survey of Dental Fees
General Practitioners - East North Central Division
(Illinois, Indiana, Michigan, Ohio, Wisconsin)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|---|----------------|-----------------------|-----------------|---------|-----------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D6930 | Re-cement or re-bond fixed partial denture | 155.35 | 40.02 | 100 | 128 | 155 | 180 | 187 | 195 | 202 | 218 | 144 |
| D7111 | Extraction, coronal remnants -deciduous tooth | 119.96 | 34.24 | 77 | 95 | 118 | 140 | 144 | 150 | 157 | 180 | 129 |
| D7140 | Extraction, erupted tooth or exposed root (elevation and/or forceps removal) | 162.90 | 32.93 | 120 | 141 | 160 | 184 | 190 | 195 | 205 | 218 | 172 |
| D7210 | Surgical removal of erupted tooth requiring removal of bone and/or sectioning of tooth, and including elevation of mucoperiosteal flap if indicated | 264.04 | 56.94 | 185 | 225 | 266 | 292 | 300 | 314 | 337 | 365 | 155 |
| D7220 | Removal of impacted tooth - soft tissue | 304.60 | 58.53 | 227 | 268 | 304 | 331 | 350 | 361 | 365 | 400 | 105 |
| D7230 | Removal of impacted tooth -partially bony | 379.06 | 64.46 | 298 | 325 | 390 | 414 | 422 | 450 | 465 | 485 | 87 |
| D7240 | Removal of impacted tooth -completely bony | 454.72 | 90.64 | 330 | 383 | 458 | 513 | 540 | 550 | 570 | 612 | 64 |
| D7250 | Surgical removal of residual tooth roots (cutting procedure) | 280.27 | 67.97 | 187 | 230 | 283 | 324 | 331 | 350 | 362 | 410 | 105 |
| D7286 | Incisional biopsy of oral tissue - soft | 292.12 | 97.29 | 165 | 204 | 300 | 345 | 375 | 385 | 400 | 450 | 59 |
| D7288 | Brush biopsy — transepithelial sample collection | 195.32 | 64.13 | 100 | 180 | 198 | 220 | 250 | 250 | 277 | 300 | 34 |
| D7310 | Alveoloplasty in conjunction with extractions - four or more teeth or tooth spaces, per quadrant | 274.20 | 73.06 | 186 | 221 | 276 | 323 | 343 | 350 | 365 | 410 | 88 |
| D7320 | Alveoloplasty not in conjunction with extractions - four or more teeth or tooth spaces, per quadrant | 400.40 | 139.08 | 200 | 300 | 403 | 489 | 515 | 559 | 595 | 664 | 73 |
| D7410 | Excision of benign lesion up to 1.25 cm | 399.14 | 157.44 | 217 | 300 | 390 | 475 | 499 | 535 | 626 | 650 | 50 |
| D7880 | Occlusal orthotic device, by report | 757.13 | 333.64 | 285 | 500 | 705 | 1,020 | 1,072 | 1,124 | 1,200 | 1,336 | 55 |
| D7910 | Suture of recent small wounds up to 5 cm | 241.61 | 93.82 | 130 | 160 | 271 | 300 | 306 | 307 | 323 | 335 | 44 |

2016 Survey of Dental Fees
General Practitioners - East North Central Division
(Illinois, Indiana, Michigan, Ohio, Wisconsin)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|---|----------------|-----------------------|-----------------|---------|----------------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median 50th \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D7953 | Bone replacement graft for ridge preservation — per site | 481.14 | 230.49 | 225 | 300 | 448 | 630 | 703 | 731 | 818 | 923 | 37 |
| D7960 | Frenulectomy — also known as frenectomy or frenotomy - separate procedure not incidental to another | 414.14 | 102.87 | 275 | 350 | 433 | 480 | 489 | 500 | 517 | 600 | 78 |
| D7970 | Excision of hyperplastic tissue - per arch | 438.66 | 171.16 | 225 | 310 | 443 | 575 | 599 | 609 | 650 | 717 | 53 |
| D8040 | Limited orthodontic treatment of the adult dentition | 2,977.87 | 1,074.03 | 1,061 | 2,325 | 3,066 | 3,800 | 3,900 | 4,000 | 4,200 | 4,500 | 39 |
| D8080 | Comprehensive orthodontic treatment of the adolescent dentition | 5,228.62 | 696.01 | 4,500 | 4,762 | 5,097 | 5,800 | 5,950 | 6,127 | 6,250 | 6,365 | 34 |
| D8090 | Comprehensive orthodontic treatment of the adult dentition | 5,090.73 | 716.00 | 4,000 | 4,680 | 5,080 | 5,500 | 5,705 | 5,900 | 6,127 | 6,252 | 55 |
| D8692 | Replacement of lost or broken retainer | 256.54 | 113.51 | 100 | 153 | 252 | 336 | 350 | 357 | 400 | 480 | 57 |
| D9110 | Palliative (emergency) treatment of dental pain - minor procedure | 107.67 | 35.91 | 60 | 86 | 109 | 130 | 134 | 137 | 150 | 170 | 148 |
| D9120 | Fixed partial denture sectioning | 159.36 | 72.85 | 82 | 100 | 145 | 215 | 229 | 246 | 258 | 281 | 75 |
| D9210 | Local anesthesia not in conjunction with operative or surgical procedures | 49.36 | 23.15 | 21 | 31 | 50 | 65 | 72 | 75 | 78 | 85 | 53 |
| D9215 | Local anesthesia in conjunction with operative or surgical procedures | 26.74 | 24.02 | 0 | 0 | 26 | 45 | 47 | 56 | 65 | 68 | 62 |
| D9230 | Inhalation of nitrous oxide/analgesia, anxiolysis | 58.38 | 26.20 | 25 | 42 | 61 | 75 | 76 | 80 | 91 | 100 | 99 |
| D9248 | Non-intravenous conscious sedation | 199.30 | 177.77 | 0 | 0 | 231 | 340 | 365 | 378 | 391 | 490 | 33 |
| D9310 | Consultation - diagnostic service provided by dentist or physician other than requesting dentist or physician | 81.76 | 47.17 | 0 | 53 | 77 | 118 | 120 | 138 | 145 | 160 | 98 |
| D9410 | House/extended care facility call | 173.18 | 75.59 | 75 | 103 | 167 | 241 | 251 | 259 | 267 | 295 | 40 |
| D9420 | Hospital or ambulatory surgical center call | 199.39 | 90.50 | 100 | 121 | 181 | 265 | 281 | 301 | 324 | 357 | 33 |
| D9430 | Office visit for observation (during regularly scheduled hours) - no other services performed | 48.38 | 29.53 | 0 | 35 | 51 | 69 | 72 | 77 | 84 | 91 | 76 |

2016 Survey of Dental Fees
General Practitioners - East North Central Division
(Illinois, Indiana, Michigan, Ohio, Wisconsin)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|---|----------------|-----------------------|-----------------|---------|----------------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median 50th \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D9440 | Office visit - after regularly scheduled hours | 135.79 | 44.59 | 75 | 100 | 135 | 162 | 184 | 189 | 198 | 204 | 121 |
| D9450 | Case presentation, detailed and extensive treatment planning | 118.80 | 45.04 | 61 | 82 | 131 | 149 | 150 | 164 | 175 | 192 | 30 |
| D9610 | Therapeutic parenteral drug, single administration | 51.69 | 47.70 | 0 | 0 | 50 | 85 | 100 | 109 | 125 | 126 | 36 |
| D9630 | Other drugs and/or medicaments, by report | 29.57 | 25.71 | 0 | 13 | 22 | 38 | 47 | 54 | 74 | 80 | 65 |
| D9910 | Application of desensitizing medicament | 52.62 | 17.69 | 29 | 41 | 52 | 65 | 67 | 70 | 75 | 82 | 113 |
| D9911 | Application of desensitizing resin for cervical and/or root surface, per tooth | 53.63 | 27.56 | 13 | 35 | 59 | 76 | 79 | 81 | 84 | 92 | 70 |
| D9930 | Treatment of complications (post-surgical) — unusual circumstances, by report | 100.88 | 35.90 | 48 | 77 | 99 | 125 | 137 | 140 | 148 | 150 | 49 |
| D9940 | Occlusal guard, by report | 530.31 | 146.37 | 350 | 440 | 515 | 619 | 634 | 659 | 695 | 781 | 147 |
| D9941 | Fabrication of athletic mouthguard | 189.21 | 112.26 | 75 | 106 | 175 | 250 | 270 | 276 | 285 | 400 | 121 |
| D9951 | Occlusal adjustment - limited | 138.24 | 56.76 | 68 | 95 | 135 | 183 | 193 | 199 | 206 | 225 | 95 |
| D9952 | Occlusal adjustment - complete | 555.55 | 267.16 | 250 | 350 | 583 | 702 | 740 | 784 | 844 | 900 | 82 |
| D9972 | External bleaching - per arch - performed in office | 286.35 | 134.83 | 150 | 200 | 250 | 358 | 400 | 415 | 500 | 600 | 78 |
| D9974 | Internal bleaching - per tooth | 229.72 | 87.80 | 109 | 159 | 238 | 293 | 300 | 306 | 322 | 351 | 101 |
| D9975 | External bleaching for home application, per arch; includes materials and fabrication of custom trays | 244.76 | 103.42 | 125 | 175 | 225 | 300 | 343 | 350 | 400 | 450 | 89 |

2016 Survey of Dental Fees
General Practitioners - West North Central Division
(Iowa, Kansas, Minnesota, Missouri, Nebraska, North Dakota, South Dakota)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|--|----------------|-----------------------|-----------------|---------|-----------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D0120 | Periodic oral evaluation — established patient | 47.46 | 7.63 | 38 | 42 | 48 | 52 | 54 | 54 | 56 | 60 | 94 |
| D0140 | Limited oral evaluation - problem focused | 64.10 | 14.16 | 49 | 55 | 65 | 76 | 76 | 79 | 81 | 83 | 92 |
| D0145 | Oral evaluation for a patient under three years of age and counseling with primary caregiver | 54.61 | 16.39 | 36 | 42 | 51 | 69 | 73 | 75 | 77 | 80 | 61 |
| D0150 | Comprehensive oral evaluation — new or established patient | 73.73 | 15.01 | 55 | 65 | 73 | 84 | 86 | 91 | 93 | 96 | 91 |
| D0160 | Detailed and extensive oral evaluation — problem focused, by report | 101.25 | 42.36 | 54 | 68 | 95 | 137 | 147 | 155 | 158 | 172 | 52 |
| D0170 | Re-evaluation - limited, problem focused (established patient; not post-operative visit) | 55.15 | 20.32 | 30 | 43 | 59 | 71 | 74 | 75 | 77 | 79 | 55 |
| D0180 | Comprehensive periodontal evaluation — new or established patient | 84.66 | 24.58 | 53 | 66 | 85 | 101 | 103 | 104 | 110 | 125 | 65 |
| D0210 | Intraoral - complete series of radiographic images | 132.23 | 18.09 | 110 | 120 | 132 | 144 | 146 | 149 | 155 | 164 | 88 |
| D0220 | Intraoral - periapical first radiographic image | 27.31 | 4.15 | 22 | 25 | 28 | 30 | 31 | 32 | 33 | 34 | 93 |
| D0230 | Intraoral - periapical each additional radiographic image | 23.63 | 4.92 | 18 | 21 | 24 | 27 | 27 | 29 | 29 | 31 | 93 |
| D0272 | Bitewings - two radiographic images | 43.77 | 6.17 | 36 | 39 | 45 | 48 | 49 | 49 | 50 | 54 | 92 |
| D0273 | Bitewings - three radiographic images | 51.68 | 8.04 | 40 | 45 | 53 | 59 | 59 | 60 | 60 | 61 | 65 |
| D0274 | Bitewings - four radiographic images | 59.34 | 8.24 | 50 | 53 | 60 | 65 | 66 | 67 | 69 | 71 | 89 |
| D0277 | Vertical bitewings - 7 to 8 radiographic images | 87.76 | 14.06 | 70 | 76 | 89 | 98 | 102 | 103 | 105 | 107 | 42 |
| D0330 | Panoramic radiographic image | 110.64 | 15.63 | 90 | 101 | 111 | 120 | 122 | 125 | 128 | 139 | 80 |
| D0350 | 2D oral/facial photographic image obtained intra-orally or extra-orally | 51.29 | 38.02 | 0 | 28 | 53 | 68 | 69 | 75 | 76 | 134 | 31 |
| D0470 | Diagnostic casts | 95.66 | 23.52 | 65 | 80 | 96 | 111 | 114 | 120 | 122 | 135 | 62 |
| D1110 | Prophylaxis - adult | 83.53 | 11.96 | 70 | 75 | 85 | 92 | 95 | 96 | 96 | 98 | 94 |

2016 Survey of Dental Fees
General Practitioners - West North Central Division
(Iowa, Kansas, Minnesota, Missouri, Nebraska, North Dakota, South Dakota)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|--|----------------|-----------------------|-----------------|---------|----------------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median 50th \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D1120 | Prophylaxis - child | 59.82 | 9.51 | 47 | 55 | 61 | 68 | 69 | 70 | 72 | 73 | 94 |
| D1206 | Topical application of fluoride varnish | 36.65 | 8.28 | 25 | 30 | 36 | 43 | 44 | 46 | 47 | 51 | 83 |
| D1208 | Topical application of fluoride – excluding varnish | 34.89 | 8.38 | 25 | 30 | 35 | 40 | 41 | 42 | 45 | 49 | 66 |
| D1320 | Tobacco counseling for the control and prevention of oral disease | 38.53 | 32.34 | 0 | 0 | 37 | 56 | 76 | 85 | 85 | 94 | 38 |
| D1330 | Oral hygiene instructions | 30.77 | 23.07 | 0 | 0 | 35 | 50 | 52 | 54 | 59 | 62 | 62 |
| D1351 | Sealant - per tooth | 49.68 | 8.37 | 41 | 45 | 49 | 54 | 56 | 58 | 60 | 62 | 91 |
| D1352 | Preventive resin restoration in a moderate to high caries risk patient — permanent tooth | 84.39 | 24.38 | 48 | 65 | 85 | 104 | 109 | 112 | 118 | 123 | 31 |
| D1510 | Space maintainer - fixed -unilateral | 297.46 | 54.88 | 232 | 254 | 300 | 336 | 346 | 353 | 360 | 368 | 71 |
| D1515 | Space maintainer - fixed -bilateral | 396.84 | 68.29 | 311 | 352 | 386 | 447 | 453 | 463 | 480 | 514 | 68 |
| D2140 | Amalgam - one surface, primary or permanent | 131.44 | 23.67 | 108 | 114 | 127 | 147 | 156 | 158 | 162 | 175 | 73 |
| D2150 | Amalgam - two surfaces, primary or permanent | 165.08 | 31.12 | 130 | 141 | 160 | 186 | 195 | 197 | 204 | 217 | 73 |
| D2160 | Amalgam - three surfaces, primary or permanent | 198.01 | 39.46 | 152 | 169 | 195 | 220 | 229 | 239 | 253 | 267 | 73 |
| D2161 | Amalgam - four or more surfaces, primary or permanent | 238.46 | 47.17 | 182 | 201 | 234 | 267 | 271 | 279 | 291 | 348 | 72 |
| D2330 | Resin-based composite - one surface, anterior | 150.23 | 23.59 | 120 | 135 | 146 | 165 | 169 | 175 | 179 | 187 | 91 |
| D2331 | Resin-based composite - two surfaces, anterior | 185.63 | 30.56 | 150 | 162 | 181 | 205 | 217 | 222 | 226 | 235 | 91 |
| D2332 | Resin-based composite - three surfaces, anterior | 224.37 | 36.50 | 178 | 195 | 225 | 251 | 263 | 270 | 273 | 276 | 90 |
| D2335 | Resin-based composite - four or more surfaces or involving incisal angle (anterior) | 273.90 | 55.43 | 205 | 238 | 274 | 302 | 320 | 335 | 344 | 353 | 90 |
| D2390 | Resin-based composite crown, anterior | 390.40 | 119.86 | 260 | 319 | 373 | 457 | 484 | 502 | 512 | 650 | 48 |

2016 Survey of Dental Fees
General Practitioners - West North Central Division
(Iowa, Kansas, Minnesota, Missouri, Nebraska, North Dakota, South Dakota)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|--|----------------|-----------------------|-----------------|---------|-----------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D2391 | Resin-based composite - one surface, posterior | 162.62 | 25.82 | 130 | 146 | 162 | 180 | 183 | 189 | 197 | 201 | 90 |
| D2392 | Resin-based composite - two surfaces, posterior | 211.61 | 34.25 | 165 | 188 | 212 | 235 | 246 | 251 | 256 | 265 | 89 |
| D2393 | Resin-based composite - three surfaces, posterior | 262.12 | 50.26 | 199 | 229 | 260 | 290 | 309 | 320 | 322 | 332 | 90 |
| D2394 | Resin-based composite - four or more surfaces, posterior | 309.26 | 63.96 | 230 | 271 | 305 | 348 | 368 | 370 | 377 | 399 | 89 |
| D2520 | Inlay - metallic - two surfaces | 868.42 | 155.78 | 683 | 761 | 898 | 980 | 1,004 | 1,028 | 1,046 | 1,077 | 36 |
| D2543 | Onlay - metallic - three surfaces | 989.79 | 162.34 | 788 | 906 | 1,020 | 1,068 | 1,094 | 1,123 | 1,154 | 1,200 | 33 |
| D2620 | Inlay - porcelain/ceramic - two surfaces | 923.34 | 168.51 | 700 | 831 | 928 | 1,029 | 1,046 | 1,089 | 1,130 | 1,200 | 41 |
| D2642 | Onlay - porcelain/ceramic - two surfaces | 991.83 | 150.21 | 795 | 898 | 1,020 | 1,082 | 1,092 | 1,108 | 1,170 | 1,261 | 36 |
| D2643 | Onlay - porcelain/ceramic -three surfaces | 993.68 | 166.37 | 767 | 879 | 985 | 1,100 | 1,108 | 1,143 | 1,190 | 1,261 | 41 |
| D2644 | Onlay - porcelain/ceramic - four or more surfaces | 1,023.73 | 167.02 | 823 | 900 | 1,020 | 1,159 | 1,170 | 1,180 | 1,198 | 1,261 | 41 |
| D2710 | Crown - resin-based composite (indirect) | 749.29 | 257.22 | 412 | 527 | 759 | 1,007 | 1,011 | 1,036 | 1,042 | 1,108 | 31 |
| D2740 | Crown - porcelain/ceramic substrate | 1,048.19 | 148.05 | 874 | 936 | 1,043 | 1,160 | 1,190 | 1,200 | 1,244 | 1,260 | 89 |
| D2750 | Crown - porcelain fused to high noble metal | 1,049.33 | 142.52 | 901 | 936 | 1,021 | 1,153 | 1,190 | 1,200 | 1,205 | 1,225 | 81 |
| D2751 | Crown - porcelain fused to predominantly base metal | 1,001.87 | 130.34 | 841 | 910 | 1,003 | 1,113 | 1,125 | 1,160 | 1,200 | 1,200 | 53 |
| D2752 | Crown - porcelain fused to noble metal | 1,026.45 | 143.64 | 855 | 918 | 1,008 | 1,150 | 1,160 | 1,169 | 1,200 | 1,205 | 62 |
| D2780 | Crown - ¾ cast high noble metal | 1,040.63 | 137.92 | 869 | 920 | 1,003 | 1,187 | 1,194 | 1,200 | 1,200 | 1,257 | 35 |
| D2783 | Crown - ¾ porcelain/ceramic | 1,048.88 | 144.66 | 853 | 925 | 1,084 | 1,180 | 1,194 | 1,199 | 1,200 | 1,231 | 40 |
| D2790 | Crown - full cast high noble metal | 1,071.35 | 168.85 | 901 | 941 | 1,045 | 1,170 | 1,199 | 1,237 | 1,263 | 1,367 | 80 |
| D2799 | Provisional crown – further treatment or completion of diagnosis necessary prior to final impression | 311.96 | 153.62 | 100 | 216 | 340 | 442 | 456 | 463 | 472 | 475 | 53 |
| D2920 | Re-cement or re-bond crown | 98.29 | 24.39 | 72 | 80 | 95 | 110 | 115 | 119 | 123 | 130 | 87 |

2016 Survey of Dental Fees
General Practitioners - West North Central Division
(Iowa, Kansas, Minnesota, Missouri, Nebraska, North Dakota, South Dakota)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|--|----------------|-----------------------|-----------------|---------|----------------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median 50th \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D2930 | Prefabricated stainless steel crown - primary tooth | 264.12 | 56.26 | 195 | 210 | 264 | 285 | 305 | 310 | 323 | 361 | 69 |
| D2931 | Prefabricated stainless steel crown - permanent tooth | 308.66 | 71.07 | 235 | 250 | 312 | 357 | 361 | 364 | 384 | 421 | 74 |
| D2940 | Protective restoration | 110.23 | 31.98 | 80 | 87 | 105 | 126 | 130 | 136 | 150 | 173 | 73 |
| D2950 | Core buildup, including any pins when required | 242.09 | 39.71 | 190 | 214 | 246 | 275 | 282 | 290 | 295 | 297 | 89 |
| D2952 | Post and core in addition to crown, indirectly fabricated | 368.52 | 63.36 | 275 | 327 | 372 | 421 | 425 | 437 | 446 | 461 | 62 |
| D2954 | Prefabricated post and core in addition to crown | 303.83 | 51.63 | 240 | 265 | 297 | 347 | 352 | 360 | 366 | 384 | 81 |
| D2961 | Labial veneer (resin laminate) - laboratory | 884.26 | 242.82 | 601 | 689 | 865 | 1,075 | 1,088 | 1,160 | 1,198 | 1,214 | 43 |
| D2962 | Labial veneer (porcelain laminate) - laboratory | 1,069.53 | 188.31 | 850 | 931 | 1,035 | 1,198 | 1,202 | 1,245 | 1,310 | 1,470 | 78 |
| D2980 | Crown repair necessitated by restorative material failure | 249.02 | 99.78 | 131 | 164 | 248 | 308 | 321 | 325 | 400 | 450 | 44 |
| D3110 | Pulp cap - direct (excluding final restoration) | 75.61 | 23.37 | 50 | 59 | 72 | 89 | 92 | 95 | 97 | 117 | 71 |
| D3120 | Pulp cap - indirect (excluding final restoration) | 72.62 | 22.23 | 50 | 55 | 71 | 87 | 90 | 92 | 98 | 106 | 63 |
| D3220 | Therapeutic pulpotomy (excluding final restoration)... | 166.13 | 42.83 | 123 | 138 | 172 | 198 | 205 | 216 | 219 | 224 | 82 |
| D3221 | Pulpal debridement, primary and permanent teeth | 173.73 | 59.36 | 91 | 138 | 185 | 220 | 227 | 235 | 245 | 250 | 70 |
| D3230 | Pulpal therapy (resorbable filling) - anterior, primary tooth (excluding final restoration) | 200.26 | 68.67 | 122 | 146 | 182 | 266 | 281 | 293 | 299 | 301 | 38 |
| D3240 | Pulpal therapy (resorbable filling) - posterior, primary tooth (excluding final restoration) | 222.63 | 78.63 | 127 | 155 | 213 | 298 | 303 | 325 | 326 | 337 | 38 |

2016 Survey of Dental Fees
General Practitioners - West North Central Division
(Iowa, Kansas, Minnesota, Missouri, Nebraska, North Dakota, South Dakota)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|--|----------------|-----------------------|-----------------|---------|-----------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D3310 | Endodontic therapy, anterior tooth (excluding final restoration) | 701.33 | 110.77 | 550 | 637 | 696 | 775 | 792 | 800 | 840 | 882 | 78 |
| D3320 | Endodontic therapy, bicuspid tooth (excluding final restoration) | 805.29 | 108.55 | 650 | 724 | 793 | 896 | 910 | 914 | 936 | 978 | 78 |
| D3330 | Endodontic therapy, molar (excluding final restoration) | 978.55 | 120.84 | 811 | 889 | 978 | 1,065 | 1,090 | 1,097 | 1,140 | 1,177 | 78 |
| D3332 | Incomplete endodontic therapy; inoperable, unrestorable or fractured tooth | 330.08 | 137.21 | 150 | 220 | 332 | 442 | 450 | 483 | 511 | 531 | 38 |
| D3346 | Retreatment of previous root canal therapy — anterior | 798.20 | 153.05 | 645 | 683 | 772 | 903 | 928 | 950 | 968 | 1,038 | 44 |
| D3347 | Retreatment of previous root canal therapy — bicuspid | 909.26 | 162.48 | 750 | 779 | 894 | 1,029 | 1,043 | 1,100 | 1,119 | 1,177 | 43 |
| D3348 | Retreatment of previous root canal therapy — molar | 1,101.67 | 174.51 | 890 | 950 | 1,075 | 1,222 | 1,235 | 1,275 | 1,384 | 1,472 | 39 |
| D4210 | Gingivectomy or gingivoplasty - four or more contiguous teeth or tooth bounded spaces per quadrant | 564.09 | 173.60 | 392 | 457 | 551 | 640 | 668 | 700 | 750 | 966 | 57 |
| D4211 | Gingivectomy or gingivoplasty - one to three contiguous teeth or tooth bounded spaces per quadrant | 256.46 | 93.18 | 158 | 186 | 252 | 314 | 327 | 352 | 378 | 425 | 65 |
| D4240 | Gingival flap procedure, including root planing — four or more contiguous teeth or tooth bounded spaces per quadrant | 693.29 | 250.23 | 297 | 561 | 697 | 796 | 835 | 950 | 996 | 1,185 | 38 |
| D4241 | Gingival flap procedure, including root planing — one to three contiguous teeth or tooth bounded spaces per quadrant | 528.45 | 198.13 | 287 | 400 | 507 | 644 | 651 | 658 | 708 | 850 | 31 |
| D4249 | Clinical crown lengthening — hard tissue | 626.28 | 215.16 | 347 | 435 | 657 | 777 | 789 | 809 | 839 | 843 | 46 |
| D4321 | Provisional splinting - extracoronal | 376.25 | 132.94 | 209 | 264 | 387 | 473 | 500 | 508 | 510 | 642 | 52 |
| D4341 | Periodontal scaling and root planing - four or more teeth per quadrant | 252.71 | 39.17 | 200 | 228 | 250 | 277 | 285 | 290 | 300 | 315 | 85 |

2016 Survey of Dental Fees
General Practitioners - West North Central Division
(Iowa, Kansas, Minnesota, Missouri, Nebraska, North Dakota, South Dakota)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|--|----------------|-----------------------|-----------------|---------|----------------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median 50th \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D4342 | Periodontal scaling and root planing - one to three teeth per quadrant | 172.26 | 38.31 | 124 | 150 | 170 | 198 | 200 | 204 | 221 | 241 | 82 |
| D4355 | Full mouth debridement to enable comprehensive evaluation and diagnosis | 171.55 | 34.39 | 125 | 147 | 172 | 193 | 200 | 204 | 215 | 230 | 82 |
| D4381 | Localized delivery of antimicrobial agents via a controlled release vehicle into diseased crevicular tissue, per tooth | 77.26 | 42.38 | 37 | 45 | 67 | 92 | 120 | 138 | 147 | 164 | 61 |
| D4910 | Periodontal maintenance | 131.55 | 20.43 | 105 | 119 | 130 | 147 | 150 | 151 | 155 | 160 | 82 |
| D5110 | Complete denture - maxillary | 1,558.51 | 275.31 | 1,200 | 1,365 | 1,569 | 1,760 | 1,828 | 1,881 | 1,900 | 1,968 | 86 |
| D5120 | Complete denture - mandibular | 1,566.51 | 272.57 | 1,200 | 1,373 | 1,574 | 1,786 | 1,829 | 1,881 | 1,900 | 1,968 | 86 |
| D5130 | Immediate denture - maxillary | 1,680.23 | 281.31 | 1,300 | 1,494 | 1,690 | 1,876 | 1,930 | 1,975 | 2,005 | 2,063 | 81 |
| D5140 | Immediate denture - mandibular | 1,680.52 | 281.66 | 1,300 | 1,494 | 1,690 | 1,876 | 1,930 | 1,975 | 2,005 | 2,063 | 81 |
| D5211 | Maxillary partial denture - resin base (including any conventional clasps, rests and teeth) | 1,152.21 | 359.76 | 675 | 840 | 1,177 | 1,382 | 1,417 | 1,473 | 1,600 | 1,708 | 81 |
| D5212 | Mandibular partial denture - resin base (including any conventional clasps, rests and teeth) | 1,160.92 | 369.04 | 675 | 837 | 1,177 | 1,391 | 1,450 | 1,500 | 1,600 | 1,753 | 83 |
| D5213 | Maxillary partial denture - cast metal framework with resin denture bases (including any conventional clasps, rests, and teeth) | 1,660.58 | 289.18 | 1,335 | 1,500 | 1,637 | 1,835 | 1,873 | 1,925 | 1,965 | 2,090 | 88 |
| D5214 | Mandibular partial denture - cast metal framework with resin denture bases (including any conventional clasps, rests, and teeth) | 1,662.51 | 290.41 | 1,335 | 1,500 | 1,639 | 1,839 | 1,873 | 1,925 | 1,965 | 2,090 | 87 |
| D5225 | Maxillary partial denture — flexible base (including any clasps, rests, and teeth) | 1,423.14 | 325.72 | 990 | 1,241 | 1,444 | 1,691 | 1,712 | 1,750 | 1,822 | 1,910 | 56 |
| D5226 | Mandibular partial denture - flexible base (including any clasps, rests, and teeth) | 1,440.16 | 334.98 | 990 | 1,236 | 1,457 | 1,696 | 1,720 | 1,800 | 1,887 | 1,953 | 55 |
| D5510 | Repair broken complete denture base | 204.72 | 62.40 | 130 | 170 | 205 | 234 | 241 | 252 | 263 | 320 | 74 |

2016 Survey of Dental Fees
General Practitioners - West North Central Division
(Iowa, Kansas, Minnesota, Missouri, Nebraska, North Dakota, South Dakota)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|--|----------------|-----------------------|-----------------|---------|-----------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D5520 | Replace missing or broken teeth — complete denture (each tooth) | 171.21 | 45.51 | 114 | 133 | 173 | 202 | 205 | 211 | 237 | 255 | 77 |
| D5610 | Repair resin denture base | 197.03 | 44.37 | 140 | 175 | 196 | 221 | 225 | 240 | 261 | 274 | 74 |
| D5640 | Replace broken teeth - per tooth | 168.38 | 44.43 | 110 | 125 | 172 | 200 | 205 | 210 | 212 | 235 | 81 |
| D5650 | Add tooth to existing partial denture | 207.39 | 44.07 | 160 | 180 | 209 | 236 | 241 | 245 | 255 | 280 | 84 |
| D5660 | Add clasp to existing partial denture – per tooth | 248.64 | 61.63 | 170 | 205 | 247 | 282 | 294 | 303 | 314 | 330 | 81 |
| D5710 | Rebase complete maxillary denture | 556.33 | 137.07 | 368 | 473 | 573 | 629 | 641 | 653 | 702 | 754 | 60 |
| D5711 | Rebase complete mandibular denture | 557.05 | 133.13 | 395 | 469 | 573 | 629 | 641 | 653 | 702 | 754 | 60 |
| D5720 | Rebase maxillary partial denture | 534.57 | 126.65 | 362 | 450 | 543 | 606 | 630 | 645 | 700 | 793 | 58 |
| D5721 | Rebase mandibular partial denture | 537.65 | 134.55 | 357 | 446 | 550 | 611 | 631 | 647 | 703 | 800 | 60 |
| D5730 | Reline complete maxillary denture (chairside) | 321.95 | 89.29 | 233 | 275 | 325 | 386 | 399 | 409 | 415 | 421 | 65 |
| D5731 | Reline complete mandibular denture (chairside) | 320.70 | 82.00 | 233 | 275 | 324 | 386 | 397 | 405 | 414 | 420 | 64 |
| D5750 | Reline complete maxillary denture (laboratory) | 432.22 | 94.21 | 320 | 372 | 431 | 498 | 510 | 520 | 545 | 579 | 86 |
| D5751 | Reline complete mandibular denture (laboratory) | 436.79 | 95.34 | 325 | 375 | 434 | 499 | 515 | 520 | 545 | 579 | 84 |
| D5986 | Fluoride gel carrier | 155.60 | 67.35 | 75 | 100 | 135 | 208 | 223 | 229 | 244 | 275 | 35 |
| D6010 | Surgical placement of implant body: endosteal implant | 1,865.86 | 332.60 | 1,297 | 1,675 | 1,900 | 2,089 | 2,170 | 2,206 | 2,235 | 2,480 | 37 |
| D6055 | Connecting bar - implant supported or abutment supported | 2,306.00 | 1,134.87 | 745 | 1,289 | 2,492 | 2,889 | 2,979 | 3,210 | 3,500 | 4,418 | 32 |
| D6056 | Prefabricated abutment — includes modification and placement | 631.82 | 155.04 | 425 | 515 | 659 | 750 | 782 | 796 | 800 | 850 | 65 |
| D6057 | Custom fabricated abutment - includes placement | 790.23 | 201.50 | 580 | 664 | 762 | 900 | 939 | 950 | 998 | 1,135 | 65 |
| D6059 | Abutment supported porcelain fused to metal crown (high noble metal) | 1,247.53 | 209.88 | 958 | 1,100 | 1,208 | 1,403 | 1,450 | 1,486 | 1,500 | 1,575 | 74 |

2016 Survey of Dental Fees
General Practitioners - West North Central Division
(Iowa, Kansas, Minnesota, Missouri, Nebraska, North Dakota, South Dakota)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|---|----------------|-----------------------|-----------------|---------|-----------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D6066 | Implant supported porcelain fused to metal crown (titanium, titanium alloy, high noble metal) | 1,352.81 | 272.34 | 1,025 | 1,149 | 1,347 | 1,500 | 1,565 | 1,630 | 1,641 | 1,850 | 53 |
| D6069 | Abutment supported retainer for porcelain fused to metal FPD (high noble metal) | 1,306.34 | 194.93 | 1,003 | 1,187 | 1,300 | 1,469 | 1,489 | 1,535 | 1,605 | 1,643 | 38 |
| D6080 | Implant maintenance procedures when prostheses are removed and reinserted... | 188.71 | 95.13 | 90 | 116 | 174 | 290 | 293 | 314 | 325 | 327 | 38 |
| D6210 | Pontic - cast high noble metal | 1,048.51 | 145.80 | 877 | 925 | 1,038 | 1,153 | 1,181 | 1,198 | 1,214 | 1,289 | 70 |
| D6240 | Pontic - porcelain fused to high noble metal | 1,039.63 | 141.36 | 875 | 931 | 1,021 | 1,135 | 1,160 | 1,190 | 1,205 | 1,249 | 81 |
| D6241 | Pontic - porcelain fused to predominantly base metal | 984.04 | 136.88 | 825 | 886 | 987 | 1,089 | 1,119 | 1,138 | 1,154 | 1,198 | 53 |
| D6245 | Pontic - porcelain/ceramic | 1,045.95 | 148.69 | 871 | 940 | 1,043 | 1,165 | 1,190 | 1,200 | 1,212 | 1,253 | 80 |
| D6253 | Provisional pontic - further treatment or completion of diagnosis necessary prior to final impression | 532.10 | 296.30 | 154 | 350 | 474 | 743 | 757 | 817 | 857 | 1,198 | 30 |
| D6545 | Retainer - cast metal for resin bonded fixed prosthesis | 666.63 | 295.60 | 343 | 421 | 651 | 871 | 924 | 951 | 987 | 1,206 | 60 |
| D6750 | Retainer crown - porcelain fused to high noble metal | 1,051.01 | 142.46 | 890 | 931 | 1,032 | 1,157 | 1,187 | 1,200 | 1,205 | 1,334 | 76 |
| D6751 | Retainer crown - porcelain fused to predominantly base metal | 1,011.53 | 124.85 | 848 | 917 | 998 | 1,117 | 1,125 | 1,151 | 1,198 | 1,200 | 47 |
| D6790 | Retainer crown - full cast high noble metal | 1,054.67 | 150.52 | 855 | 945 | 1,040 | 1,169 | 1,195 | 1,200 | 1,214 | 1,289 | 73 |
| D6930 | Re-cement or re-bond fixed partial denture | 145.73 | 43.02 | 100 | 116 | 143 | 170 | 182 | 188 | 194 | 202 | 73 |
| D7111 | Extraction, coronal remnants -deciduous tooth | 114.44 | 25.51 | 80 | 95 | 113 | 132 | 137 | 145 | 151 | 157 | 77 |
| D7140 | Extraction, erupted tooth or exposed root (elevation and/or forceps removal) | 158.57 | 27.59 | 123 | 140 | 160 | 173 | 180 | 184 | 187 | 198 | 90 |

2016 Survey of Dental Fees
General Practitioners - West North Central Division
(Iowa, Kansas, Minnesota, Missouri, Nebraska, North Dakota, South Dakota)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|---|----------------|-----------------------|-----------------|---------|----------------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median 50th \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D7210 | Surgical removal of erupted tooth requiring removal of bone and/or sectioning of tooth, and including elevation of mucoperiosteal flap if indicated | 258.03 | 45.52 | 200 | 225 | 256 | 287 | 293 | 300 | 313 | 332 | 87 |
| D7220 | Removal of impacted tooth - soft tissue | 305.69 | 59.89 | 235 | 253 | 300 | 350 | 355 | 366 | 395 | 410 | 65 |
| D7230 | Removal of impacted tooth -partially bony | 381.35 | 70.60 | 309 | 330 | 375 | 416 | 421 | 445 | 475 | 524 | 63 |
| D7240 | Removal of impacted tooth -completely bony | 442.43 | 81.02 | 350 | 392 | 426 | 510 | 519 | 530 | 547 | 588 | 46 |
| D7250 | Surgical removal of residual tooth roots (cutting procedure) | 277.32 | 63.81 | 205 | 232 | 270 | 315 | 324 | 345 | 351 | 439 | 59 |
| D7286 | Incisional biopsy of oral tissue - soft | 291.05 | 80.59 | 196 | 230 | 293 | 341 | 355 | 360 | 370 | 441 | 39 |
| D7310 | Alveoloplasty in conjunction with extractions - four or more teeth or tooth spaces, per quadrant | 268.31 | 87.94 | 175 | 214 | 260 | 311 | 320 | 328 | 358 | 457 | 52 |
| D7320 | Alveoloplasty not in conjunction with extractions - four or more teeth or tooth spaces, per quadrant | 384.32 | 144.77 | 192 | 279 | 376 | 466 | 490 | 509 | 519 | 652 | 44 |
| D7410 | Excision of benign lesion up to 1.25 cm | 339.48 | 162.33 | 160 | 225 | 320 | 449 | 450 | 462 | 493 | 702 | 33 |
| D7880 | Occlusal orthotic device, by report | 760.82 | 400.31 | 357 | 500 | 607 | 980 | 1,078 | 1,144 | 1,224 | 1,850 | 38 |
| D7910 | Suture of recent small wounds up to 5 cm | 232.33 | 85.29 | 109 | 175 | 241 | 315 | 317 | 321 | 343 | 368 | 30 |
| D7960 | Frenulectomy — also known as frenectomy or frenotomy - separate procedure not incidental to another | 362.15 | 105.72 | 200 | 291 | 358 | 449 | 464 | 470 | 490 | 545 | 48 |
| D7970 | Excision of hyperplastic tissue - per arch | 387.30 | 140.04 | 240 | 275 | 357 | 485 | 488 | 515 | 519 | 600 | 33 |
| D8692 | Replacement of lost or broken retainer | 257.08 | 99.70 | 107 | 170 | 254 | 325 | 355 | 358 | 363 | 450 | 39 |
| D9110 | Palliative (emergency) treatment of dental pain - minor procedure | 115.33 | 42.99 | 71 | 87 | 118 | 138 | 144 | 152 | 165 | 200 | 81 |
| D9120 | Fixed partial denture sectioning | 139.16 | 68.71 | 58 | 83 | 125 | 180 | 205 | 232 | 244 | 251 | 45 |

2016 Survey of Dental Fees
General Practitioners - West North Central Division
(Iowa, Kansas, Minnesota, Missouri, Nebraska, North Dakota, South Dakota)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|---|----------------|-----------------------|-----------------|---------|-----------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D9215 | Local anesthesia in conjunction with operative or surgical procedures | 44.13 | 26.72 | 0 | 27 | 41 | 63 | 69 | 72 | 76 | 80 | 31 |
| D9230 | Inhalation of nitrous oxide/analgesia, anxiolysis | 61.59 | 23.80 | 38 | 46 | 56 | 80 | 82 | 84 | 87 | 91 | 64 |
| D9310 | Consultation - diagnostic service provided by dentist or physician other than requesting dentist or physician | 99.05 | 60.13 | 30 | 62 | 95 | 139 | 145 | 149 | 157 | 236 | 55 |
| D9420 | Hospital or ambulatory surgical center call | 217.03 | 111.92 | 83 | 125 | 208 | 277 | 330 | 340 | 356 | 394 | 30 |
| D9430 | Office visit for observation (during regularly scheduled hours) - no other services performed | 60.00 | 34.34 | 0 | 48 | 61 | 77 | 82 | 83 | 84 | 120 | 54 |
| D9440 | Office visit - after regularly scheduled hours | 144.14 | 47.30 | 91 | 110 | 146 | 172 | 180 | 186 | 201 | 217 | 66 |
| D9630 | Other drugs and/or medicaments, by report | 33.14 | 23.08 | 8 | 18 | 25 | 44 | 51 | 55 | 65 | 72 | 42 |
| D9910 | Application of desensitizing medicament | 48.92 | 19.78 | 28 | 37 | 45 | 60 | 60 | 67 | 76 | 84 | 63 |
| D9911 | Application of desensitizing resin for cervical and/or root surface, per tooth | 61.20 | 26.01 | 32 | 43 | 54 | 80 | 84 | 89 | 90 | 107 | 45 |
| D9940 | Occlusal guard, by report | 449.44 | 147.48 | 280 | 337 | 430 | 550 | 589 | 598 | 633 | 672 | 82 |
| D9941 | Fabrication of athletic mouthguard | 154.63 | 95.58 | 57 | 80 | 144 | 212 | 221 | 250 | 255 | 325 | 75 |
| D9951 | Occlusal adjustment - limited | 129.08 | 68.42 | 50 | 80 | 118 | 168 | 177 | 196 | 218 | 236 | 65 |
| D9952 | Occlusal adjustment - complete | 517.90 | 255.08 | 141 | 334 | 515 | 700 | 717 | 738 | 781 | 880 | 50 |
| D9972 | External bleaching - per arch - performed in office | 259.31 | 110.06 | 148 | 175 | 250 | 345 | 350 | 365 | 390 | 499 | 59 |
| D9974 | Internal bleaching - per tooth | 238.47 | 75.32 | 149 | 184 | 237 | 295 | 301 | 316 | 337 | 354 | 60 |
| D9975 | External bleaching for home application, per arch; includes materials and fabrication of custom trays | 214.02 | 109.80 | 100 | 150 | 195 | 250 | 275 | 300 | 325 | 435 | 55 |

2016 Survey of Dental Fees
General Practitioners - South Atlantic Division
(Delaware, Florida, Georgia, Maryland, North Carolina, South Carolina, Virginia, Washington D.C., West Virginia)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|--|----------------|-----------------------|-----------------|---------|-----------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D0120 | Periodic oral evaluation — established patient | 48.95 | 12.42 | 35 | 44 | 49 | 55 | 57 | 60 | 63 | 69 | 130 |
| D0140 | Limited oral evaluation - problem focused | 72.33 | 17.11 | 54 | 63 | 73 | 82 | 85 | 88 | 95 | 101 | 123 |
| D0145 | Oral evaluation for a patient under three years of age and counseling with primary caregiver | 61.92 | 17.97 | 40 | 52 | 62 | 73 | 75 | 77 | 80 | 93 | 64 |
| D0150 | Comprehensive oral evaluation — new or established patient | 85.67 | 20.63 | 58 | 75 | 85 | 95 | 99 | 105 | 110 | 125 | 124 |
| D0160 | Detailed and extensive oral evaluation — problem focused, by report | 125.32 | 53.29 | 59 | 85 | 133 | 154 | 165 | 174 | 180 | 211 | 79 |
| D0170 | Re-evaluation - limited, problem focused (established patient; not post-operative visit) | 58.54 | 29.99 | 0 | 45 | 65 | 75 | 77 | 79 | 88 | 107 | 78 |
| D0171 | Re-evaluation – post-operative office visit | 28.36 | 35.14 | 0 | 0 | 0 | 60 | 68 | 75 | 77 | 94 | 44 |
| D0180 | Comprehensive periodontal evaluation — new or established patient | 93.79 | 21.47 | 70 | 82 | 95 | 103 | 107 | 110 | 121 | 135 | 81 |
| D0210 | Intraoral - complete series of radiographic images | 134.63 | 23.18 | 108 | 120 | 135 | 148 | 153 | 157 | 166 | 179 | 115 |
| D0220 | Intraoral - periapical first radiographic image | 29.10 | 6.40 | 21 | 26 | 29 | 32 | 33 | 35 | 36 | 40 | 127 |
| D0230 | Intraoral - periapical each additional radiographic image | 24.50 | 5.59 | 17 | 22 | 25 | 28 | 29 | 30 | 30 | 34 | 120 |
| D0272 | Bitewings - two radiographic images | 45.73 | 8.01 | 35 | 40 | 45 | 50 | 51 | 54 | 57 | 60 | 118 |
| D0273 | Bitewings - three radiographic images | 55.10 | 10.41 | 43 | 46 | 54 | 60 | 63 | 65 | 66 | 76 | 67 |
| D0274 | Bitewings - four radiographic images | 64.10 | 11.76 | 48 | 56 | 64 | 73 | 74 | 75 | 79 | 85 | 124 |
| D0277 | Vertical bitewings - 7 to 8 radiographic images | 93.65 | 16.41 | 68 | 86 | 96 | 102 | 104 | 105 | 109 | 125 | 60 |
| D0330 | Panoramic radiographic image | 112.83 | 20.31 | 90 | 99 | 110 | 123 | 126 | 135 | 142 | 150 | 103 |
| D0350 | 2D oral/facial photographic image obtained intra-orally or extra-orally | 52.04 | 30.54 | 0 | 29 | 60 | 77 | 79 | 80 | 87 | 93 | 48 |

2016 Survey of Dental Fees
General Practitioners - South Atlantic Division
(Delaware, Florida, Georgia, Maryland, North Carolina, South Carolina, Virginia, Washington D.C., West Virginia)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|--|----------------|-----------------------|-----------------|---------|-----------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D0470 | Diagnostic casts | 111.27 | 35.30 | 72 | 90 | 109 | 124 | 130 | 150 | 155 | 175 | 93 |
| D1110 | Prophylaxis - adult | 89.77 | 17.55 | 69 | 80 | 90 | 96 | 98 | 103 | 109 | 124 | 130 |
| D1120 | Prophylaxis - child | 67.23 | 12.16 | 50 | 60 | 67 | 73 | 75 | 78 | 82 | 89 | 128 |
| D1206 | Topical application of fluoride varnish | 38.00 | 10.38 | 25 | 31 | 38 | 43 | 44 | 45 | 50 | 55 | 104 |
| D1208 | Topical application of fluoride – excluding varnish | 35.34 | 9.28 | 25 | 29 | 35 | 40 | 42 | 44 | 45 | 50 | 90 |
| D1320 | Tobacco counseling for the control and prevention of oral disease | 42.39 | 37.66 | 0 | 0 | 46 | 77 | 81 | 83 | 87 | 95 | 41 |
| D1330 | Oral hygiene instructions | 30.41 | 26.09 | 0 | 0 | 32 | 51 | 52 | 55 | 63 | 66 | 66 |
| D1351 | Sealant - per tooth | 53.71 | 11.28 | 40 | 47 | 53 | 59 | 60 | 64 | 68 | 77 | 119 |
| D1352 | Preventive resin restoration in a moderate to high caries risk patient — permanent tooth | 102.38 | 35.98 | 52 | 77 | 100 | 121 | 129 | 140 | 150 | 182 | 39 |
| D1510 | Space maintainer - fixed -unilateral | 314.78 | 60.14 | 220 | 286 | 316 | 350 | 350 | 358 | 379 | 408 | 67 |
| D1515 | Space maintainer - fixed -bilateral | 441.26 | 92.05 | 325 | 391 | 430 | 488 | 495 | 522 | 531 | 605 | 61 |
| D2140 | Amalgam - one surface, primary or permanent | 143.57 | 29.83 | 105 | 120 | 143 | 164 | 165 | 169 | 180 | 195 | 94 |
| D2150 | Amalgam - two surfaces, primary or permanent | 176.36 | 37.83 | 125 | 153 | 178 | 197 | 208 | 212 | 215 | 243 | 94 |
| D2160 | Amalgam - three surfaces, primary or permanent | 211.00 | 49.69 | 139 | 175 | 210 | 240 | 253 | 257 | 264 | 310 | 95 |
| D2161 | Amalgam - four or more surfaces, primary or permanent | 250.83 | 56.17 | 176 | 213 | 249 | 280 | 290 | 300 | 313 | 365 | 92 |
| D2330 | Resin-based composite - one surface, anterior | 166.53 | 36.90 | 120 | 143 | 165 | 181 | 190 | 198 | 215 | 240 | 125 |
| D2331 | Resin-based composite - two surfaces, anterior | 200.28 | 41.56 | 150 | 175 | 196 | 220 | 225 | 234 | 245 | 283 | 125 |
| D2332 | Resin-based composite - three surfaces, anterior | 243.52 | 51.67 | 180 | 208 | 239 | 269 | 280 | 288 | 304 | 348 | 126 |
| D2335 | Resin-based composite - four or more surfaces or involving incisal angle (anterior) | 295.52 | 63.16 | 215 | 258 | 294 | 328 | 340 | 351 | 370 | 425 | 124 |

2016 Survey of Dental Fees
General Practitioners - South Atlantic Division
(Delaware, Florida, Georgia, Maryland, North Carolina, South Carolina, Virginia, Washington D.C., West Virginia)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|--|----------------|-----------------------|-----------------|---------|-----------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D2390 | Resin-based composite crown, anterior | 425.39 | 157.69 | 221 | 318 | 428 | 499 | 517 | 543 | 650 | 780 | 54 |
| D2391 | Resin-based composite - one surface, posterior | 181.45 | 38.70 | 135 | 159 | 178 | 200 | 210 | 213 | 224 | 265 | 121 |
| D2392 | Resin-based composite - two surfaces, posterior | 226.68 | 44.41 | 170 | 200 | 222 | 246 | 254 | 261 | 277 | 315 | 121 |
| D2393 | Resin-based composite - three surfaces, posterior | 275.62 | 53.94 | 208 | 240 | 274 | 308 | 315 | 323 | 340 | 385 | 120 |
| D2394 | Resin-based composite - four or more surfaces, posterior | 326.25 | 70.69 | 240 | 279 | 322 | 363 | 369 | 380 | 400 | 450 | 118 |
| D2520 | Inlay - metallic - two surfaces | 938.74 | 257.58 | 650 | 797 | 913 | 1,011 | 1,120 | 1,214 | 1,375 | 1,450 | 61 |
| D2543 | Onlay - metallic - three surfaces | 1,060.48 | 247.74 | 788 | 896 | 1,015 | 1,155 | 1,214 | 1,265 | 1,450 | 1,607 | 54 |
| D2620 | Inlay - porcelain/ceramic - two surfaces | 996.79 | 222.85 | 782 | 850 | 962 | 1,076 | 1,124 | 1,214 | 1,250 | 1,450 | 63 |
| D2642 | Onlay - porcelain/ceramic - two surfaces | 1,043.25 | 213.17 | 851 | 900 | 1,019 | 1,110 | 1,137 | 1,195 | 1,400 | 1,475 | 65 |
| D2643 | Onlay - porcelain/ceramic - three surfaces | 1,070.66 | 203.80 | 855 | 950 | 1,060 | 1,148 | 1,185 | 1,200 | 1,246 | 1,407 | 64 |
| D2644 | Onlay - porcelain/ceramic - four or more surfaces | 1,121.69 | 211.02 | 875 | 975 | 1,110 | 1,210 | 1,215 | 1,246 | 1,400 | 1,607 | 67 |
| D2651 | Inlay - resin-based composite - two surfaces | 919.29 | 211.23 | 687 | 826 | 880 | 1,002 | 1,045 | 1,120 | 1,200 | 1,374 | 41 |
| D2662 | Onlay - resin-based composite - two surfaces | 942.19 | 250.79 | 668 | 830 | 928 | 1,059 | 1,108 | 1,145 | 1,379 | 1,407 | 42 |
| D2663 | Onlay - resin-based composite - three surfaces | 990.91 | 237.53 | 718 | 863 | 965 | 1,100 | 1,120 | 1,200 | 1,379 | 1,407 | 44 |
| D2664 | Onlay - resin-based composite - four or more surfaces | 1,033.43 | 233.30 | 760 | 875 | 998 | 1,124 | 1,188 | 1,379 | 1,407 | 1,450 | 44 |
| D2710 | Crown - resin-based composite (indirect) | 792.16 | 279.89 | 394 | 571 | 839 | 950 | 965 | 1,007 | 1,120 | 1,374 | 49 |
| D2740 | Crown - porcelain/ceramic substrate | 1,184.92 | 187.06 | 975 | 1,076 | 1,180 | 1,268 | 1,298 | 1,375 | 1,407 | 1,555 | 112 |
| D2750 | Crown - porcelain fused to high noble metal | 1,146.36 | 177.62 | 950 | 1,043 | 1,125 | 1,236 | 1,258 | 1,298 | 1,350 | 1,425 | 109 |

2016 Survey of Dental Fees
General Practitioners - South Atlantic Division
(Delaware, Florida, Georgia, Maryland, North Carolina, South Carolina, Virginia, Washington D.C., West Virginia)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|--|----------------|-----------------------|-----------------|---------|-----------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D2751 | Crown - porcelain fused to predominantly base metal | 1,070.46 | 178.78 | 850 | 965 | 1,050 | 1,151 | 1,185 | 1,200 | 1,250 | 1,407 | 65 |
| D2752 | Crown - porcelain fused to noble metal | 1,113.06 | 165.17 | 911 | 1,000 | 1,089 | 1,198 | 1,200 | 1,250 | 1,325 | 1,407 | 78 |
| D2780 | Crown - ¾ cast high noble metal | 1,147.77 | 189.91 | 925 | 1,028 | 1,127 | 1,250 | 1,255 | 1,300 | 1,468 | 1,517 | 44 |
| D2783 | Crown - ¾ porcelain/ceramic | 1,133.42 | 194.59 | 900 | 1,000 | 1,125 | 1,200 | 1,280 | 1,316 | 1,379 | 1,607 | 53 |
| D2790 | Crown - full cast high noble metal | 1,206.31 | 197.30 | 970 | 1,098 | 1,195 | 1,300 | 1,336 | 1,379 | 1,450 | 1,600 | 96 |
| D2799 | Provisional crown – further treatment or completion of diagnosis necessary prior to final impression | 388.78 | 149.65 | 165 | 315 | 400 | 479 | 493 | 516 | 540 | 630 | 85 |
| D2920 | Re-cement or re-bond crown | 108.42 | 27.65 | 75 | 91 | 106 | 122 | 125 | 134 | 150 | 167 | 112 |
| D2930 | Prefabricated stainless steel crown - primary tooth | 278.21 | 60.43 | 200 | 246 | 273 | 318 | 339 | 350 | 360 | 375 | 73 |
| D2931 | Prefabricated stainless steel crown - permanent tooth | 326.55 | 72.82 | 213 | 293 | 323 | 365 | 375 | 424 | 435 | 460 | 66 |
| D2940 | Protective restoration | 118.84 | 32.98 | 80 | 95 | 118 | 135 | 138 | 145 | 160 | 180 | 94 |
| D2950 | Core buildup, including any pins when required | 269.62 | 56.29 | 200 | 235 | 265 | 298 | 309 | 325 | 345 | 395 | 119 |
| D2952 | Post and core in addition to crown, indirectly fabricated | 403.69 | 92.09 | 300 | 350 | 397 | 455 | 462 | 478 | 505 | 600 | 85 |
| D2954 | Prefabricated post and core in addition to crown | 322.68 | 65.20 | 242 | 287 | 324 | 350 | 359 | 379 | 395 | 435 | 110 |
| D2961 | Labial veneer (resin laminate) - laboratory | 952.45 | 245.98 | 675 | 800 | 969 | 1,073 | 1,124 | 1,160 | 1,268 | 1,385 | 51 |
| D2962 | Labial veneer (porcelain laminate) - laboratory | 1,186.14 | 198.89 | 925 | 1,092 | 1,184 | 1,298 | 1,350 | 1,400 | 1,500 | 1,575 | 103 |
| D2980 | Crown repair necessitated by restorative material failure | 259.09 | 92.56 | 135 | 199 | 262 | 309 | 320 | 345 | 368 | 425 | 68 |
| D3110 | Pulp cap - direct (excluding final restoration) | 81.80 | 24.40 | 55 | 64 | 80 | 91 | 93 | 100 | 120 | 138 | 88 |
| D3120 | Pulp cap - indirect (excluding final restoration) | 78.31 | 24.93 | 49 | 60 | 79 | 91 | 95 | 98 | 106 | 125 | 83 |

2016 Survey of Dental Fees
General Practitioners - South Atlantic Division
(Delaware, Florida, Georgia, Maryland, North Carolina, South Carolina, Virginia, Washington D.C., West Virginia)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|--|----------------|-----------------------|-----------------|---------|-----------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D3220 | Therapeutic pulpotomy (excluding final restoration)... | 199.48 | 54.28 | 138 | 164 | 193 | 235 | 250 | 250 | 265 | 286 | 94 |
| D3221 | Pulpal debridement, primary and permanent teeth | 211.47 | 68.24 | 129 | 175 | 201 | 254 | 261 | 280 | 294 | 349 | 77 |
| D3230 | Pulpal therapy (resorbable filling) - anterior, primary tooth (excluding final restoration) | 245.24 | 52.71 | 175 | 203 | 251 | 282 | 288 | 296 | 305 | 327 | 34 |
| D3240 | Pulpal therapy (resorbable filling) - posterior, primary tooth (excluding final restoration) | 267.82 | 60.88 | 175 | 219 | 279 | 308 | 322 | 323 | 338 | 350 | 34 |
| D3310 | Endodontic therapy, anterior tooth (excluding final restoration) | 768.59 | 124.50 | 600 | 695 | 775 | 845 | 855 | 882 | 906 | 955 | 101 |
| D3320 | Endodontic therapy, bicuspid tooth (excluding final restoration) | 884.23 | 138.87 | 706 | 796 | 878 | 953 | 977 | 995 | 1,018 | 1,125 | 102 |
| D3330 | Endodontic therapy, molar (excluding final restoration) | 1,069.61 | 160.46 | 900 | 977 | 1,050 | 1,145 | 1,181 | 1,200 | 1,233 | 1,400 | 98 |
| D3332 | Incomplete endodontic therapy; inoperable, unrestorable or fractured tooth | 382.51 | 169.96 | 200 | 318 | 412 | 465 | 491 | 495 | 600 | 701 | 37 |
| D3346 | Retreatment of previous root canal therapy — anterior | 866.86 | 181.47 | 623 | 782 | 853 | 936 | 964 | 995 | 1,020 | 1,300 | 44 |
| D3347 | Retreatment of previous root canal therapy — bicuspid | 959.07 | 202.43 | 722 | 835 | 963 | 1,033 | 1,058 | 1,077 | 1,100 | 1,300 | 41 |
| D3348 | Retreatment of previous root canal therapy — molar | 1,158.31 | 225.52 | 875 | 1,050 | 1,170 | 1,241 | 1,258 | 1,295 | 1,300 | 1,685 | 39 |
| D4210 | Gingivectomy or gingivoplasty - four or more contiguous teeth or tooth bounded spaces per quadrant | 571.24 | 155.84 | 350 | 464 | 600 | 664 | 689 | 700 | 752 | 850 | 78 |
| D4211 | Gingivectomy or gingivoplasty - one to three contiguous teeth or tooth bounded spaces per quadrant | 259.82 | 88.90 | 150 | 197 | 264 | 310 | 323 | 329 | 349 | 425 | 83 |

2016 Survey of Dental Fees
General Practitioners - South Atlantic Division
(Delaware, Florida, Georgia, Maryland, North Carolina, South Carolina, Virginia, Washington D.C., West Virginia)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|---|----------------|-----------------------|-----------------|---------|-----------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D4212 | Gingivectomy or gingivoplasty to allow access for restorative procedure, per tooth | 223.55 | 106.36 | 100 | 150 | 203 | 284 | 298 | 305 | 348 | 475 | 40 |
| D4240 | Gingival flap procedure, including root planing — four or more contiguous teeth or tooth bounded spaces per quadrant | 693.61 | 175.49 | 500 | 582 | 702 | 789 | 794 | 848 | 851 | 950 | 46 |
| D4241 | Gingival flap procedure, including root planing — one to three contiguous teeth or tooth bounded spaces per quadrant | 529.03 | 156.22 | 315 | 374 | 578 | 621 | 648 | 688 | 709 | 760 | 37 |
| D4249 | Clinical crown lengthening — hard tissue | 732.42 | 229.17 | 475 | 600 | 750 | 831 | 859 | 931 | 952 | 1,170 | 66 |
| D4260 | Osseous surgery (including elevation of a full thickness flap and closure) - four or more contiguous teeth or tooth bounded spaces per quadrant | 1,084.16 | 258.07 | 780 | 940 | 1,050 | 1,200 | 1,219 | 1,300 | 1,400 | 1,505 | 38 |
| D4261 | Osseous surgery (including elevation of a full thickness flap and closure) - one to three contiguous teeth or tooth bounded spaces per quadrant | 852.07 | 207.36 | 640 | 730 | 833 | 1,000 | 1,010 | 1,050 | 1,090 | 1,190 | 30 |
| D4263 | Bone replacement graft - first site in quadrant | 589.00 | 186.14 | 352 | 468 | 595 | 722 | 744 | 785 | 839 | 902 | 32 |
| D4321 | Provisional splinting - extracoronal | 419.76 | 141.41 | 197 | 325 | 437 | 496 | 516 | 550 | 578 | 608 | 74 |
| D4341 | Periodontal scaling and root planing - four or more teeth per quadrant | 255.14 | 47.58 | 185 | 228 | 254 | 280 | 290 | 300 | 318 | 350 | 109 |
| D4342 | Periodontal scaling and root planing - one to three teeth per quadrant | 165.40 | 43.62 | 110 | 138 | 165 | 192 | 196 | 204 | 209 | 235 | 104 |
| D4355 | Full mouth debridement to enable comprehensive evaluation and diagnosis | 175.02 | 43.11 | 120 | 149 | 172 | 197 | 204 | 215 | 235 | 265 | 104 |
| D4381 | Localized delivery of antimicrobial agents via a controlled release vehicle into diseased crevicular tissue, per tooth | 87.30 | 52.04 | 34 | 45 | 70 | 120 | 137 | 150 | 177 | 209 | 79 |
| D4910 | Periodontal maintenance | 135.10 | 25.51 | 105 | 118 | 135 | 148 | 149 | 157 | 170 | 180 | 103 |
| D5110 | Complete denture - maxillary | 1,666.53 | 414.59 | 1,198 | 1,400 | 1,635 | 1,862 | 1,950 | 1,996 | 2,084 | 2,575 | 124 |

2016 Survey of Dental Fees
General Practitioners - South Atlantic Division
(Delaware, Florida, Georgia, Maryland, North Carolina, South Carolina, Virginia, Washington D.C., West Virginia)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|--|----------------|-----------------------|-----------------|---------|-----------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D5120 | Complete denture - mandibular | 1,672.06 | 422.01 | 1,198 | 1,400 | 1,614 | 1,883 | 1,950 | 2,000 | 2,095 | 2,575 | 124 |
| D5130 | Immediate denture - maxillary | 1,763.53 | 402.91 | 1,250 | 1,500 | 1,750 | 1,982 | 2,000 | 2,150 | 2,250 | 2,431 | 115 |
| D5140 | Immediate denture - mandibular | 1,782.22 | 438.55 | 1,250 | 1,500 | 1,750 | 1,988 | 2,095 | 2,184 | 2,267 | 2,600 | 116 |
| D5211 | Maxillary partial denture - resin base (including any conventional clasps, rests and teeth) | 1,202.39 | 329.11 | 795 | 945 | 1,200 | 1,413 | 1,450 | 1,500 | 1,599 | 1,838 | 114 |
| D5212 | Mandibular partial denture - resin base (including any conventional clasps, rests and teeth) | 1,194.16 | 326.42 | 795 | 940 | 1,192 | 1,410 | 1,433 | 1,500 | 1,595 | 1,838 | 114 |
| D5213 | Maxillary partial denture - cast metal framework with resin denture bases (including any conventional clasps, rests, and teeth) | 1,727.83 | 382.92 | 1,250 | 1,500 | 1,700 | 1,900 | 1,959 | 2,044 | 2,150 | 2,550 | 115 |
| D5214 | Mandibular partial denture - cast metal framework with resin denture bases (including any conventional clasps, rests, and teeth) | 1,722.84 | 364.94 | 1,250 | 1,500 | 1,700 | 1,900 | 1,983 | 2,044 | 2,150 | 2,422 | 115 |
| D5225 | Maxillary partial denture — flexible base (including any clasps, rests, and teeth) | 1,452.01 | 306.59 | 1,090 | 1,227 | 1,455 | 1,641 | 1,675 | 1,743 | 1,800 | 1,933 | 82 |
| D5226 | Mandibular partial denture - flexible base (including any clasps, rests, and teeth) | 1,458.41 | 311.31 | 990 | 1,250 | 1,483 | 1,641 | 1,675 | 1,725 | 1,825 | 1,958 | 78 |
| D5510 | Repair broken complete denture base | 210.29 | 58.73 | 145 | 168 | 201 | 236 | 251 | 284 | 303 | 322 | 95 |
| D5520 | Replace missing or broken teeth — complete denture (each tooth) | 183.12 | 46.32 | 128 | 150 | 180 | 210 | 223 | 225 | 240 | 270 | 99 |
| D5610 | Repair resin denture base | 201.06 | 50.42 | 149 | 169 | 200 | 224 | 230 | 249 | 259 | 301 | 101 |
| D5640 | Replace broken teeth - per tooth | 183.03 | 44.03 | 125 | 150 | 185 | 205 | 220 | 225 | 225 | 265 | 106 |
| D5650 | Add tooth to existing partial denture | 221.23 | 58.01 | 150 | 175 | 215 | 250 | 257 | 273 | 319 | 338 | 107 |
| D5660 | Add clasp to existing partial denture – per tooth | 245.84 | 66.95 | 155 | 197 | 248 | 284 | 294 | 301 | 328 | 360 | 94 |
| D5710 | Rebase complete maxillary denture | 551.76 | 132.49 | 400 | 462 | 548 | 605 | 627 | 655 | 733 | 811 | 70 |
| D5711 | Rebase complete mandibular denture | 547.56 | 132.77 | 400 | 457 | 549 | 605 | 624 | 655 | 711 | 800 | 71 |

2016 Survey of Dental Fees
General Practitioners - South Atlantic Division
(Delaware, Florida, Georgia, Maryland, North Carolina, South Carolina, Virginia, Washington D.C., West Virginia)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|---|----------------|-----------------------|-----------------|---------|-----------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D5720 | Rebase maxillary partial denture | 521.77 | 144.70 | 327 | 415 | 524 | 595 | 610 | 655 | 700 | 800 | 75 |
| D5721 | Rebase mandibular partial denture | 513.53 | 145.06 | 326 | 411 | 513 | 594 | 600 | 650 | 700 | 800 | 75 |
| D5730 | Reline complete maxillary denture (chairside) | 350.24 | 101.74 | 228 | 295 | 350 | 400 | 415 | 445 | 464 | 550 | 100 |
| D5731 | Reline complete mandibular denture (chairside) | 353.26 | 99.16 | 225 | 298 | 354 | 400 | 420 | 450 | 465 | 550 | 98 |
| D5750 | Reline complete maxillary denture (laboratory) | 441.95 | 100.36 | 300 | 390 | 453 | 497 | 508 | 513 | 558 | 600 | 107 |
| D5751 | Reline complete mandibular denture (laboratory) | 441.87 | 100.20 | 304 | 390 | 458 | 495 | 506 | 516 | 555 | 600 | 110 |
| D5986 | Fluoride gel carrier | 170.83 | 76.19 | 64 | 108 | 200 | 218 | 227 | 237 | 251 | 300 | 53 |
| D6010 | Surgical placement of implant body: endosteal implant | 1,898.50 | 257.79 | 1,600 | 1,680 | 1,904 | 2,092 | 2,100 | 2,109 | 2,129 | 2,500 | 38 |
| D6055 | Connecting bar - implant supported or abutment supported | 2,474.11 | 1,261.12 | 990 | 1,550 | 2,700 | 3,100 | 3,220 | 3,301 | 3,815 | 5,400 | 35 |
| D6056 | Prefabricated abutment — includes modification and placement | 702.92 | 191.30 | 463 | 543 | 700 | 825 | 858 | 900 | 936 | 1,045 | 72 |
| D6057 | Custom fabricated abutment - includes placement | 852.01 | 216.75 | 561 | 750 | 874 | 960 | 987 | 1,008 | 1,100 | 1,200 | 85 |
| D6059 | Abutment supported porcelain fused to metal crown (high noble metal) | 1,383.11 | 286.58 | 1,000 | 1,200 | 1,366 | 1,548 | 1,590 | 1,601 | 1,684 | 1,850 | 88 |
| D6066 | Implant supported porcelain fused to metal crown (titanium, titanium alloy, high noble metal) | 1,476.74 | 323.74 | 1,038 | 1,250 | 1,488 | 1,699 | 1,713 | 1,760 | 1,820 | 2,150 | 70 |
| D6069 | Abutment supported retainer for porcelain fused to metal FPD (high noble metal) | 1,379.25 | 295.28 | 1,000 | 1,200 | 1,350 | 1,595 | 1,600 | 1,684 | 1,800 | 1,850 | 65 |
| D6076 | Implant supported retainer for porcelain fused to metal FPD (titanium, titanium alloy, or high noble metal) | 1,387.87 | 305.20 | 1,000 | 1,198 | 1,398 | 1,637 | 1,649 | 1,700 | 1,800 | 1,904 | 46 |

2016 Survey of Dental Fees
General Practitioners - South Atlantic Division
(Delaware, Florida, Georgia, Maryland, North Carolina, South Carolina, Virginia, Washington D.C., West Virginia)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|---|----------------|-----------------------|-----------------|---------|-----------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D6080 | Implant maintenance procedures when prostheses are removed and reinserted... | 222.91 | 126.38 | 80 | 120 | 244 | 300 | 312 | 344 | 350 | 425 | 53 |
| D6210 | Pontic - cast high noble metal | 1,157.40 | 203.75 | 900 | 1,017 | 1,148 | 1,268 | 1,300 | 1,365 | 1,500 | 1,576 | 77 |
| D6240 | Pontic - porcelain fused to high noble metal | 1,147.02 | 187.60 | 926 | 1,000 | 1,124 | 1,250 | 1,289 | 1,308 | 1,379 | 1,500 | 105 |
| D6241 | Pontic - porcelain fused to predominantly base metal | 1,072.46 | 159.69 | 896 | 963 | 1,034 | 1,182 | 1,199 | 1,214 | 1,250 | 1,407 | 59 |
| D6245 | Pontic - porcelain/ceramic | 1,176.96 | 189.50 | 956 | 1,050 | 1,157 | 1,275 | 1,298 | 1,360 | 1,407 | 1,585 | 97 |
| D6253 | Provisional pontic - further treatment or completion of diagnosis necessary prior to final impression | 513.65 | 275.47 | 119 | 293 | 485 | 762 | 815 | 843 | 858 | 891 | 46 |
| D6545 | Retainer - cast metal for resin bonded fixed prosthesis | 736.03 | 265.00 | 381 | 545 | 794 | 905 | 933 | 973 | 985 | 1,120 | 65 |
| D6750 | Retainer crown - porcelain fused to high noble metal | 1,131.61 | 153.84 | 919 | 1,010 | 1,138 | 1,214 | 1,256 | 1,290 | 1,302 | 1,379 | 90 |
| D6751 | Retainer crown - porcelain fused to predominantly base metal | 1,058.33 | 139.67 | 900 | 958 | 1,041 | 1,151 | 1,175 | 1,195 | 1,199 | 1,290 | 48 |
| D6790 | Retainer crown - full cast high noble metal | 1,163.96 | 205.58 | 937 | 1,017 | 1,157 | 1,252 | 1,300 | 1,365 | 1,400 | 1,517 | 81 |
| D6793 | Provisional retainer crown - further treatment or completion of diagnosis necessary prior to final impression | 443.33 | 258.75 | 119 | 224 | 470 | 595 | 603 | 698 | 771 | 975 | 39 |
| D6930 | Re-cement or re-bond fixed partial denture | 161.50 | 42.96 | 106 | 135 | 160 | 187 | 190 | 198 | 225 | 250 | 96 |
| D7111 | Extraction, coronal remnants -deciduous tooth | 127.89 | 32.72 | 90 | 102 | 125 | 147 | 149 | 160 | 165 | 190 | 91 |
| D7140 | Extraction, erupted tooth or exposed root (elevation and/or forceps removal) | 175.23 | 38.73 | 125 | 150 | 173 | 193 | 195 | 205 | 225 | 248 | 121 |

2016 Survey of Dental Fees
General Practitioners - South Atlantic Division
(Delaware, Florida, Georgia, Maryland, North Carolina, South Carolina, Virginia, Washington D.C., West Virginia)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|---|----------------|-----------------------|-----------------|---------|----------------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median 50th \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D7210 | Surgical removal of erupted tooth requiring removal of bone and/or sectioning of tooth, and including elevation of mucoperiosteal flap if indicated | 275.27 | 48.33 | 215 | 250 | 274 | 298 | 304 | 320 | 328 | 375 | 110 |
| D7220 | Removal of impacted tooth - soft tissue | 315.61 | 54.97 | 248 | 275 | 315 | 348 | 360 | 375 | 390 | 410 | 77 |
| D7230 | Removal of impacted tooth -partially bony | 393.49 | 73.39 | 307 | 350 | 396 | 413 | 425 | 445 | 478 | 515 | 61 |
| D7240 | Removal of impacted tooth -completely bony | 456.38 | 84.72 | 345 | 400 | 456 | 490 | 500 | 506 | 576 | 615 | 47 |
| D7250 | Surgical removal of residual tooth roots (cutting procedure) | 284.88 | 70.10 | 179 | 248 | 283 | 322 | 325 | 339 | 356 | 449 | 77 |
| D7286 | Incisional biopsy of oral tissue - soft | 319.50 | 94.80 | 200 | 280 | 320 | 359 | 366 | 384 | 395 | 511 | 56 |
| D7310 | Alveoloplasty in conjunction with extractions - four or more teeth or tooth spaces, per quadrant | 299.18 | 87.64 | 207 | 240 | 287 | 333 | 355 | 375 | 412 | 508 | 60 |
| D7320 | Alveoloplasty not in conjunction with extractions - four or more teeth or tooth spaces, per quadrant | 393.86 | 123.13 | 255 | 302 | 400 | 451 | 499 | 509 | 540 | 655 | 56 |
| D7410 | Excision of benign lesion up to 1.25 cm | 348.45 | 153.40 | 186 | 219 | 329 | 418 | 465 | 478 | 609 | 684 | 40 |
| D7880 | Occlusal orthotic device, by report | 849.46 | 357.29 | 375 | 575 | 850 | 1,095 | 1,151 | 1,176 | 1,421 | 1,570 | 39 |
| D7960 | Frenulectomy — also known as frenectomy or frenotomy - separate procedure not incidental to another | 430.10 | 105.41 | 295 | 355 | 424 | 500 | 521 | 548 | 554 | 600 | 41 |
| D7970 | Excision of hyperplastic tissue - per arch | 432.53 | 155.57 | 183 | 353 | 486 | 550 | 556 | 560 | 572 | 679 | 34 |
| D8090 | Comprehensive orthodontic treatment of the adult dentition | 5,282.94 | 705.96 | 4,500 | 4,971 | 5,214 | 5,559 | 5,750 | 5,850 | 6,000 | 6,600 | 32 |
| D8692 | Replacement of lost or broken retainer | 317.48 | 141.15 | 133 | 200 | 324 | 382 | 400 | 450 | 460 | 580 | 44 |
| D9110 | Palliative (emergency) treatment of dental pain - minor procedure | 115.54 | 33.80 | 68 | 92 | 120 | 135 | 141 | 150 | 155 | 169 | 105 |
| D9120 | Fixed partial denture sectioning | 188.81 | 76.03 | 95 | 125 | 195 | 236 | 250 | 259 | 274 | 298 | 67 |

2016 Survey of Dental Fees
General Practitioners - South Atlantic Division
(Delaware, Florida, Georgia, Maryland, North Carolina, South Carolina, Virginia, Washington D.C., West Virginia)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|---|----------------|-----------------------|-----------------|---------|----------------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median 50th \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D9210 | Local anesthesia not in conjunction with operative or surgical procedures | 66.69 | 30.87 | 30 | 45 | 66 | 75 | 85 | 93 | 105 | 150 | 54 |
| D9215 | Local anesthesia in conjunction with operative or surgical procedures | 46.53 | 30.91 | 0 | 22 | 58 | 66 | 68 | 69 | 85 | 95 | 38 |
| D9230 | Inhalation of nitrous oxide/analgesia, anxiolysis | 75.23 | 24.48 | 50 | 63 | 75 | 84 | 85 | 90 | 105 | 130 | 53 |
| D9310 | Consultation - diagnostic service provided by dentist or physician other than requesting dentist or physician | 107.86 | 47.37 | 54 | 79 | 114 | 138 | 145 | 148 | 165 | 199 | 74 |
| D9410 | House/extended care facility call | 214.69 | 102.98 | 75 | 144 | 224 | 273 | 275 | 278 | 325 | 440 | 32 |
| D9420 | Hospital or ambulatory surgical center call | 258.78 | 111.48 | 132 | 198 | 271 | 308 | 325 | 340 | 364 | 440 | 32 |
| D9430 | Office visit for observation (during regularly scheduled hours) - no other services performed | 62.97 | 32.13 | 0 | 50 | 70 | 77 | 78 | 84 | 90 | 125 | 61 |
| D9440 | Office visit - after regularly scheduled hours | 163.13 | 58.94 | 92 | 125 | 165 | 194 | 199 | 215 | 250 | 275 | 82 |
| D9630 | Other drugs and/or medicaments, by report | 32.14 | 23.61 | 5 | 16 | 28 | 41 | 49 | 50 | 65 | 88 | 58 |
| D9910 | Application of desensitizing medicament | 51.32 | 17.51 | 27 | 39 | 51 | 60 | 66 | 69 | 72 | 82 | 95 |
| D9911 | Application of desensitizing resin for cervical and/or root surface, per tooth | 59.78 | 28.64 | 17 | 40 | 67 | 80 | 82 | 84 | 89 | 101 | 67 |
| D9920 | Behavior management, by report | 106.97 | 50.81 | 35 | 69 | 115 | 150 | 150 | 160 | 164 | 177 | 32 |
| D9930 | Treatment of complications (post-surgical) — unusual circumstances, by report | 127.55 | 42.55 | 70 | 105 | 128 | 146 | 149 | 163 | 165 | 195 | 31 |
| D9940 | Occlusal guard, by report | 562.33 | 162.19 | 350 | 450 | 565 | 636 | 660 | 718 | 779 | 813 | 111 |
| D9941 | Fabrication of athletic mouthguard | 255.33 | 112.91 | 133 | 197 | 244 | 300 | 300 | 330 | 390 | 425 | 81 |
| D9951 | Occlusal adjustment - limited | 161.29 | 75.92 | 58 | 108 | 165 | 200 | 202 | 214 | 230 | 325 | 82 |
| D9952 | Occlusal adjustment - complete | 559.11 | 240.00 | 191 | 348 | 617 | 706 | 732 | 765 | 825 | 915 | 64 |
| D9972 | External bleaching - per arch - performed in office | 298.44 | 119.83 | 150 | 200 | 295 | 375 | 410 | 432 | 499 | 500 | 75 |

2016 Survey of Dental Fees
General Practitioners - South Atlantic Division
(Delaware, Florida, Georgia, Maryland, North Carolina, South Carolina, Virginia, Washington D.C., West Virginia)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|---|----------------|-----------------------|-----------------|---------|-----------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D9974 | Internal bleaching - per tooth | 277.50 | 84.30 | 175 | 225 | 275 | 325 | 330 | 350 | 377 | 404 | 66 |
| D9975 | External bleaching for home application, per arch; includes materials and fabrication of custom trays | 268.39 | 135.78 | 125 | 154 | 228 | 350 | 389 | 450 | 493 | 500 | 70 |

2016 Survey of Dental Fees
General Practitioners - East South Central Division
(Alabama, Kentucky, Mississippi, Tennessee)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|--|----------------|-----------------------|-----------------|---------|----------------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median 50th \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D0120 | Periodic oral evaluation — established patient | 42.87 | 10.46 | 30 | 37 | 42 | 50 | 51 | 53 | 57 | 60 | 79 |
| D0140 | Limited oral evaluation - problem focused | 60.73 | 17.45 | 40 | 50 | 61 | 72 | 75 | 77 | 85 | 90 | 79 |
| D0145 | Oral evaluation for a patient under three years of age and counseling with primary caregiver | 52.71 | 16.13 | 34 | 41 | 51 | 64 | 66 | 70 | 78 | 81 | 35 |
| D0150 | Comprehensive oral evaluation — new or established patient | 69.04 | 21.58 | 43 | 57 | 70 | 81 | 85 | 88 | 91 | 105 | 77 |
| D0160 | Detailed and extensive oral evaluation — problem focused, by report | 92.50 | 52.27 | 35 | 49 | 88 | 131 | 141 | 147 | 162 | 177 | 56 |
| D0170 | Re-evaluation - limited, problem focused (established patient; not post-operative visit) | 44.75 | 19.66 | 20 | 35 | 45 | 57 | 59 | 64 | 72 | 75 | 48 |
| D0180 | Comprehensive periodontal evaluation — new or established patient | 80.21 | 24.83 | 54 | 61 | 78 | 94 | 95 | 100 | 105 | 135 | 52 |
| D0210 | Intraoral - complete series of radiographic images | 120.60 | 21.96 | 92 | 106 | 119 | 133 | 137 | 145 | 150 | 163 | 63 |
| D0220 | Intraoral - periapical first radiographic image | 25.06 | 6.12 | 17 | 21 | 25 | 28 | 30 | 30 | 34 | 37 | 79 |
| D0230 | Intraoral - periapical each additional radiographic image | 20.87 | 6.05 | 14 | 17 | 20 | 25 | 25 | 27 | 27 | 30 | 79 |
| D0272 | Bitewings - two radiographic images | 41.19 | 7.69 | 31 | 37 | 40 | 45 | 46 | 50 | 50 | 56 | 70 |
| D0273 | Bitewings - three radiographic images | 46.15 | 9.28 | 35 | 37 | 46 | 51 | 53 | 55 | 56 | 61 | 41 |
| D0274 | Bitewings - four radiographic images | 58.86 | 12.82 | 44 | 50 | 57 | 66 | 68 | 73 | 77 | 81 | 71 |
| D0277 | Vertical bitewings - 7 to 8 radiographic images | 79.43 | 13.42 | 64 | 70 | 79 | 89 | 92 | 92 | 98 | 106 | 30 |
| D0330 | Panoramic radiographic image | 101.94 | 16.48 | 83 | 90 | 99 | 111 | 117 | 120 | 127 | 129 | 67 |
| D0350 | 2D oral/facial photographic image obtained intra-orally or extra-orally | 39.41 | 29.15 | 0 | 15 | 40 | 63 | 66 | 67 | 71 | 85 | 34 |
| D0470 | Diagnostic casts | 92.72 | 33.78 | 51 | 65 | 88 | 113 | 120 | 130 | 143 | 150 | 54 |
| D1110 | Prophylaxis - adult | 78.05 | 16.75 | 60 | 68 | 75 | 88 | 90 | 94 | 98 | 112 | 79 |

2016 Survey of Dental Fees
General Practitioners - East South Central Division
(Alabama, Kentucky, Mississippi, Tennessee)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|---|----------------|-----------------------|-----------------|---------|----------------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median 50th \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D1120 | Prophylaxis - child | 60.04 | 13.04 | 46 | 51 | 60 | 67 | 70 | 72 | 79 | 89 | 78 |
| D1206 | Topical application of fluoride varnish | 33.89 | 9.98 | 22 | 27 | 31 | 40 | 44 | 45 | 49 | 55 | 57 |
| D1208 | Topical application of fluoride – excluding varnish | 30.95 | 9.29 | 20 | 24 | 30 | 36 | 37 | 39 | 42 | 45 | 62 |
| D1320 | Tobacco counseling for the control and prevention of oral disease | 36.43 | 30.81 | 0 | 0 | 41 | 62 | 68 | 71 | 78 | 87 | 30 |
| D1330 | Oral hygiene instructions | 26.50 | 21.90 | 0 | 0 | 30 | 47 | 50 | 51 | 51 | 53 | 42 |
| D1351 | Sealant - per tooth | 47.63 | 10.51 | 35 | 40 | 46 | 53 | 56 | 60 | 63 | 65 | 67 |
| D1510 | Space maintainer - fixed -unilateral | 286.59 | 61.54 | 220 | 244 | 275 | 324 | 337 | 350 | 355 | 385 | 44 |
| D1515 | Space maintainer - fixed -bilateral | 369.90 | 74.20 | 275 | 312 | 375 | 414 | 438 | 450 | 459 | 471 | 48 |
| D2140 | Amalgam - one surface, primary or permanent | 119.74 | 23.90 | 91 | 102 | 114 | 140 | 142 | 147 | 155 | 162 | 57 |
| D2150 | Amalgam - two surfaces, primary or permanent | 146.67 | 27.48 | 110 | 126 | 141 | 166 | 176 | 180 | 186 | 194 | 57 |
| D2160 | Amalgam - three surfaces, primary or permanent | 172.47 | 33.24 | 130 | 145 | 166 | 194 | 202 | 211 | 219 | 238 | 57 |
| D2161 | Amalgam - four or more surfaces, primary or permanent | 206.06 | 38.41 | 160 | 180 | 200 | 228 | 241 | 250 | 265 | 284 | 54 |
| D2330 | Resin-based composite - one surface, anterior | 142.67 | 30.76 | 105 | 120 | 139 | 162 | 166 | 175 | 185 | 208 | 73 |
| D2331 | Resin-based composite - two surfaces, anterior | 173.46 | 33.84 | 136 | 150 | 167 | 193 | 200 | 206 | 230 | 242 | 72 |
| D2332 | Resin-based composite - three surfaces, anterior | 208.83 | 39.17 | 160 | 180 | 202 | 232 | 243 | 256 | 262 | 285 | 71 |
| D2335 | Resin-based composite - four or more surfaces or involving incisal angle (anterior) | 255.90 | 58.54 | 191 | 215 | 250 | 295 | 303 | 310 | 325 | 349 | 70 |
| D2390 | Resin-based composite crown, anterior | 371.30 | 143.71 | 203 | 250 | 383 | 429 | 448 | 506 | 546 | 595 | 40 |
| D2391 | Resin-based composite - one surface, posterior | 156.07 | 29.83 | 125 | 135 | 151 | 174 | 180 | 182 | 204 | 216 | 70 |
| D2392 | Resin-based composite - two surfaces, posterior | 197.30 | 37.54 | 153 | 168 | 196 | 217 | 230 | 237 | 254 | 263 | 70 |

2016 Survey of Dental Fees
General Practitioners - East South Central Division
(Alabama, Kentucky, Mississippi, Tennessee)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|--|----------------|-----------------------|-----------------|---------|----------------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median 50th \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D2393 | Resin-based composite - three surfaces, posterior | 242.00 | 47.69 | 190 | 202 | 236 | 277 | 284 | 290 | 304 | 330 | 69 |
| D2394 | Resin-based composite - four or more surfaces, posterior | 290.31 | 66.72 | 215 | 240 | 282 | 332 | 340 | 347 | 371 | 387 | 62 |
| D2520 | Inlay - metallic - two surfaces | 793.56 | 196.50 | 558 | 648 | 779 | 911 | 971 | 985 | 1,040 | 1,100 | 36 |
| D2543 | Onlay - metallic - three surfaces | 899.28 | 183.49 | 668 | 745 | 902 | 1,038 | 1,060 | 1,148 | 1,180 | 1,200 | 32 |
| D2620 | Inlay - porcelain/ceramic - two surfaces | 839.56 | 181.86 | 610 | 730 | 837 | 943 | 950 | 995 | 1,079 | 1,125 | 34 |
| D2642 | Onlay - porcelain/ceramic - two surfaces | 867.12 | 154.53 | 662 | 735 | 885 | 975 | 1,010 | 1,066 | 1,099 | 1,100 | 33 |
| D2643 | Onlay - porcelain/ceramic -three surfaces | 912.43 | 151.51 | 714 | 770 | 925 | 1,030 | 1,049 | 1,091 | 1,100 | 1,196 | 35 |
| D2644 | Onlay - porcelain/ceramic - four or more surfaces | 947.91 | 164.56 | 754 | 806 | 960 | 1,091 | 1,097 | 1,112 | 1,200 | 1,264 | 35 |
| D2710 | Crown - resin-based composite (indirect) | 595.42 | 242.04 | 306 | 358 | 630 | 788 | 800 | 849 | 900 | 1,000 | 36 |
| D2740 | Crown - porcelain/ceramic substrate | 1,054.08 | 168.88 | 876 | 906 | 1,020 | 1,140 | 1,159 | 1,238 | 1,295 | 1,325 | 71 |
| D2750 | Crown - porcelain fused to high noble metal | 1,013.25 | 166.17 | 800 | 894 | 975 | 1,107 | 1,140 | 1,179 | 1,238 | 1,300 | 67 |
| D2751 | Crown - porcelain fused to predominantly base metal | 959.10 | 124.96 | 799 | 876 | 948 | 1,063 | 1,086 | 1,100 | 1,137 | 1,164 | 40 |
| D2752 | Crown - porcelain fused to noble metal | 966.30 | 144.80 | 794 | 853 | 950 | 1,050 | 1,086 | 1,100 | 1,137 | 1,225 | 50 |
| D2783 | Crown - ¾ porcelain/ceramic | 993.48 | 136.90 | 831 | 877 | 977 | 1,100 | 1,105 | 1,200 | 1,200 | 1,230 | 33 |
| D2790 | Crown - full cast high noble metal | 1,083.43 | 198.38 | 872 | 925 | 1,075 | 1,175 | 1,200 | 1,238 | 1,334 | 1,436 | 61 |
| D2799 | Provisional crown – further treatment or completion of diagnosis necessary prior to final impression | 290.28 | 136.10 | 100 | 200 | 325 | 374 | 385 | 425 | 446 | 506 | 53 |
| D2920 | Re-cement or re-bond crown | 89.76 | 23.18 | 60 | 76 | 87 | 100 | 103 | 112 | 122 | 131 | 72 |
| D2930 | Prefabricated stainless steel crown - primary tooth | 225.45 | 43.98 | 160 | 200 | 230 | 250 | 253 | 264 | 286 | 293 | 53 |
| D2931 | Prefabricated stainless steel crown - permanent tooth | 284.06 | 64.15 | 218 | 251 | 278 | 303 | 310 | 325 | 338 | 350 | 47 |
| D2940 | Protective restoration | 98.02 | 26.86 | 70 | 80 | 92 | 110 | 120 | 125 | 137 | 146 | 53 |

2016 Survey of Dental Fees
General Practitioners - East South Central Division
(Alabama, Kentucky, Mississippi, Tennessee)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|--|----------------|-----------------------|-----------------|---------|-----------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D2950 | Core buildup, including any pins when required | 233.63 | 45.43 | 173 | 194 | 234 | 268 | 276 | 282 | 295 | 308 | 67 |
| D2952 | Post and core in addition to crown, indirectly fabricated | 347.80 | 84.18 | 249 | 300 | 339 | 380 | 395 | 405 | 450 | 545 | 49 |
| D2954 | Prefabricated post and core in addition to crown | 311.18 | 59.97 | 245 | 260 | 305 | 349 | 350 | 359 | 365 | 425 | 56 |
| D2961 | Labial veneer (resin laminate) - laboratory | 878.81 | 242.06 | 550 | 716 | 857 | 1,010 | 1,100 | 1,180 | 1,200 | 1,400 | 37 |
| D2962 | Labial veneer (porcelain laminate) - laboratory | 1,070.02 | 212.22 | 829 | 900 | 1,065 | 1,200 | 1,250 | 1,326 | 1,395 | 1,500 | 59 |
| D2980 | Crown repair necessitated by restorative material failure | 193.80 | 65.53 | 102 | 146 | 198 | 249 | 255 | 260 | 280 | 300 | 44 |
| D3110 | Pulp cap - direct (excluding final restoration) | 68.15 | 19.91 | 45 | 56 | 66 | 80 | 81 | 83 | 91 | 111 | 54 |
| D3120 | Pulp cap - indirect (excluding final restoration) | 63.23 | 20.27 | 38 | 46 | 65 | 76 | 79 | 81 | 83 | 93 | 53 |
| D3220 | Therapeutic pulpotomy (excluding final restoration)... | 155.34 | 60.32 | 80 | 114 | 153 | 182 | 190 | 200 | 228 | 254 | 64 |
| D3221 | Pulpal debridement, primary and permanent teeth | 153.31 | 69.64 | 37 | 118 | 157 | 199 | 207 | 224 | 247 | 262 | 48 |
| D3310 | Endodontic therapy, anterior tooth (excluding final restoration) | 685.83 | 120.23 | 561 | 602 | 668 | 730 | 754 | 784 | 843 | 939 | 63 |
| D3320 | Endodontic therapy, bicuspid tooth (excluding final restoration) | 790.88 | 122.38 | 650 | 717 | 769 | 836 | 850 | 910 | 965 | 1,074 | 59 |
| D3330 | Endodontic therapy, molar (excluding final restoration) | 935.16 | 126.15 | 786 | 855 | 911 | 1,022 | 1,027 | 1,039 | 1,110 | 1,190 | 57 |
| D3332 | Incomplete endodontic therapy; inoperable, unrestorable or fractured tooth | 320.54 | 160.46 | 0 | 230 | 354 | 450 | 453 | 458 | 496 | 535 | 35 |
| D3346 | Retreatment of previous root canal therapy — anterior | 770.47 | 145.74 | 590 | 670 | 743 | 845 | 865 | 909 | 945 | 995 | 34 |
| D3347 | Retreatment of previous root canal therapy — bicuspid | 853.15 | 142.48 | 656 | 757 | 847 | 948 | 965 | 1,045 | 1,055 | 1,084 | 33 |

2016 Survey of Dental Fees
General Practitioners - East South Central Division
(Alabama, Kentucky, Mississippi, Tennessee)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|--|----------------|-----------------------|-----------------|---------|-----------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D3348 | Retreatment of previous root canal therapy — molar | 1,043.23 | 178.96 | 807 | 938 | 1,025 | 1,150 | 1,165 | 1,240 | 1,298 | 1,401 | 31 |
| D4210 | Gingivectomy or gingivoplasty - four or more contiguous teeth or tooth bounded spaces per quadrant | 499.14 | 148.71 | 300 | 345 | 515 | 615 | 620 | 645 | 675 | 751 | 43 |
| D4211 | Gingivectomy or gingivoplasty - one to three contiguous teeth or tooth bounded spaces per quadrant | 227.25 | 105.82 | 100 | 158 | 220 | 287 | 321 | 326 | 331 | 371 | 51 |
| D4249 | Clinical crown lengthening — hard tissue | 604.06 | 179.19 | 400 | 489 | 604 | 726 | 739 | 770 | 839 | 945 | 36 |
| D4321 | Provisional splinting - extracoronal | 389.08 | 131.90 | 220 | 288 | 377 | 463 | 472 | 528 | 575 | 636 | 40 |
| D4341 | Periodontal scaling and root planing - four or more teeth per quadrant | 217.97 | 49.00 | 160 | 184 | 213 | 243 | 250 | 253 | 268 | 288 | 62 |
| D4342 | Periodontal scaling and root planing - one to three teeth per quadrant | 154.49 | 45.81 | 100 | 121 | 150 | 181 | 185 | 187 | 200 | 222 | 63 |
| D4355 | Full mouth debridement to enable comprehensive evaluation and diagnosis | 152.70 | 36.00 | 105 | 129 | 150 | 170 | 175 | 184 | 199 | 217 | 66 |
| D4381 | Localized delivery of antimicrobial agents via a controlled release vehicle into diseased crevicular tissue, per tooth | 77.33 | 55.83 | 30 | 40 | 63 | 90 | 112 | 140 | 163 | 186 | 45 |
| D4910 | Periodontal maintenance | 122.80 | 27.09 | 92 | 103 | 120 | 137 | 140 | 147 | 155 | 159 | 60 |
| D5110 | Complete denture - maxillary | 1,433.32 | 383.82 | 989 | 1,169 | 1,402 | 1,620 | 1,750 | 1,800 | 1,950 | 2,096 | 68 |
| D5120 | Complete denture - mandibular | 1,425.71 | 388.05 | 950 | 1,138 | 1,379 | 1,579 | 1,749 | 1,800 | 1,950 | 2,099 | 68 |
| D5130 | Immediate denture - maxillary | 1,536.80 | 414.13 | 1,025 | 1,203 | 1,500 | 1,774 | 1,850 | 2,000 | 2,084 | 2,195 | 66 |
| D5140 | Immediate denture - mandibular | 1,564.39 | 465.37 | 1,025 | 1,225 | 1,500 | 1,800 | 1,850 | 2,013 | 2,100 | 2,232 | 66 |
| D5211 | Maxillary partial denture - resin base (including any conventional clasps, rests and teeth) | 1,026.75 | 384.91 | 600 | 725 | 943 | 1,270 | 1,306 | 1,500 | 1,550 | 1,800 | 65 |
| D5212 | Mandibular partial denture - resin base (including any conventional clasps, rests and teeth) | 1,030.52 | 376.51 | 600 | 713 | 949 | 1,285 | 1,340 | 1,500 | 1,538 | 1,654 | 64 |

2016 Survey of Dental Fees
General Practitioners - East South Central Division
(Alabama, Kentucky, Mississippi, Tennessee)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|--|----------------|-----------------------|-----------------|---------|-----------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D5213 | Maxillary partial denture - cast metal framework with resin denture bases (including any conventional clasps, rests, and teeth) | 1,495.56 | 349.14 | 1,097 | 1,250 | 1,483 | 1,650 | 1,750 | 1,776 | 1,800 | 1,962 | 63 |
| D5214 | Mandibular partial denture - cast metal framework with resin denture bases (including any conventional clasps, rests, and teeth) | 1,507.51 | 382.94 | 1,097 | 1,250 | 1,495 | 1,650 | 1,750 | 1,776 | 1,800 | 1,962 | 61 |
| D5225 | Maxillary partial denture — flexible base (including any clasps, rests, and teeth) | 1,214.38 | 372.24 | 800 | 940 | 1,214 | 1,353 | 1,457 | 1,625 | 1,697 | 1,950 | 45 |
| D5226 | Mandibular partial denture - flexible base (including any clasps, rests, and teeth) | 1,204.59 | 361.54 | 800 | 933 | 1,185 | 1,355 | 1,500 | 1,625 | 1,697 | 1,705 | 44 |
| D5510 | Repair broken complete denture base | 181.77 | 70.51 | 114 | 130 | 171 | 200 | 215 | 250 | 275 | 330 | 62 |
| D5520 | Replace missing or broken teeth — complete denture (each tooth) | 158.53 | 55.52 | 98 | 121 | 152 | 187 | 190 | 197 | 223 | 250 | 62 |
| D5610 | Repair resin denture base | 176.64 | 57.36 | 123 | 137 | 170 | 195 | 200 | 224 | 250 | 289 | 56 |
| D5640 | Replace broken teeth - per tooth | 159.84 | 47.20 | 104 | 125 | 150 | 186 | 195 | 203 | 225 | 250 | 57 |
| D5650 | Add tooth to existing partial denture | 197.86 | 64.66 | 125 | 150 | 190 | 225 | 238 | 252 | 275 | 300 | 66 |
| D5660 | Add clasp to existing partial denture – per tooth | 232.23 | 65.10 | 166 | 191 | 220 | 265 | 278 | 297 | 305 | 331 | 61 |
| D5710 | Rebase complete maxillary denture | 458.88 | 116.01 | 300 | 350 | 458 | 552 | 564 | 582 | 610 | 642 | 56 |
| D5711 | Rebase complete mandibular denture | 461.76 | 118.15 | 300 | 350 | 458 | 555 | 572 | 600 | 625 | 650 | 55 |
| D5720 | Rebase maxillary partial denture | 433.14 | 106.50 | 291 | 350 | 440 | 526 | 531 | 551 | 565 | 609 | 50 |
| D5721 | Rebase mandibular partial denture | 429.18 | 108.18 | 285 | 350 | 438 | 526 | 529 | 551 | 560 | 609 | 51 |
| D5730 | Reline complete maxillary denture (chairside) | 272.84 | 97.82 | 155 | 200 | 275 | 340 | 353 | 362 | 391 | 414 | 61 |
| D5731 | Reline complete mandibular denture (chairside) | 270.66 | 97.87 | 155 | 200 | 272 | 338 | 350 | 362 | 391 | 414 | 61 |
| D5750 | Reline complete maxillary denture (laboratory) | 375.20 | 113.41 | 255 | 300 | 373 | 428 | 448 | 500 | 542 | 595 | 69 |

2016 Survey of Dental Fees
General Practitioners - East South Central Division
(Alabama, Kentucky, Mississippi, Tennessee)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|---|----------------|-----------------------|-----------------|---------|----------------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median 50th \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D5751 | Reline complete mandibular denture (laboratory) | 370.40 | 121.43 | 251 | 300 | 369 | 428 | 448 | 500 | 539 | 595 | 70 |
| D5986 | Fluoride gel carrier | 184.59 | 84.33 | 90 | 126 | 185 | 204 | 213 | 245 | 251 | 398 | 32 |
| D6056 | Prefabricated abutment — includes modification and placement | 607.74 | 153.83 | 386 | 462 | 617 | 746 | 750 | 755 | 800 | 812 | 47 |
| D6057 | Custom fabricated abutment - includes placement | 704.93 | 168.33 | 500 | 592 | 691 | 845 | 874 | 895 | 945 | 950 | 46 |
| D6059 | Abutment supported porcelain fused to metal crown (high noble metal) | 1,208.31 | 249.86 | 945 | 1,010 | 1,200 | 1,332 | 1,398 | 1,410 | 1,499 | 1,541 | 52 |
| D6066 | Implant supported porcelain fused to metal crown (titanium, titanium alloy, high noble metal) | 1,264.48 | 238.60 | 956 | 1,080 | 1,278 | 1,421 | 1,439 | 1,489 | 1,520 | 1,619 | 52 |
| D6069 | Abutment supported retainer for porcelain fused to metal FPD (high noble metal) | 1,215.48 | 243.18 | 926 | 1,023 | 1,193 | 1,400 | 1,403 | 1,417 | 1,500 | 1,582 | 40 |
| D6080 | Implant maintenance procedures when prostheses are removed and reinserted... | 152.59 | 109.41 | 0 | 70 | 148 | 233 | 259 | 268 | 302 | 350 | 34 |
| D6210 | Pontic - cast high noble metal | 991.63 | 141.48 | 824 | 890 | 985 | 1,099 | 1,100 | 1,106 | 1,203 | 1,276 | 51 |
| D6240 | Pontic - porcelain fused to high noble metal | 1,009.76 | 166.04 | 828 | 881 | 978 | 1,100 | 1,113 | 1,185 | 1,230 | 1,300 | 68 |
| D6241 | Pontic - porcelain fused to predominantly base metal | 971.56 | 136.72 | 800 | 893 | 950 | 1,050 | 1,091 | 1,100 | 1,165 | 1,250 | 43 |
| D6245 | Pontic - porcelain/ceramic | 1,036.25 | 172.61 | 873 | 900 | 1,000 | 1,141 | 1,166 | 1,206 | 1,276 | 1,395 | 56 |
| D6545 | Retainer - cast metal for resin bonded fixed prosthesis | 627.98 | 273.74 | 300 | 367 | 600 | 850 | 900 | 932 | 995 | 1,002 | 42 |
| D6750 | Retainer crown - porcelain fused to high noble metal | 1,020.18 | 160.60 | 852 | 880 | 993 | 1,100 | 1,145 | 1,200 | 1,238 | 1,300 | 62 |
| D6751 | Retainer crown - porcelain fused to predominantly base metal | 965.68 | 130.70 | 798 | 895 | 939 | 1,085 | 1,100 | 1,115 | 1,165 | 1,168 | 37 |
| D6790 | Retainer crown - full cast high noble metal | 1,021.86 | 147.85 | 825 | 900 | 1,010 | 1,125 | 1,142 | 1,200 | 1,200 | 1,238 | 50 |

2016 Survey of Dental Fees
General Practitioners - East South Central Division
(Alabama, Kentucky, Mississippi, Tennessee)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|---|----------------|-----------------------|-----------------|---------|----------------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median 50th \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D6930 | Re-cement or re-bond fixed partial denture | 139.63 | 53.65 | 90 | 102 | 129 | 155 | 166 | 185 | 200 | 265 | 62 |
| D7111 | Extraction, coronal remnants -deciduous tooth | 106.56 | 31.89 | 69 | 85 | 110 | 120 | 124 | 126 | 140 | 155 | 50 |
| D7140 | Extraction, erupted tooth or exposed root (elevation and/or forceps removal) | 147.28 | 36.27 | 106 | 117 | 144 | 171 | 172 | 175 | 194 | 207 | 67 |
| D7210 | Surgical removal of erupted tooth requiring removal of bone and/or sectioning of tooth, and including elevation of mucoperiosteal flap if indicated | 236.90 | 56.18 | 180 | 190 | 225 | 271 | 275 | 290 | 314 | 350 | 61 |
| D7220 | Removal of impacted tooth - soft tissue | 288.19 | 63.97 | 219 | 239 | 278 | 315 | 324 | 351 | 394 | 425 | 42 |
| D7230 | Removal of impacted tooth -partially bony | 358.35 | 67.51 | 275 | 315 | 355 | 397 | 411 | 438 | 454 | 485 | 37 |
| D7240 | Removal of impacted tooth -completely bony | 422.77 | 79.34 | 325 | 358 | 417 | 484 | 485 | 495 | 509 | 542 | 31 |
| D7250 | Surgical removal of residual tooth roots (cutting procedure) | 253.10 | 61.50 | 180 | 204 | 246 | 288 | 302 | 320 | 343 | 377 | 40 |
| D7286 | Incisional biopsy of oral tissue - soft | 280.33 | 93.92 | 149 | 222 | 280 | 348 | 350 | 358 | 375 | 419 | 36 |
| D7310 | Alveoloplasty in conjunction with extractions - four or more teeth or tooth spaces, per quadrant | 235.08 | 90.40 | 128 | 168 | 226 | 284 | 293 | 300 | 343 | 350 | 38 |
| D7320 | Alveoloplasty not in conjunction with extractions - four or more teeth or tooth spaces, per quadrant | 314.06 | 137.99 | 150 | 203 | 300 | 389 | 405 | 430 | 476 | 509 | 35 |
| D7880 | Occlusal orthotic device, by report | 706.85 | 348.22 | 380 | 456 | 597 | 902 | 910 | 956 | 1,021 | 1,350 | 33 |
| D7960 | Frenulectomy — also known as frenectomy or frenotomy - separate procedure not incidental to another | 369.33 | 109.09 | 218 | 291 | 375 | 410 | 432 | 495 | 504 | 595 | 30 |
| D9110 | Palliative (emergency) treatment of dental pain - minor procedure | 89.23 | 36.61 | 44 | 65 | 89 | 110 | 114 | 125 | 130 | 149 | 64 |
| D9120 | Fixed partial denture sectioning | 130.21 | 67.56 | 50 | 81 | 125 | 171 | 200 | 215 | 230 | 250 | 34 |

2016 Survey of Dental Fees
General Practitioners - East South Central Division
(Alabama, Kentucky, Mississippi, Tennessee)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|---|----------------|-----------------------|-----------------|---------|-----------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D9210 | Local anesthesia not in conjunction with operative or surgical procedures | 48.44 | 28.08 | 16 | 28 | 50 | 61 | 64 | 65 | 72 | 99 | 32 |
| D9215 | Local anesthesia in conjunction with operative or surgical procedures | 30.63 | 25.06 | 0 | 0 | 31 | 48 | 52 | 55 | 59 | 64 | 30 |
| D9230 | Inhalation of nitrous oxide/analgesia, anxiolysis | 48.56 | 23.16 | 16 | 35 | 50 | 65 | 69 | 75 | 78 | 82 | 50 |
| D9310 | Consultation - diagnostic service provided by dentist or physician other than requesting dentist or physician | 77.88 | 53.38 | 0 | 50 | 75 | 107 | 118 | 127 | 138 | 172 | 50 |
| D9430 | Office visit for observation (during regularly scheduled hours) - no other services performed | 42.98 | 27.08 | 0 | 25 | 46 | 63 | 66 | 69 | 75 | 77 | 45 |
| D9440 | Office visit - after regularly scheduled hours | 120.40 | 48.62 | 61 | 80 | 115 | 150 | 154 | 160 | 174 | 200 | 50 |
| D9630 | Other drugs and/or medicaments, by report | 25.71 | 19.64 | 0 | 13 | 25 | 33 | 35 | 36 | 48 | 66 | 35 |
| D9910 | Application of desensitizing medicament | 43.71 | 14.32 | 25 | 32 | 45 | 54 | 56 | 58 | 61 | 66 | 51 |
| D9911 | Application of desensitizing resin for cervical and/or root surface, per tooth | 41.41 | 24.69 | 15 | 25 | 37 | 56 | 65 | 68 | 77 | 78 | 41 |
| D9940 | Occlusal guard, by report | 450.94 | 141.98 | 250 | 363 | 450 | 532 | 571 | 579 | 600 | 684 | 64 |
| D9941 | Fabrication of athletic mouthguard | 205.08 | 97.75 | 75 | 150 | 197 | 250 | 286 | 295 | 342 | 350 | 48 |
| D9951 | Occlusal adjustment - limited | 118.94 | 69.93 | 40 | 60 | 123 | 161 | 166 | 175 | 190 | 240 | 50 |
| D9952 | Occlusal adjustment - complete | 464.29 | 268.50 | 150 | 263 | 471 | 629 | 676 | 754 | 783 | 840 | 45 |
| D9972 | External bleaching - per arch - performed in office | 258.22 | 118.41 | 100 | 200 | 249 | 278 | 300 | 335 | 475 | 550 | 36 |
| D9974 | Internal bleaching - per tooth | 218.33 | 74.82 | 120 | 150 | 239 | 260 | 275 | 280 | 294 | 300 | 43 |
| D9975 | External bleaching for home application, per arch; includes materials and fabrication of custom trays | 231.63 | 101.26 | 125 | 175 | 200 | 270 | 300 | 325 | 363 | 402 | 49 |

2016 Survey of Dental Fees
General Practitioners - West South Central Division
(Arkansas, Louisiana, Oklahoma, Texas)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|--|----------------|-----------------------|-----------------|---------|-----------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D0120 | Periodic oral evaluation — established patient | 46.98 | 10.41 | 35 | 40 | 46 | 54 | 56 | 57 | 61 | 65 | 96 |
| D0140 | Limited oral evaluation - problem focused | 66.74 | 20.01 | 37 | 54 | 69 | 80 | 83 | 85 | 88 | 100 | 94 |
| D0145 | Oral evaluation for a patient under three years of age and counseling with primary caregiver | 59.43 | 18.06 | 34 | 44 | 62 | 75 | 76 | 79 | 82 | 85 | 60 |
| D0150 | Comprehensive oral evaluation — new or established patient | 76.20 | 20.46 | 48 | 60 | 79 | 89 | 92 | 95 | 99 | 106 | 95 |
| D0160 | Detailed and extensive oral evaluation — problem focused, by report | 117.87 | 52.74 | 60 | 75 | 123 | 157 | 160 | 175 | 180 | 204 | 71 |
| D0170 | Re-evaluation - limited, problem focused (established patient; not post-operative visit) | 56.23 | 25.87 | 0 | 44 | 60 | 73 | 75 | 76 | 80 | 95 | 60 |
| D0171 | Re-evaluation – post-operative office visit | 17.18 | 29.62 | 0 | 0 | 0 | 38 | 50 | 65 | 74 | 75 | 39 |
| D0180 | Comprehensive periodontal evaluation — new or established patient | 90.75 | 19.66 | 61 | 80 | 91 | 100 | 103 | 108 | 115 | 132 | 56 |
| D0210 | Intraoral - complete series of radiographic images | 126.86 | 23.57 | 100 | 109 | 125 | 140 | 146 | 150 | 156 | 174 | 88 |
| D0220 | Intraoral - periapical first radiographic image | 25.46 | 6.84 | 15 | 20 | 26 | 30 | 31 | 32 | 33 | 37 | 96 |
| D0230 | Intraoral - periapical each additional radiographic image | 20.79 | 6.53 | 12 | 16 | 21 | 25 | 26 | 27 | 29 | 32 | 96 |
| D0272 | Bitewings - two radiographic images | 41.79 | 8.51 | 30 | 35 | 42 | 47 | 49 | 52 | 54 | 58 | 86 |
| D0273 | Bitewings - three radiographic images | 50.06 | 10.37 | 36 | 41 | 51 | 56 | 57 | 60 | 64 | 70 | 53 |
| D0274 | Bitewings - four radiographic images | 60.14 | 12.94 | 43 | 50 | 60 | 67 | 70 | 70 | 75 | 85 | 88 |
| D0277 | Vertical bitewings - 7 to 8 radiographic images | 94.00 | 18.66 | 70 | 84 | 95 | 103 | 109 | 113 | 121 | 130 | 58 |
| D0330 | Panoramic radiographic image | 107.23 | 21.51 | 82 | 90 | 105 | 120 | 125 | 126 | 133 | 150 | 84 |
| D0350 | 2D oral/facial photographic image obtained intra-orally or extra-orally | 51.12 | 33.95 | 0 | 25 | 58 | 73 | 75 | 79 | 94 | 103 | 42 |

2016 Survey of Dental Fees
General Practitioners - West South Central Division
(Arkansas, Louisiana, Oklahoma, Texas)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|--|----------------|-----------------------|-----------------|---------|-----------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D0470 | Diagnostic casts | 97.12 | 35.32 | 57 | 70 | 95 | 118 | 120 | 130 | 135 | 170 | 77 |
| D1110 | Prophylaxis - adult | 83.40 | 16.68 | 62 | 72 | 83 | 91 | 95 | 99 | 106 | 118 | 96 |
| D1120 | Prophylaxis - child | 62.76 | 12.05 | 48 | 55 | 61 | 71 | 73 | 75 | 77 | 84 | 94 |
| D1206 | Topical application of fluoride varnish | 35.44 | 10.45 | 24 | 27 | 34 | 43 | 45 | 48 | 50 | 52 | 70 |
| D1208 | Topical application of fluoride – excluding varnish | 32.43 | 9.33 | 20 | 25 | 31 | 37 | 40 | 43 | 45 | 51 | 82 |
| D1320 | Tobacco counseling for the control and prevention of oral disease | 38.37 | 36.25 | 0 | 0 | 27 | 80 | 81 | 85 | 86 | 92 | 46 |
| D1330 | Oral hygiene instructions | 27.62 | 25.67 | 0 | 0 | 27 | 50 | 51 | 55 | 60 | 64 | 61 |
| D1351 | Sealant - per tooth | 49.02 | 10.81 | 35 | 41 | 48 | 56 | 58 | 60 | 62 | 70 | 87 |
| D1352 | Preventive resin restoration in a moderate to high caries risk patient — permanent tooth | 103.39 | 40.45 | 59 | 75 | 96 | 119 | 149 | 155 | 161 | 177 | 33 |
| D1510 | Space maintainer - fixed -unilateral | 295.46 | 61.62 | 200 | 254 | 294 | 328 | 344 | 360 | 395 | 404 | 68 |
| D1515 | Space maintainer - fixed -bilateral | 402.14 | 79.37 | 282 | 360 | 398 | 447 | 464 | 471 | 483 | 550 | 63 |
| D2140 | Amalgam - one surface, primary or permanent | 130.04 | 33.66 | 90 | 101 | 130 | 152 | 157 | 165 | 172 | 194 | 72 |
| D2150 | Amalgam - two surfaces, primary or permanent | 163.18 | 43.52 | 109 | 129 | 158 | 192 | 198 | 210 | 214 | 250 | 71 |
| D2160 | Amalgam - three surfaces, primary or permanent | 198.35 | 56.46 | 130 | 152 | 194 | 238 | 248 | 260 | 266 | 310 | 71 |
| D2161 | Amalgam - four or more surfaces, primary or permanent | 236.36 | 67.74 | 152 | 195 | 228 | 279 | 291 | 313 | 338 | 364 | 67 |
| D2330 | Resin-based composite - one surface, anterior | 155.01 | 36.85 | 111 | 125 | 148 | 180 | 188 | 199 | 211 | 226 | 91 |
| D2331 | Resin-based composite - two surfaces, anterior | 192.13 | 48.04 | 136 | 160 | 185 | 219 | 229 | 240 | 261 | 286 | 91 |
| D2332 | Resin-based composite - three surfaces, anterior | 230.64 | 59.39 | 158 | 195 | 223 | 261 | 281 | 292 | 316 | 352 | 89 |
| D2335 | Resin-based composite - four or more surfaces or involving incisal angle (anterior) | 286.20 | 73.26 | 200 | 231 | 280 | 327 | 346 | 366 | 396 | 434 | 91 |

2016 Survey of Dental Fees
General Practitioners - West South Central Division
(Arkansas, Louisiana, Oklahoma, Texas)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|--|----------------|-----------------------|-----------------|---------|-----------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D2390 | Resin-based composite crown, anterior | 403.73 | 138.98 | 250 | 298 | 400 | 464 | 489 | 514 | 645 | 688 | 51 |
| D2391 | Resin-based composite - one surface, posterior | 167.34 | 34.94 | 125 | 145 | 163 | 190 | 197 | 208 | 220 | 233 | 87 |
| D2392 | Resin-based composite - two surfaces, posterior | 216.31 | 43.89 | 166 | 186 | 208 | 237 | 249 | 267 | 285 | 300 | 85 |
| D2393 | Resin-based composite - three surfaces, posterior | 267.64 | 62.43 | 191 | 230 | 262 | 295 | 309 | 328 | 352 | 395 | 86 |
| D2394 | Resin-based composite - four or more surfaces, posterior | 318.52 | 78.24 | 218 | 272 | 306 | 355 | 377 | 396 | 424 | 460 | 85 |
| D2520 | Inlay - metallic - two surfaces | 910.24 | 257.91 | 578 | 740 | 897 | 979 | 1,159 | 1,275 | 1,300 | 1,395 | 38 |
| D2543 | Onlay - metallic - three surfaces | 1,027.18 | 249.81 | 683 | 845 | 1,021 | 1,152 | 1,222 | 1,348 | 1,409 | 1,464 | 40 |
| D2620 | Inlay - porcelain/ceramic - two surfaces | 955.50 | 228.83 | 706 | 755 | 946 | 1,042 | 1,100 | 1,184 | 1,340 | 1,395 | 48 |
| D2642 | Onlay - porcelain/ceramic - two surfaces | 1,013.44 | 219.27 | 744 | 836 | 996 | 1,100 | 1,188 | 1,234 | 1,395 | 1,400 | 45 |
| D2643 | Onlay - porcelain/ceramic - three surfaces | 1,046.73 | 225.70 | 783 | 854 | 1,040 | 1,127 | 1,198 | 1,364 | 1,400 | 1,426 | 48 |
| D2644 | Onlay - porcelain/ceramic - four or more surfaces | 1,080.04 | 221.15 | 820 | 928 | 1,033 | 1,166 | 1,200 | 1,364 | 1,495 | 1,498 | 49 |
| D2662 | Onlay - resin-based composite - two surfaces | 941.19 | 275.94 | 650 | 686 | 966 | 1,177 | 1,198 | 1,300 | 1,308 | 1,403 | 31 |
| D2710 | Crown - resin-based composite (indirect) | 834.25 | 304.89 | 405 | 629 | 859 | 1,042 | 1,077 | 1,177 | 1,285 | 1,361 | 36 |
| D2740 | Crown - porcelain/ceramic substrate | 1,112.14 | 200.96 | 887 | 975 | 1,078 | 1,200 | 1,255 | 1,302 | 1,365 | 1,571 | 86 |
| D2750 | Crown - porcelain fused to high noble metal | 1,106.37 | 202.82 | 880 | 975 | 1,073 | 1,195 | 1,203 | 1,300 | 1,400 | 1,570 | 79 |
| D2751 | Crown - porcelain fused to predominantly base metal | 1,018.18 | 173.19 | 815 | 900 | 986 | 1,100 | 1,146 | 1,177 | 1,200 | 1,400 | 57 |
| D2752 | Crown - porcelain fused to noble metal | 1,057.46 | 197.69 | 820 | 933 | 1,010 | 1,192 | 1,200 | 1,245 | 1,299 | 1,478 | 70 |
| D2780 | Crown - ¾ cast high noble metal | 1,107.24 | 209.10 | 850 | 977 | 1,082 | 1,195 | 1,210 | 1,395 | 1,450 | 1,500 | 42 |
| D2783 | Crown - ¾ porcelain/ceramic | 1,084.27 | 192.38 | 862 | 966 | 1,082 | 1,195 | 1,198 | 1,205 | 1,298 | 1,462 | 41 |
| D2790 | Crown - full cast high noble metal | 1,130.80 | 222.99 | 884 | 975 | 1,088 | 1,200 | 1,281 | 1,395 | 1,400 | 1,595 | 79 |

2016 Survey of Dental Fees
General Practitioners - West South Central Division
(Arkansas, Louisiana, Oklahoma, Texas)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|--|----------------|-----------------------|-----------------|---------|-----------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D2799 | Provisional crown – further treatment or completion of diagnosis necessary prior to final impression | 334.12 | 176.97 | 0 | 250 | 342 | 438 | 450 | 500 | 531 | 650 | 58 |
| D2920 | Re-cement or re-bond crown | 97.46 | 29.28 | 60 | 76 | 96 | 115 | 120 | 125 | 141 | 155 | 87 |
| D2930 | Prefabricated stainless steel crown - primary tooth | 248.38 | 68.66 | 161 | 190 | 248 | 278 | 299 | 300 | 335 | 376 | 77 |
| D2931 | Prefabricated stainless steel crown - permanent tooth | 301.06 | 61.25 | 228 | 251 | 300 | 328 | 347 | 361 | 375 | 415 | 65 |
| D2940 | Protective restoration | 106.95 | 34.28 | 67 | 84 | 101 | 122 | 127 | 140 | 154 | 188 | 77 |
| D2950 | Core buildup, including any pins when required | 250.92 | 57.37 | 175 | 214 | 248 | 276 | 295 | 310 | 323 | 358 | 83 |
| D2952 | Post and core in addition to crown, indirectly fabricated | 378.54 | 95.56 | 273 | 305 | 375 | 429 | 442 | 460 | 495 | 550 | 72 |
| D2954 | Prefabricated post and core in addition to crown | 308.11 | 62.88 | 220 | 275 | 304 | 350 | 350 | 376 | 391 | 422 | 79 |
| D2961 | Labial veneer (resin laminate) - laboratory | 945.81 | 253.12 | 660 | 744 | 889 | 1,084 | 1,164 | 1,200 | 1,395 | 1,504 | 48 |
| D2962 | Labial veneer (porcelain laminate) - laboratory | 1,103.06 | 231.01 | 850 | 940 | 1,082 | 1,200 | 1,246 | 1,350 | 1,395 | 1,595 | 85 |
| D2980 | Crown repair necessitated by restorative material failure | 252.42 | 84.42 | 150 | 195 | 250 | 301 | 307 | 322 | 390 | 420 | 48 |
| D3110 | Pulp cap - direct (excluding final restoration) | 77.15 | 22.72 | 46 | 64 | 75 | 91 | 98 | 100 | 102 | 123 | 80 |
| D3120 | Pulp cap - indirect (excluding final restoration) | 72.96 | 23.16 | 40 | 57 | 74 | 86 | 95 | 100 | 100 | 115 | 77 |
| D3220 | Therapeutic pulpotomy (excluding final restoration)... | 174.10 | 55.39 | 108 | 139 | 177 | 200 | 208 | 215 | 225 | 273 | 82 |
| D3221 | Pulpal debridement, primary and permanent teeth | 194.61 | 73.18 | 108 | 151 | 200 | 234 | 248 | 255 | 270 | 319 | 66 |
| D3230 | Pulpal therapy (resorbable filling) - anterior, primary tooth (excluding final restoration) | 234.50 | 67.57 | 158 | 185 | 239 | 278 | 284 | 300 | 310 | 356 | 40 |

2016 Survey of Dental Fees
General Practitioners - West South Central Division
(Arkansas, Louisiana, Oklahoma, Texas)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|--|----------------|-----------------------|-----------------|---------|----------------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median 50th \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D3240 | Pulpal therapy (resorbable filling) - posterior, primary tooth (excluding final restoration) | 251.33 | 79.60 | 156 | 195 | 261 | 295 | 304 | 316 | 340 | 375 | 42 |
| D3310 | Endodontic therapy, anterior tooth (excluding final restoration) | 725.33 | 131.78 | 579 | 638 | 714 | 800 | 843 | 892 | 901 | 952 | 83 |
| D3320 | Endodontic therapy, bicuspid tooth (excluding final restoration) | 833.71 | 129.50 | 680 | 750 | 814 | 928 | 950 | 969 | 997 | 1,058 | 80 |
| D3330 | Endodontic therapy, molar (excluding final restoration) | 1,018.25 | 185.36 | 804 | 880 | 997 | 1,123 | 1,166 | 1,200 | 1,286 | 1,332 | 80 |
| D3332 | Incomplete endodontic therapy; inoperable, unrestorable or fractured tooth | 359.00 | 174.66 | 0 | 308 | 400 | 463 | 492 | 525 | 545 | 600 | 45 |
| D3346 | Retreatment of previous root canal therapy — anterior | 832.21 | 159.87 | 609 | 716 | 835 | 927 | 990 | 1,015 | 1,067 | 1,097 | 58 |
| D3347 | Retreatment of previous root canal therapy — bicuspid | 932.69 | 169.83 | 705 | 820 | 942 | 1,035 | 1,050 | 1,132 | 1,180 | 1,245 | 58 |
| D3348 | Retreatment of previous root canal therapy — molar | 1,120.35 | 204.10 | 842 | 956 | 1,143 | 1,250 | 1,298 | 1,325 | 1,385 | 1,506 | 55 |
| D3351 | Apexification/recalcification - initial visit... | 334.37 | 86.79 | 199 | 298 | 319 | 382 | 405 | 428 | 450 | 515 | 38 |
| D3352 | Apexification/recalcification - interim medication replacement | 230.20 | 76.77 | 106 | 185 | 232 | 267 | 274 | 320 | 346 | 380 | 35 |
| D3353 | Apexification/recalcification — final visit... | 478.72 | 130.46 | 294 | 425 | 474 | 562 | 573 | 613 | 627 | 683 | 32 |
| D3410 | Apicoectomy/periradicular surgery - anterior | 685.26 | 160.02 | 470 | 595 | 685 | 793 | 815 | 870 | 883 | 982 | 42 |
| D3421 | Apicoectomy/periradicular surgery - bicuspid (first root) | 749.47 | 161.70 | 550 | 638 | 748 | 823 | 859 | 941 | 980 | 1,073 | 32 |
| D4210 | Gingivectomy or gingivoplasty - four or more contiguous teeth or tooth bounded spaces per quadrant | 546.05 | 163.68 | 330 | 440 | 550 | 631 | 652 | 725 | 774 | 850 | 62 |

2016 Survey of Dental Fees
General Practitioners - West South Central Division
(Arkansas, Louisiana, Oklahoma, Texas)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|---|----------------|-----------------------|-----------------|---------|-----------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D4211 | Gingivectomy or gingivoplasty - one to three contiguous teeth or tooth bounded spaces per quadrant | 251.09 | 99.60 | 143 | 170 | 238 | 300 | 323 | 357 | 398 | 460 | 70 |
| D4212 | Gingivectomy or gingivoplasty to allow access for restorative procedure, per tooth | 218.33 | 128.34 | 79 | 140 | 200 | 280 | 300 | 366 | 368 | 500 | 33 |
| D4240 | Gingival flap procedure, including root planing — four or more contiguous teeth or tooth bounded spaces per quadrant | 704.83 | 188.88 | 485 | 587 | 675 | 814 | 825 | 883 | 950 | 1,032 | 46 |
| D4241 | Gingival flap procedure, including root planing — one to three contiguous teeth or tooth bounded spaces per quadrant | 587.71 | 203.83 | 345 | 470 | 534 | 733 | 823 | 823 | 900 | 950 | 34 |
| D4249 | Clinical crown lengthening — hard tissue | 638.40 | 240.49 | 300 | 460 | 653 | 777 | 796 | 861 | 980 | 1,108 | 57 |
| D4260 | Osseous surgery (including elevation of a full thickness flap and closure) - four or more contiguous teeth or tooth bounded spaces per quadrant | 1,009.74 | 262.84 | 700 | 814 | 976 | 1,179 | 1,213 | 1,300 | 1,332 | 1,495 | 43 |
| D4261 | Osseous surgery (including elevation of a full thickness flap and closure) - one to three contiguous teeth or tooth bounded spaces per quadrant | 804.92 | 209.08 | 541 | 709 | 795 | 909 | 965 | 1,029 | 1,050 | 1,213 | 39 |
| D4263 | Bone replacement graft - first site in quadrant | 529.30 | 195.17 | 350 | 389 | 500 | 610 | 660 | 746 | 797 | 925 | 43 |
| D4264 | Bone replacement graft — each additional site in quadrant | 476.00 | 167.70 | 277 | 366 | 436 | 601 | 660 | 667 | 726 | 775 | 33 |
| D4266 | Guided tissue regeneration — resorbable barrier, per site | 672.73 | 262.62 | 291 | 472 | 718 | 826 | 884 | 900 | 981 | 1,083 | 30 |
| D4267 | Guided tissue regeneration — non-resorbable barrier, per site (includes membrane removal) | 775.50 | 320.43 | 320 | 570 | 838 | 991 | 1,028 | 1,037 | 1,188 | 1,255 | 30 |
| D4321 | Provisional splinting - extracoronal | 396.41 | 127.16 | 250 | 325 | 383 | 477 | 482 | 520 | 550 | 642 | 51 |

2016 Survey of Dental Fees
General Practitioners - West South Central Division
(Arkansas, Louisiana, Oklahoma, Texas)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|--|----------------|-----------------------|-----------------|---------|----------------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median 50th \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D4341 | Periodontal scaling and root planing - four or more teeth per quadrant | 238.54 | 49.06 | 178 | 205 | 239 | 264 | 272 | 280 | 291 | 340 | 83 |
| D4342 | Periodontal scaling and root planing - one to three teeth per quadrant | 157.60 | 47.09 | 100 | 119 | 152 | 187 | 196 | 205 | 215 | 253 | 80 |
| D4355 | Full mouth debridement to enable comprehensive evaluation and diagnosis | 162.50 | 39.88 | 110 | 127 | 163 | 190 | 195 | 200 | 214 | 240 | 86 |
| D4381 | Localized delivery of antimicrobial agents via a controlled release vehicle into diseased crevicular tissue, per tooth | 85.52 | 45.38 | 42 | 53 | 71 | 100 | 125 | 142 | 152 | 184 | 60 |
| D4910 | Periodontal maintenance | 126.91 | 25.11 | 95 | 111 | 126 | 142 | 147 | 151 | 156 | 169 | 80 |
| D5110 | Complete denture - maxillary | 1,535.77 | 411.64 | 1,050 | 1,250 | 1,500 | 1,755 | 1,800 | 1,900 | 2,067 | 2,495 | 84 |
| D5120 | Complete denture - mandibular | 1,536.04 | 411.74 | 1,050 | 1,250 | 1,500 | 1,748 | 1,785 | 1,900 | 2,088 | 2,495 | 84 |
| D5130 | Immediate denture - maxillary | 1,632.60 | 430.54 | 1,124 | 1,295 | 1,603 | 1,876 | 1,926 | 2,000 | 2,182 | 2,597 | 81 |
| D5140 | Immediate denture - mandibular | 1,632.75 | 431.21 | 1,124 | 1,295 | 1,603 | 1,876 | 1,926 | 1,980 | 2,182 | 2,597 | 81 |
| D5211 | Maxillary partial denture - resin base (including any conventional clasps, rests and teeth) | 1,125.35 | 377.16 | 675 | 872 | 1,055 | 1,300 | 1,393 | 1,440 | 1,545 | 1,912 | 81 |
| D5212 | Mandibular partial denture - resin base (including any conventional clasps, rests and teeth) | 1,141.70 | 374.13 | 680 | 874 | 1,064 | 1,338 | 1,408 | 1,492 | 1,690 | 1,919 | 80 |
| D5213 | Maxillary partial denture - cast metal framework with resin denture bases (including any conventional clasps, rests, and teeth) | 1,612.66 | 336.31 | 1,248 | 1,367 | 1,592 | 1,816 | 1,862 | 1,925 | 2,000 | 2,200 | 88 |
| D5214 | Mandibular partial denture - cast metal framework with resin denture bases (including any conventional clasps, rests, and teeth) | 1,612.97 | 336.56 | 1,248 | 1,367 | 1,589 | 1,818 | 1,862 | 1,925 | 2,000 | 2,200 | 88 |
| D5225 | Maxillary partial denture — flexible base (including any clasps, rests, and teeth) | 1,423.40 | 291.25 | 1,100 | 1,200 | 1,414 | 1,550 | 1,597 | 1,720 | 1,851 | 2,067 | 57 |

2016 Survey of Dental Fees
General Practitioners - West South Central Division
(Arkansas, Louisiana, Oklahoma, Texas)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|---|----------------|-----------------------|-----------------|---------|----------------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median 50th \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D5226 | Mandibular partial denture - flexible base (including any clasps, rests, and teeth) | 1,416.26 | 290.15 | 1,100 | 1,200 | 1,400 | 1,550 | 1,597 | 1,700 | 1,851 | 2,063 | 57 |
| D5510 | Repair broken complete denture base | 189.38 | 60.87 | 110 | 150 | 190 | 223 | 235 | 250 | 266 | 312 | 79 |
| D5520 | Replace missing or broken teeth — complete denture (each tooth) | 163.18 | 53.55 | 100 | 120 | 157 | 187 | 200 | 216 | 230 | 288 | 77 |
| D5610 | Repair resin denture base | 188.31 | 53.88 | 125 | 150 | 183 | 206 | 223 | 230 | 275 | 300 | 74 |
| D5640 | Replace broken teeth - per tooth | 167.56 | 51.82 | 100 | 130 | 171 | 199 | 204 | 210 | 225 | 271 | 78 |
| D5650 | Add tooth to existing partial denture | 205.39 | 56.37 | 129 | 172 | 206 | 245 | 250 | 263 | 275 | 318 | 79 |
| D5660 | Add clasp to existing partial denture – per tooth | 243.08 | 64.42 | 169 | 200 | 245 | 271 | 282 | 288 | 308 | 391 | 75 |
| D5710 | Rebase complete maxillary denture | 508.79 | 149.76 | 300 | 386 | 511 | 590 | 600 | 630 | 699 | 759 | 61 |
| D5711 | Rebase complete mandibular denture | 502.80 | 149.27 | 300 | 371 | 511 | 586 | 595 | 638 | 705 | 785 | 60 |
| D5720 | Rebase maxillary partial denture | 481.27 | 144.24 | 300 | 366 | 486 | 563 | 588 | 603 | 682 | 768 | 60 |
| D5721 | Rebase mandibular partial denture | 481.27 | 144.38 | 300 | 366 | 488 | 564 | 588 | 603 | 682 | 768 | 60 |
| D5730 | Reline complete maxillary denture (chairside) | 301.35 | 109.14 | 165 | 229 | 300 | 374 | 385 | 400 | 450 | 493 | 77 |
| D5731 | Reline complete mandibular denture (chairside) | 298.84 | 109.65 | 165 | 226 | 300 | 374 | 385 | 400 | 445 | 493 | 77 |
| D5750 | Reline complete maxillary denture (laboratory) | 398.66 | 116.03 | 250 | 323 | 408 | 464 | 475 | 494 | 535 | 595 | 88 |
| D5751 | Reline complete mandibular denture (laboratory) | 394.80 | 112.17 | 250 | 323 | 405 | 462 | 466 | 489 | 515 | 570 | 87 |
| D5986 | Fluoride gel carrier | 155.50 | 70.33 | 63 | 100 | 169 | 191 | 205 | 221 | 237 | 290 | 40 |
| D6010 | Surgical placement of implant body: endosteal implant | 1,894.58 | 319.34 | 1,520 | 1,679 | 1,810 | 2,099 | 2,165 | 2,244 | 2,338 | 2,518 | 40 |
| D6055 | Connecting bar - implant supported or abutment supported | 2,293.08 | 1,113.62 | 750 | 1,474 | 2,344 | 2,940 | 3,011 | 3,320 | 3,993 | 4,754 | 39 |
| D6056 | Prefabricated abutment — includes modification and placement | 601.26 | 197.53 | 389 | 450 | 557 | 709 | 758 | 834 | 950 | 1,000 | 58 |
| D6057 | Custom fabricated abutment - includes placement | 722.44 | 209.17 | 456 | 550 | 700 | 851 | 943 | 954 | 995 | 1,102 | 57 |

2016 Survey of Dental Fees
General Practitioners - West South Central Division
(Arkansas, Louisiana, Oklahoma, Texas)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|---|----------------|-----------------------|-----------------|---------|-----------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D6059 | Abutment supported porcelain fused to metal crown (high noble metal) | 1,336.18 | 228.42 | 1,000 | 1,200 | 1,300 | 1,475 | 1,488 | 1,565 | 1,627 | 1,782 | 67 |
| D6066 | Implant supported porcelain fused to metal crown (titanium, titanium alloy, high noble metal) | 1,389.27 | 257.00 | 1,117 | 1,200 | 1,358 | 1,495 | 1,525 | 1,598 | 1,662 | 1,897 | 62 |
| D6069 | Abutment supported retainer for porcelain fused to metal FPD (high noble metal) | 1,335.61 | 239.71 | 1,006 | 1,189 | 1,343 | 1,451 | 1,555 | 1,614 | 1,650 | 1,662 | 44 |
| D6076 | Implant supported retainer for porcelain fused to metal FPD (titanium, titanium alloy, or high noble metal) | 1,408.03 | 287.30 | 1,057 | 1,200 | 1,380 | 1,608 | 1,662 | 1,675 | 1,752 | 1,981 | 36 |
| D6080 | Implant maintenance procedures when prostheses are removed and reinserted... | 211.27 | 126.30 | 51 | 100 | 225 | 285 | 305 | 375 | 391 | 425 | 45 |
| D6210 | Pontic - cast high noble metal | 1,063.13 | 196.82 | 825 | 943 | 1,032 | 1,146 | 1,195 | 1,242 | 1,350 | 1,504 | 72 |
| D6240 | Pontic - porcelain fused to high noble metal | 1,058.13 | 188.29 | 849 | 950 | 1,028 | 1,136 | 1,164 | 1,200 | 1,340 | 1,420 | 82 |
| D6241 | Pontic - porcelain fused to predominantly base metal | 1,005.81 | 164.04 | 800 | 900 | 978 | 1,100 | 1,124 | 1,177 | 1,200 | 1,395 | 59 |
| D6245 | Pontic - porcelain/ceramic | 1,109.50 | 212.16 | 869 | 960 | 1,066 | 1,203 | 1,298 | 1,310 | 1,400 | 1,595 | 74 |
| D6253 | Provisional pontic - further treatment or completion of diagnosis necessary prior to final impression | 522.50 | 303.07 | 125 | 287 | 521 | 743 | 833 | 850 | 900 | 1,085 | 34 |
| D6545 | Retainer - cast metal for resin bonded fixed prosthesis | 691.24 | 307.70 | 380 | 445 | 640 | 877 | 977 | 1,000 | 1,070 | 1,247 | 51 |
| D6750 | Retainer crown - porcelain fused to high noble metal | 1,082.99 | 177.50 | 862 | 971 | 1,073 | 1,164 | 1,195 | 1,273 | 1,350 | 1,420 | 73 |
| D6751 | Retainer crown - porcelain fused to predominantly base metal | 1,033.93 | 155.30 | 850 | 908 | 1,005 | 1,100 | 1,137 | 1,198 | 1,210 | 1,395 | 55 |
| D6790 | Retainer crown - full cast high noble metal | 1,084.39 | 178.85 | 895 | 974 | 1,050 | 1,177 | 1,195 | 1,250 | 1,355 | 1,420 | 71 |

2016 Survey of Dental Fees
General Practitioners - West South Central Division
(Arkansas, Louisiana, Oklahoma, Texas)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|---|----------------|-----------------------|-----------------|---------|-----------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D6793 | Provisional retainer crown - further treatment or completion of diagnosis necessary prior to final impression | 470.90 | 244.14 | 213 | 276 | 430 | 636 | 700 | 770 | 877 | 900 | 31 |
| D6930 | Re-cement or re-bond fixed partial denture | 148.54 | 49.35 | 92 | 113 | 147 | 178 | 190 | 200 | 212 | 235 | 76 |
| D7111 | Extraction, coronal remnants -deciduous tooth | 110.10 | 34.35 | 68 | 85 | 112 | 126 | 129 | 136 | 155 | 188 | 69 |
| D7140 | Extraction, erupted tooth or exposed root (elevation and/or forceps removal) | 160.25 | 40.46 | 105 | 127 | 159 | 186 | 195 | 200 | 220 | 230 | 84 |
| D7210 | Surgical removal of erupted tooth requiring removal of bone and/or sectioning of tooth, and including elevation of mucoperiosteal flap if indicated | 258.31 | 56.76 | 182 | 218 | 252 | 291 | 300 | 325 | 334 | 350 | 81 |
| D7220 | Removal of impacted tooth - soft tissue | 302.80 | 59.43 | 228 | 253 | 298 | 340 | 349 | 365 | 382 | 410 | 70 |
| D7230 | Removal of impacted tooth -partially bony | 367.61 | 75.18 | 263 | 318 | 365 | 412 | 420 | 437 | 471 | 519 | 69 |
| D7240 | Removal of impacted tooth -completely bony | 439.90 | 94.84 | 320 | 366 | 433 | 500 | 514 | 532 | 563 | 621 | 60 |
| D7250 | Surgical removal of residual tooth roots (cutting procedure) | 274.33 | 80.52 | 180 | 221 | 263 | 310 | 320 | 325 | 354 | 456 | 67 |
| D7286 | Incisional biopsy of oral tissue - soft | 286.76 | 100.95 | 150 | 205 | 290 | 350 | 357 | 371 | 420 | 466 | 50 |
| D7310 | Alveoloplasty in conjunction with extractions - four or more teeth or tooth spaces, per quadrant | 256.38 | 82.88 | 150 | 190 | 251 | 302 | 319 | 340 | 370 | 407 | 64 |
| D7320 | Alveoloplasty not in conjunction with extractions - four or more teeth or tooth spaces, per quadrant | 367.69 | 149.91 | 205 | 256 | 364 | 441 | 451 | 502 | 550 | 612 | 61 |
| D7410 | Excision of benign lesion up to 1.25 cm | 328.94 | 161.55 | 146 | 195 | 300 | 425 | 435 | 435 | 545 | 674 | 34 |
| D7880 | Occlusal orthotic device, by report | 803.49 | 409.99 | 377 | 468 | 806 | 980 | 1,000 | 1,142 | 1,293 | 1,600 | 43 |
| D7910 | Suture of recent small wounds up to 5 cm | 253.16 | 114.56 | 100 | 189 | 256 | 319 | 345 | 377 | 383 | 430 | 31 |

2016 Survey of Dental Fees
General Practitioners - West South Central Division
(Arkansas, Louisiana, Oklahoma, Texas)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|---|----------------|-----------------------|-----------------|---------|-----------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D7953 | Bone replacement graft for ridge preservation — per site | 463.47 | 233.86 | 200 | 252 | 437 | 634 | 668 | 721 | 818 | 870 | 34 |
| D7960 | Frenulectomy — also known as frenectomy or frenotomy - separate procedure not incidental to another | 393.54 | 118.28 | 245 | 296 | 398 | 477 | 490 | 519 | 548 | 585 | 52 |
| D7970 | Excision of hyperplastic tissue - per arch | 368.88 | 182.37 | 122 | 231 | 363 | 502 | 523 | 540 | 598 | 687 | 40 |
| D8040 | Limited orthodontic treatment of the adult dentition | 2,591.76 | 1,208.45 | 1,250 | 1,422 | 2,550 | 3,419 | 3,563 | 4,200 | 4,500 | 4,884 | 34 |
| D8080 | Comprehensive orthodontic treatment of the adolescent dentition | 4,942.90 | 736.49 | 3,978 | 4,500 | 4,928 | 5,400 | 5,480 | 5,500 | 5,902 | 6,270 | 30 |
| D8090 | Comprehensive orthodontic treatment of the adult dentition | 5,052.47 | 740.00 | 3,995 | 4,545 | 5,000 | 5,480 | 5,500 | 5,828 | 6,000 | 6,500 | 36 |
| D8692 | Replacement of lost or broken retainer | 272.35 | 109.40 | 150 | 176 | 280 | 343 | 370 | 376 | 425 | 470 | 34 |
| D9110 | Palliative (emergency) treatment of dental pain - minor procedure | 103.18 | 43.38 | 59 | 69 | 100 | 125 | 140 | 145 | 155 | 195 | 83 |
| D9120 | Fixed partial denture sectioning | 166.58 | 81.48 | 71 | 85 | 162 | 229 | 238 | 256 | 265 | 297 | 50 |
| D9210 | Local anesthesia not in conjunction with operative or surgical procedures | 62.02 | 24.73 | 32 | 48 | 63 | 75 | 76 | 80 | 86 | 108 | 49 |
| D9215 | Local anesthesia in conjunction with operative or surgical procedures | 35.37 | 28.56 | 0 | 0 | 45 | 60 | 63 | 65 | 67 | 70 | 43 |
| D9230 | Inhalation of nitrous oxide/analgesia, anxiolysis | 52.29 | 26.20 | 18 | 38 | 51 | 71 | 75 | 78 | 81 | 95 | 72 |
| D9248 | Non-intravenous conscious sedation | 184.05 | 122.72 | 0 | 83 | 183 | 295 | 300 | 324 | 350 | 355 | 43 |
| D9310 | Consultation - diagnostic service provided by dentist or physician other than requesting dentist or physician | 96.93 | 45.73 | 47 | 72 | 97 | 130 | 137 | 138 | 150 | 175 | 54 |
| D9410 | House/extended care facility call | 179.80 | 86.76 | 66 | 103 | 177 | 240 | 242 | 250 | 273 | 325 | 35 |
| D9430 | Office visit for observation (during regularly scheduled hours) - no other services performed | 58.15 | 30.79 | 0 | 45 | 64 | 75 | 78 | 86 | 89 | 108 | 60 |
| D9440 | Office visit - after regularly scheduled hours | 146.32 | 49.76 | 75 | 104 | 148 | 184 | 195 | 200 | 200 | 244 | 59 |

2016 Survey of Dental Fees
General Practitioners - West South Central Division
(Arkansas, Louisiana, Oklahoma, Texas)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|---|-------------------|--------------------------|-----------------|------------|--------------|------------|------------|------------|------------|------------|---------------------|
| | | | | 10th \$ | 25th \$ | Median \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D9610 | Therapeutic parenteral drug, single administration | 74.37 | 44.37 | 5 | 38 | 82 | 95 | 112 | 115 | 129 | 150 | 30 |
| D9630 | Other drugs and/or medicaments, by report | 29.48 | 19.49 | 8 | 16 | 26 | 37 | 45 | 48 | 55 | 60 | 52 |
| D9910 | Application of desensitizing medicament | 50.71 | 18.61 | 25 | 35 | 53 | 58 | 61 | 68 | 75 | 89 | 59 |
| D9911 | Application of desensitizing resin for cervical and/or root surface, per tooth | 57.47 | 27.18 | 23 | 35 | 63 | 75 | 79 | 84 | 87 | 99 | 45 |
| D9930 | Treatment of complications (post-surgical) — unusual circumstances, by report | 102.87 | 40.82 | 50 | 77 | 100 | 128 | 131 | 135 | 150 | 195 | 38 |
| D9940 | Occlusal guard, by report | 526.93 | 188.34 | 290 | 378 | 531 | 658 | 701 | 747 | 760 | 855 | 80 |
| D9941 | Fabrication of athletic mouthguard | 216.03 | 86.68 | 98 | 150 | 225 | 273 | 280 | 295 | 300 | 350 | 65 |
| D9951 | Occlusal adjustment - limited | 138.88 | 75.02 | 40 | 86 | 135 | 175 | 197 | 203 | 225 | 300 | 69 |
| D9952 | Occlusal adjustment - complete | 523.79 | 256.19 | 150 | 300 | 552 | 689 | 758 | 762 | 853 | 947 | 62 |
| D9972 | External bleaching - per arch - performed in office | 292.68 | 145.64 | 125 | 170 | 275 | 375 | 419 | 500 | 550 | 561 | 59 |
| D9974 | Internal bleaching - per tooth | 257.42 | 84.73 | 165 | 202 | 250 | 293 | 308 | 319 | 348 | 415 | 48 |
| D9975 | External bleaching for home application, per arch; includes materials and fabrication of custom trays | 230.43 | 113.54 | 100 | 150 | 200 | 300 | 315 | 350 | 375 | 489 | 58 |

2016 Survey of Dental Fees
General Practitioners - Mountain Division
(Arizona, Colorado, Idaho, Montana, Nevada, New Mexico, Utah, Wyoming)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|--|----------------|-----------------------|-----------------|---------|-----------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D0120 | Periodic oral evaluation — established patient | 48.36 | 13.48 | 35 | 40 | 48 | 55 | 57 | 60 | 64 | 72 | 69 |
| D0140 | Limited oral evaluation - problem focused | 68.64 | 15.40 | 49 | 59 | 69 | 80 | 84 | 86 | 88 | 94 | 69 |
| D0145 | Oral evaluation for a patient under three years of age and counseling with primary caregiver | 55.09 | 19.02 | 33 | 39 | 52 | 68 | 76 | 80 | 82 | 86 | 45 |
| D0150 | Comprehensive oral evaluation — new or established patient | 75.44 | 22.28 | 49 | 64 | 77 | 86 | 90 | 94 | 103 | 111 | 68 |
| D0160 | Detailed and extensive oral evaluation — problem focused, by report | 113.79 | 52.42 | 50 | 75 | 118 | 145 | 150 | 165 | 183 | 196 | 47 |
| D0170 | Re-evaluation - limited, problem focused (established patient; not post-operative visit) | 54.33 | 30.94 | 0 | 33 | 58 | 73 | 77 | 88 | 96 | 102 | 46 |
| D0180 | Comprehensive periodontal evaluation — new or established patient | 89.78 | 20.42 | 62 | 75 | 90 | 100 | 106 | 112 | 118 | 126 | 50 |
| D0210 | Intraoral - complete series of radiographic images | 126.94 | 18.43 | 100 | 115 | 126 | 135 | 140 | 147 | 151 | 160 | 66 |
| D0220 | Intraoral - periapical first radiographic image | 27.19 | 5.17 | 20 | 25 | 27 | 30 | 30 | 32 | 35 | 36 | 69 |
| D0230 | Intraoral - periapical each additional radiographic image | 22.12 | 5.65 | 17 | 20 | 22 | 25 | 26 | 27 | 28 | 30 | 69 |
| D0272 | Bitewings - two radiographic images | 42.68 | 8.00 | 33 | 36 | 43 | 48 | 49 | 52 | 55 | 59 | 66 |
| D0273 | Bitewings - three radiographic images | 51.02 | 8.96 | 40 | 43 | 51 | 57 | 58 | 62 | 63 | 68 | 46 |
| D0274 | Bitewings - four radiographic images | 60.82 | 9.97 | 48 | 54 | 60 | 68 | 70 | 71 | 74 | 77 | 65 |
| D0277 | Vertical bitewings - 7 to 8 radiographic images | 91.08 | 21.05 | 66 | 76 | 92 | 101 | 104 | 111 | 113 | 120 | 40 |
| D0330 | Panoramic radiographic image | 104.58 | 17.08 | 85 | 92 | 106 | 111 | 119 | 124 | 133 | 138 | 60 |
| D0350 | 2D oral/facial photographic image obtained intra-orally or extra-orally | 47.23 | 34.26 | 0 | 20 | 55 | 72 | 74 | 75 | 83 | 88 | 35 |
| D0470 | Diagnostic casts | 99.38 | 30.29 | 63 | 81 | 96 | 120 | 125 | 130 | 138 | 150 | 53 |
| D1110 | Prophylaxis - adult | 88.87 | 14.37 | 70 | 81 | 89 | 95 | 98 | 101 | 106 | 119 | 68 |

2016 Survey of Dental Fees
General Practitioners - Mountain Division
(Arizona, Colorado, Idaho, Montana, Nevada, New Mexico, Utah, Wyoming)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|---|----------------|-----------------------|-----------------|---------|----------------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median 50th \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D1120 | Prophylaxis - child | 65.26 | 11.80 | 51 | 58 | 66 | 71 | 72 | 75 | 81 | 86 | 68 |
| D1206 | Topical application of fluoride varnish | 37.94 | 10.70 | 25 | 30 | 38 | 44 | 46 | 48 | 54 | 58 | 62 |
| D1208 | Topical application of fluoride – excluding varnish | 33.69 | 7.65 | 25 | 28 | 33 | 37 | 38 | 40 | 44 | 50 | 52 |
| D1320 | Tobacco counseling for the control and prevention of oral disease | 36.68 | 33.86 | 0 | 0 | 32 | 62 | 73 | 74 | 83 | 101 | 37 |
| D1330 | Oral hygiene instructions | 30.41 | 24.46 | 0 | 0 | 35 | 49 | 54 | 57 | 61 | 69 | 49 |
| D1351 | Sealant - per tooth | 49.96 | 10.51 | 36 | 43 | 50 | 58 | 59 | 61 | 65 | 70 | 67 |
| D1510 | Space maintainer - fixed -unilateral | 293.19 | 56.97 | 220 | 249 | 294 | 324 | 334 | 334 | 355 | 400 | 54 |
| D1515 | Space maintainer - fixed -bilateral | 404.06 | 96.57 | 285 | 340 | 394 | 459 | 471 | 482 | 513 | 589 | 54 |
| D2140 | Amalgam - one surface, primary or permanent | 134.68 | 28.14 | 100 | 113 | 132 | 150 | 155 | 170 | 177 | 183 | 53 |
| D2150 | Amalgam - two surfaces, primary or permanent | 166.81 | 33.98 | 125 | 143 | 160 | 183 | 193 | 201 | 216 | 240 | 53 |
| D2160 | Amalgam - three surfaces, primary or permanent | 199.11 | 43.72 | 140 | 170 | 194 | 216 | 240 | 252 | 266 | 275 | 53 |
| D2161 | Amalgam - four or more surfaces, primary or permanent | 237.69 | 53.78 | 170 | 201 | 229 | 277 | 285 | 311 | 324 | 332 | 52 |
| D2330 | Resin-based composite - one surface, anterior | 157.99 | 32.15 | 115 | 138 | 156 | 175 | 180 | 185 | 200 | 213 | 67 |
| D2331 | Resin-based composite - two surfaces, anterior | 191.62 | 37.49 | 140 | 169 | 188 | 221 | 227 | 230 | 242 | 254 | 68 |
| D2332 | Resin-based composite - three surfaces, anterior | 231.97 | 47.49 | 170 | 202 | 231 | 263 | 275 | 279 | 288 | 307 | 68 |
| D2335 | Resin-based composite - four or more surfaces or involving incisal angle (anterior) | 282.58 | 63.98 | 195 | 236 | 281 | 325 | 337 | 343 | 366 | 390 | 67 |
| D2390 | Resin-based composite crown, anterior | 401.69 | 124.42 | 243 | 312 | 361 | 489 | 522 | 554 | 600 | 621 | 36 |
| D2391 | Resin-based composite - one surface, posterior | 168.30 | 31.73 | 127 | 142 | 168 | 188 | 195 | 202 | 213 | 226 | 66 |
| D2392 | Resin-based composite - two surfaces, posterior | 215.67 | 41.14 | 164 | 184 | 216 | 250 | 252 | 260 | 263 | 292 | 66 |

2016 Survey of Dental Fees
General Practitioners - Mountain Division
(Arizona, Colorado, Idaho, Montana, Nevada, New Mexico, Utah, Wyoming)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|--|----------------|-----------------------|-----------------|---------|-----------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D2393 | Resin-based composite - three surfaces, posterior | 264.77 | 52.76 | 197 | 225 | 267 | 304 | 311 | 322 | 331 | 358 | 66 |
| D2394 | Resin-based composite - four or more surfaces, posterior | 310.20 | 70.31 | 210 | 265 | 313 | 350 | 355 | 382 | 429 | 436 | 65 |
| D2520 | Inlay - metallic - two surfaces | 830.83 | 216.78 | 593 | 650 | 820 | 937 | 1,050 | 1,092 | 1,120 | 1,201 | 41 |
| D2543 | Onlay - metallic - three surfaces | 985.83 | 205.73 | 714 | 838 | 974 | 1,149 | 1,188 | 1,222 | 1,303 | 1,322 | 40 |
| D2620 | Inlay - porcelain/ceramic - two surfaces | 945.65 | 210.25 | 620 | 827 | 937 | 1,051 | 1,081 | 1,167 | 1,246 | 1,350 | 43 |
| D2642 | Onlay - porcelain/ceramic - two surfaces | 1,012.50 | 194.23 | 747 | 896 | 975 | 1,147 | 1,184 | 1,280 | 1,328 | 1,355 | 40 |
| D2643 | Onlay - porcelain/ceramic -three surfaces | 1,034.44 | 196.12 | 795 | 925 | 1,021 | 1,145 | 1,167 | 1,300 | 1,350 | 1,394 | 41 |
| D2644 | Onlay - porcelain/ceramic - four or more surfaces | 1,074.61 | 198.84 | 785 | 960 | 1,046 | 1,223 | 1,290 | 1,350 | 1,359 | 1,400 | 44 |
| D2710 | Crown - resin-based composite (indirect) | 720.87 | 285.49 | 347 | 476 | 734 | 871 | 928 | 1,061 | 1,103 | 1,195 | 31 |
| D2740 | Crown - porcelain/ceramic substrate | 1,097.38 | 179.23 | 850 | 990 | 1,075 | 1,206 | 1,245 | 1,350 | 1,350 | 1,400 | 66 |
| D2750 | Crown - porcelain fused to high noble metal | 1,074.77 | 186.36 | 825 | 950 | 1,061 | 1,166 | 1,244 | 1,339 | 1,350 | 1,376 | 65 |
| D2751 | Crown - porcelain fused to predominantly base metal | 968.89 | 169.73 | 780 | 850 | 942 | 1,050 | 1,100 | 1,215 | 1,238 | 1,295 | 46 |
| D2752 | Crown - porcelain fused to noble metal | 1,028.22 | 192.34 | 800 | 875 | 1,004 | 1,100 | 1,236 | 1,292 | 1,356 | 1,376 | 49 |
| D2780 | Crown - ¾ cast high noble metal | 1,111.78 | 190.15 | 850 | 993 | 1,103 | 1,249 | 1,290 | 1,350 | 1,365 | 1,429 | 36 |
| D2783 | Crown - ¾ porcelain/ceramic | 1,092.42 | 192.43 | 825 | 945 | 1,057 | 1,261 | 1,290 | 1,350 | 1,359 | 1,429 | 36 |
| D2790 | Crown - full cast high noble metal | 1,120.61 | 189.60 | 875 | 990 | 1,087 | 1,220 | 1,290 | 1,339 | 1,376 | 1,477 | 61 |
| D2799 | Provisional crown – further treatment or completion of diagnosis necessary prior to final impression | 325.96 | 138.55 | 140 | 230 | 330 | 435 | 443 | 465 | 500 | 528 | 47 |
| D2920 | Re-cement or re-bond crown | 99.11 | 21.82 | 75 | 83 | 99 | 111 | 119 | 127 | 130 | 140 | 63 |
| D2930 | Prefabricated stainless steel crown - primary tooth | 249.05 | 50.50 | 180 | 212 | 247 | 291 | 295 | 301 | 319 | 352 | 55 |
| D2931 | Prefabricated stainless steel crown - permanent tooth | 296.09 | 64.89 | 218 | 260 | 294 | 324 | 350 | 366 | 371 | 405 | 53 |

2016 Survey of Dental Fees
General Practitioners - Mountain Division
(Arizona, Colorado, Idaho, Montana, Nevada, New Mexico, Utah, Wyoming)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|--|----------------|-----------------------|-----------------|---------|----------------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median 50th \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D2940 | Protective restoration | 109.95 | 31.62 | 72 | 85 | 109 | 133 | 136 | 147 | 149 | 155 | 57 |
| D2950 | Core buildup, including any pins when required | 247.34 | 53.26 | 185 | 200 | 249 | 287 | 295 | 310 | 325 | 343 | 64 |
| D2952 | Post and core in addition to crown, indirectly fabricated | 389.94 | 94.64 | 280 | 326 | 382 | 443 | 457 | 473 | 511 | 556 | 52 |
| D2954 | Prefabricated post and core in addition to crown | 304.84 | 62.24 | 230 | 263 | 295 | 345 | 358 | 373 | 391 | 410 | 62 |
| D2961 | Labial veneer (resin laminate) - laboratory | 874.06 | 210.28 | 625 | 722 | 894 | 993 | 1,042 | 1,086 | 1,195 | 1,220 | 32 |
| D2962 | Labial veneer (porcelain laminate) - laboratory | 1,105.05 | 214.73 | 853 | 978 | 1,060 | 1,220 | 1,253 | 1,376 | 1,394 | 1,450 | 61 |
| D2980 | Crown repair necessitated by restorative material failure | 245.32 | 75.35 | 138 | 188 | 248 | 286 | 300 | 333 | 350 | 378 | 44 |
| D3110 | Pulp cap - direct (excluding final restoration) | 72.46 | 22.63 | 50 | 58 | 69 | 84 | 85 | 89 | 101 | 110 | 56 |
| D3120 | Pulp cap - indirect (excluding final restoration) | 70.93 | 25.32 | 44 | 50 | 67 | 81 | 86 | 94 | 100 | 125 | 55 |
| D3220 | Therapeutic pulpotomy (excluding final restoration)... | 178.68 | 46.06 | 119 | 150 | 180 | 201 | 214 | 233 | 240 | 253 | 65 |
| D3221 | Pulpal debridement, primary and permanent teeth | 191.73 | 62.99 | 125 | 155 | 186 | 243 | 250 | 256 | 275 | 290 | 51 |
| D3230 | Pulpal therapy (resorbable filling) - anterior, primary tooth (excluding final restoration) | 224.73 | 72.34 | 118 | 181 | 220 | 274 | 280 | 319 | 328 | 354 | 33 |
| D3240 | Pulpal therapy (resorbable filling) - posterior, primary tooth (excluding final restoration) | 240.97 | 87.11 | 125 | 164 | 250 | 292 | 304 | 332 | 387 | 397 | 33 |
| D3310 | Endodontic therapy, anterior tooth (excluding final restoration) | 719.80 | 130.07 | 555 | 634 | 701 | 791 | 806 | 876 | 915 | 949 | 60 |
| D3320 | Endodontic therapy, bicuspid tooth (excluding final restoration) | 828.61 | 142.39 | 650 | 731 | 806 | 919 | 944 | 979 | 1,000 | 1,100 | 59 |

2016 Survey of Dental Fees
General Practitioners - Mountain Division
(Arizona, Colorado, Idaho, Montana, Nevada, New Mexico, Utah, Wyoming)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|---|----------------|-----------------------|-----------------|---------|-----------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D3330 | Endodontic therapy, molar (excluding final restoration) | 999.52 | 165.08 | 798 | 891 | 978 | 1,095 | 1,141 | 1,149 | 1,197 | 1,298 | 60 |
| D3346 | Retreatment of previous root canal therapy — anterior | 821.11 | 191.28 | 590 | 693 | 816 | 939 | 982 | 996 | 1,025 | 1,079 | 44 |
| D3347 | Retreatment of previous root canal therapy — bicuspid | 926.63 | 168.96 | 682 | 823 | 927 | 1,041 | 1,070 | 1,108 | 1,184 | 1,200 | 43 |
| D3348 | Retreatment of previous root canal therapy — molar | 1,096.98 | 198.53 | 840 | 933 | 1,095 | 1,229 | 1,275 | 1,325 | 1,339 | 1,452 | 40 |
| D3351 | Apexification/recalcification - initial visit... | 344.32 | 107.24 | 221 | 280 | 334 | 384 | 392 | 436 | 450 | 564 | 31 |
| D3352 | Apexification/recalcification - interim medication replacement | 211.40 | 77.92 | 99 | 152 | 217 | 259 | 265 | 300 | 326 | 351 | 30 |
| D3410 | Apicoectomy/periradicular surgery - anterior | 693.57 | 135.89 | 512 | 595 | 718 | 789 | 796 | 844 | 850 | 915 | 35 |
| D4210 | Gingivectomy or gingivoplasty - four or more contiguous teeth or tooth bounded spaces per quadrant | 503.61 | 151.89 | 300 | 399 | 490 | 590 | 637 | 648 | 703 | 792 | 49 |
| D4211 | Gingivectomy or gingivoplasty - one to three contiguous teeth or tooth bounded spaces per quadrant | 244.70 | 84.16 | 146 | 180 | 243 | 300 | 303 | 323 | 358 | 398 | 50 |
| D4240 | Gingival flap procedure, including root planing — four or more contiguous teeth or tooth bounded spaces per quadrant | 588.03 | 205.52 | 300 | 425 | 585 | 770 | 810 | 824 | 849 | 923 | 39 |
| D4241 | Gingival flap procedure, including root planing — one to three contiguous teeth or tooth bounded spaces per quadrant | 470.00 | 196.73 | 206 | 304 | 469 | 608 | 626 | 686 | 704 | 810 | 33 |
| D4249 | Clinical crown lengthening — hard tissue | 673.36 | 200.83 | 466 | 539 | 675 | 808 | 822 | 850 | 860 | 1,027 | 44 |
| D4260 | Osseous surgery (including elevation of a full thickness flap and closure) - four or more contiguous teeth or tooth bounded spaces per quadrant | 972.81 | 278.20 | 612 | 767 | 961 | 1,200 | 1,209 | 1,279 | 1,353 | 1,451 | 31 |
| D4321 | Provisional splinting - extracoronal | 368.87 | 112.35 | 245 | 297 | 370 | 440 | 475 | 491 | 529 | 559 | 46 |

2016 Survey of Dental Fees
General Practitioners - Mountain Division
(Arizona, Colorado, Idaho, Montana, Nevada, New Mexico, Utah, Wyoming)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|--|----------------|-----------------------|-----------------|---------|-----------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D4341 | Periodontal scaling and root planing - four or more teeth per quadrant | 247.17 | 46.46 | 184 | 222 | 241 | 271 | 282 | 290 | 299 | 319 | 66 |
| D4342 | Periodontal scaling and root planing - one to three teeth per quadrant | 168.08 | 37.31 | 118 | 143 | 167 | 201 | 210 | 211 | 215 | 223 | 64 |
| D4355 | Full mouth debridement to enable comprehensive evaluation and diagnosis | 168.69 | 40.18 | 122 | 140 | 166 | 194 | 209 | 210 | 225 | 248 | 64 |
| D4381 | Localized delivery of antimicrobial agents via a controlled release vehicle into diseased crevicular tissue, per tooth | 86.76 | 54.32 | 41 | 46 | 67 | 113 | 135 | 159 | 173 | 207 | 51 |
| D4910 | Periodontal maintenance | 133.48 | 23.30 | 109 | 120 | 130 | 145 | 150 | 150 | 156 | 162 | 63 |
| D5110 | Complete denture - maxillary | 1,611.52 | 370.41 | 1,140 | 1,360 | 1,592 | 1,795 | 1,900 | 2,025 | 2,136 | 2,248 | 67 |
| D5120 | Complete denture - mandibular | 1,607.90 | 371.28 | 1,140 | 1,360 | 1,567 | 1,795 | 1,900 | 2,025 | 2,136 | 2,248 | 67 |
| D5130 | Immediate denture - maxillary | 1,715.58 | 394.66 | 1,184 | 1,400 | 1,700 | 1,930 | 2,050 | 2,147 | 2,300 | 2,458 | 65 |
| D5140 | Immediate denture - mandibular | 1,710.22 | 397.40 | 1,194 | 1,392 | 1,698 | 1,930 | 2,050 | 2,147 | 2,300 | 2,472 | 65 |
| D5211 | Maxillary partial denture - resin base (including any conventional clasps, rests and teeth) | 1,152.59 | 341.80 | 795 | 900 | 1,118 | 1,317 | 1,393 | 1,450 | 1,555 | 1,719 | 59 |
| D5212 | Mandibular partial denture - resin base (including any conventional clasps, rests and teeth) | 1,146.85 | 342.70 | 773 | 882 | 1,101 | 1,325 | 1,397 | 1,490 | 1,548 | 1,658 | 60 |
| D5213 | Maxillary partial denture - cast metal framework with resin denture bases (including any conventional clasps, rests, and teeth) | 1,651.73 | 364.85 | 1,200 | 1,370 | 1,625 | 1,895 | 1,995 | 2,059 | 2,200 | 2,279 | 67 |
| D5214 | Mandibular partial denture - cast metal framework with resin denture bases (including any conventional clasps, rests, and teeth) | 1,648.97 | 361.13 | 1,200 | 1,370 | 1,625 | 1,888 | 1,995 | 2,059 | 2,200 | 2,279 | 67 |
| D5225 | Maxillary partial denture — flexible base (including any clasps, rests, and teeth) | 1,429.54 | 292.39 | 950 | 1,271 | 1,464 | 1,650 | 1,688 | 1,760 | 1,850 | 1,900 | 35 |

2016 Survey of Dental Fees
General Practitioners - Mountain Division
(Arizona, Colorado, Idaho, Montana, Nevada, New Mexico, Utah, Wyoming)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|---|----------------|-----------------------|-----------------|---------|-----------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D5226 | Mandibular partial denture - flexible base (including any clasps, rests, and teeth) | 1,411.17 | 302.24 | 950 | 1,200 | 1,444 | 1,650 | 1,688 | 1,760 | 1,850 | 1,900 | 35 |
| D5510 | Repair broken complete denture base | 221.42 | 77.24 | 140 | 171 | 195 | 271 | 277 | 297 | 355 | 383 | 57 |
| D5520 | Replace missing or broken teeth — complete denture (each tooth) | 169.77 | 53.84 | 106 | 140 | 163 | 188 | 197 | 221 | 243 | 292 | 60 |
| D5610 | Repair resin denture base | 195.69 | 68.71 | 109 | 149 | 185 | 240 | 258 | 275 | 296 | 350 | 59 |
| D5640 | Replace broken teeth - per tooth | 173.70 | 52.32 | 118 | 140 | 165 | 198 | 208 | 223 | 246 | 276 | 60 |
| D5650 | Add tooth to existing partial denture | 206.77 | 52.03 | 150 | 171 | 199 | 230 | 253 | 258 | 270 | 292 | 62 |
| D5660 | Add clasp to existing partial denture – per tooth | 247.83 | 65.07 | 168 | 211 | 241 | 277 | 295 | 314 | 345 | 377 | 60 |
| D5710 | Rebase complete maxillary denture | 557.88 | 141.04 | 413 | 483 | 541 | 614 | 650 | 685 | 767 | 884 | 52 |
| D5711 | Rebase complete mandibular denture | 556.46 | 141.58 | 407 | 474 | 541 | 603 | 650 | 670 | 767 | 884 | 52 |
| D5720 | Rebase maxillary partial denture | 522.24 | 132.75 | 390 | 440 | 498 | 560 | 594 | 629 | 654 | 767 | 45 |
| D5721 | Rebase mandibular partial denture | 525.80 | 134.09 | 386 | 440 | 506 | 585 | 598 | 640 | 699 | 767 | 46 |
| D5730 | Reline complete maxillary denture (chairside) | 311.48 | 90.12 | 190 | 233 | 315 | 382 | 385 | 405 | 435 | 458 | 56 |
| D5731 | Reline complete mandibular denture (chairside) | 312.17 | 91.11 | 190 | 240 | 320 | 380 | 389 | 405 | 446 | 481 | 54 |
| D5750 | Reline complete maxillary denture (laboratory) | 428.06 | 111.56 | 291 | 364 | 430 | 479 | 490 | 512 | 546 | 630 | 63 |
| D5751 | Reline complete mandibular denture (laboratory) | 428.27 | 110.30 | 292 | 365 | 425 | 477 | 490 | 512 | 547 | 630 | 63 |
| D5986 | Fluoride gel carrier | 171.73 | 68.39 | 75 | 129 | 180 | 212 | 237 | 256 | 257 | 300 | 37 |
| D6010 | Surgical placement of implant body: endosteal implant | 1,808.66 | 329.45 | 1,499 | 1,561 | 1,800 | 1,950 | 2,060 | 2,182 | 2,234 | 2,250 | 41 |
| D6055 | Connecting bar - implant supported or abutment supported | 2,280.28 | 1,349.56 | 531 | 1,061 | 2,236 | 3,181 | 3,471 | 3,676 | 3,974 | 5,235 | 39 |
| D6056 | Prefabricated abutment — includes modification and placement | 627.48 | 194.68 | 421 | 500 | 600 | 726 | 751 | 837 | 889 | 990 | 52 |
| D6057 | Custom fabricated abutment - includes placement | 813.62 | 222.66 | 548 | 674 | 798 | 900 | 992 | 1,029 | 1,090 | 1,220 | 53 |

2016 Survey of Dental Fees
General Practitioners - Mountain Division
(Arizona, Colorado, Idaho, Montana, Nevada, New Mexico, Utah, Wyoming)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|---|----------------|-----------------------|-----------------|---------|-----------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D6059 | Abutment supported porcelain fused to metal crown (high noble metal) | 1,281.73 | 317.36 | 900 | 1,052 | 1,240 | 1,400 | 1,425 | 1,549 | 1,765 | 1,860 | 56 |
| D6066 | Implant supported porcelain fused to metal crown (titanium, titanium alloy, high noble metal) | 1,324.02 | 299.83 | 900 | 1,100 | 1,327 | 1,452 | 1,545 | 1,627 | 1,800 | 1,854 | 41 |
| D6069 | Abutment supported retainer for porcelain fused to metal FPD (high noble metal) | 1,389.97 | 337.69 | 975 | 1,159 | 1,375 | 1,600 | 1,647 | 1,785 | 1,900 | 2,057 | 39 |
| D6080 | Implant maintenance procedures when prostheses are removed and reinserted... | 196.33 | 134.99 | 28 | 87 | 191 | 294 | 303 | 334 | 384 | 491 | 36 |
| D6210 | Pontic - cast high noble metal | 1,066.09 | 203.48 | 845 | 900 | 1,028 | 1,199 | 1,264 | 1,303 | 1,359 | 1,423 | 57 |
| D6240 | Pontic - porcelain fused to high noble metal | 1,066.60 | 189.44 | 845 | 936 | 1,035 | 1,218 | 1,266 | 1,331 | 1,350 | 1,400 | 62 |
| D6241 | Pontic - porcelain fused to predominantly base metal | 958.25 | 187.83 | 750 | 818 | 913 | 1,078 | 1,155 | 1,188 | 1,256 | 1,339 | 40 |
| D6245 | Pontic - porcelain/ceramic | 1,075.84 | 190.32 | 800 | 950 | 1,056 | 1,210 | 1,238 | 1,339 | 1,350 | 1,400 | 57 |
| D6253 | Provisional pontic - further treatment or completion of diagnosis necessary prior to final impression | 514.80 | 329.15 | 165 | 275 | 445 | 737 | 855 | 911 | 956 | 1,027 | 30 |
| D6545 | Retainer - cast metal for resin bonded fixed prosthesis | 691.70 | 322.78 | 350 | 417 | 675 | 908 | 1,000 | 1,031 | 1,097 | 1,242 | 43 |
| D6750 | Retainer crown - porcelain fused to high noble metal | 1,086.06 | 174.16 | 850 | 983 | 1,073 | 1,144 | 1,223 | 1,339 | 1,359 | 1,429 | 54 |
| D6751 | Retainer crown - porcelain fused to predominantly base metal | 981.21 | 179.02 | 760 | 850 | 935 | 1,100 | 1,181 | 1,200 | 1,290 | 1,333 | 39 |
| D6790 | Retainer crown - full cast high noble metal | 1,085.55 | 198.39 | 800 | 952 | 1,056 | 1,277 | 1,305 | 1,350 | 1,376 | 1,412 | 55 |
| D6930 | Re-cement or re-bond fixed partial denture | 147.14 | 41.06 | 90 | 123 | 150 | 170 | 175 | 185 | 198 | 215 | 56 |
| D7111 | Extraction, coronal remnants -deciduous tooth | 111.71 | 29.78 | 77 | 90 | 107 | 129 | 131 | 142 | 146 | 158 | 63 |

2016 Survey of Dental Fees
General Practitioners - Mountain Division
(Arizona, Colorado, Idaho, Montana, Nevada, New Mexico, Utah, Wyoming)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|---|----------------|-----------------------|-----------------|---------|-----------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D7140 | Extraction, erupted tooth or exposed root (elevation and/or forceps removal) | 157.30 | 34.25 | 115 | 130 | 158 | 175 | 179 | 185 | 202 | 225 | 67 |
| D7210 | Surgical removal of erupted tooth requiring removal of bone and/or sectioning of tooth, and including elevation of mucoperiosteal flap if indicated | 252.94 | 52.94 | 180 | 220 | 250 | 285 | 290 | 297 | 303 | 335 | 67 |
| D7220 | Removal of impacted tooth - soft tissue | 284.25 | 49.58 | 220 | 243 | 280 | 319 | 326 | 340 | 350 | 358 | 59 |
| D7230 | Removal of impacted tooth -partially bony | 353.70 | 61.74 | 266 | 307 | 354 | 400 | 406 | 411 | 426 | 448 | 54 |
| D7240 | Removal of impacted tooth -completely bony | 423.29 | 86.66 | 303 | 370 | 421 | 472 | 486 | 497 | 515 | 518 | 48 |
| D7250 | Surgical removal of residual tooth roots (cutting procedure) | 276.09 | 69.59 | 195 | 230 | 270 | 325 | 335 | 345 | 380 | 421 | 54 |
| D7286 | Incisional biopsy of oral tissue - soft | 276.73 | 81.28 | 180 | 220 | 279 | 325 | 347 | 377 | 390 | 410 | 45 |
| D7310 | Alveoloplasty in conjunction with extractions - four or more teeth or tooth spaces, per quadrant | 275.46 | 80.77 | 175 | 227 | 277 | 300 | 338 | 350 | 387 | 416 | 48 |
| D7320 | Alveoloplasty not in conjunction with extractions - four or more teeth or tooth spaces, per quadrant | 399.98 | 124.78 | 265 | 314 | 400 | 452 | 475 | 500 | 534 | 600 | 44 |
| D7410 | Excision of benign lesion up to 1.25 cm | 306.11 | 119.96 | 175 | 229 | 290 | 381 | 398 | 469 | 505 | 544 | 38 |
| D7960 | Frenulectomy — also known as frenectomy or frenotomy - separate procedure not incidental to another | 358.57 | 92.18 | 243 | 281 | 363 | 425 | 446 | 459 | 474 | 500 | 44 |
| D7970 | Excision of hyperplastic tissue - per arch | 344.67 | 149.93 | 95 | 209 | 389 | 462 | 474 | 480 | 506 | 521 | 30 |
| D9110 | Palliative (emergency) treatment of dental pain - minor procedure | 122.84 | 37.11 | 77 | 96 | 122 | 144 | 149 | 157 | 180 | 196 | 64 |
| D9120 | Fixed partial denture sectioning | 137.94 | 84.43 | 50 | 75 | 117 | 210 | 220 | 239 | 273 | 296 | 31 |
| D9210 | Local anesthesia not in conjunction with operative or surgical procedures | 57.42 | 28.42 | 33 | 38 | 51 | 67 | 75 | 81 | 92 | 101 | 31 |

2016 Survey of Dental Fees
General Practitioners - Mountain Division
(Arizona, Colorado, Idaho, Montana, Nevada, New Mexico, Utah, Wyoming)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|---|----------------|-----------------------|-----------------|---------|-----------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D9215 | Local anesthesia in conjunction with operative or surgical procedures | 36.31 | 29.98 | 0 | 0 | 43 | 59 | 61 | 65 | 77 | 84 | 36 |
| D9230 | Inhalation of nitrous oxide/analgesia, anxiolysis | 61.49 | 27.69 | 31 | 45 | 60 | 74 | 75 | 82 | 92 | 115 | 55 |
| D9310 | Consultation - diagnostic service provided by dentist or physician other than requesting dentist or physician | 97.35 | 52.61 | 0 | 64 | 98 | 121 | 125 | 154 | 179 | 190 | 49 |
| D9430 | Office visit for observation (during regularly scheduled hours) - no other services performed | 63.49 | 33.37 | 30 | 45 | 60 | 75 | 77 | 92 | 95 | 106 | 45 |
| D9440 | Office visit - after regularly scheduled hours | 144.65 | 53.63 | 75 | 109 | 130 | 169 | 192 | 200 | 218 | 250 | 54 |
| D9630 | Other drugs and/or medicaments, by report | 28.97 | 20.36 | 5 | 15 | 25 | 40 | 43 | 45 | 52 | 73 | 36 |
| D9910 | Application of desensitizing medicament | 47.04 | 18.21 | 26 | 30 | 45 | 60 | 60 | 69 | 70 | 78 | 51 |
| D9911 | Application of desensitizing resin for cervical and/or root surface, per tooth | 53.84 | 29.96 | 13 | 36 | 50 | 72 | 74 | 80 | 101 | 104 | 37 |
| D9930 | Treatment of complications (post-surgical) — unusual circumstances, by report | 97.55 | 54.22 | 35 | 48 | 97 | 126 | 134 | 140 | 142 | 180 | 33 |
| D9940 | Occlusal guard, by report | 498.26 | 160.25 | 300 | 375 | 506 | 579 | 635 | 683 | 718 | 760 | 65 |
| D9941 | Fabrication of athletic mouthguard | 195.84 | 113.52 | 62 | 120 | 189 | 249 | 250 | 304 | 337 | 378 | 50 |
| D9951 | Occlusal adjustment - limited | 130.24 | 74.46 | 35 | 77 | 105 | 175 | 190 | 206 | 250 | 275 | 49 |
| D9952 | Occlusal adjustment - complete | 535.15 | 265.36 | 180 | 338 | 570 | 707 | 716 | 722 | 809 | 853 | 41 |
| D9972 | External bleaching - per arch - performed in office | 277.22 | 124.64 | 150 | 200 | 265 | 338 | 356 | 375 | 405 | 465 | 45 |
| D9974 | Internal bleaching - per tooth | 226.49 | 62.97 | 148 | 180 | 225 | 269 | 280 | 287 | 300 | 326 | 41 |
| D9975 | External bleaching for home application, per arch; includes materials and fabrication of custom trays | 216.56 | 112.41 | 85 | 128 | 187 | 270 | 300 | 350 | 405 | 454 | 36 |

2016 Survey of Dental Fees
General Practitioners - Pacific Division
(Alaska, California, Hawaii, Oregon, Washington)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|--|----------------|-----------------------|-----------------|---------|-----------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D0120 | Periodic oral evaluation — established patient | 59.24 | 15.02 | 40 | 50 | 60 | 70 | 70 | 75 | 78 | 80 | 182 |
| D0140 | Limited oral evaluation - problem focused | 74.75 | 20.13 | 47 | 64 | 76 | 89 | 93 | 95 | 99 | 103 | 177 |
| D0145 | Oral evaluation for a patient under three years of age and counseling with primary caregiver | 64.10 | 20.79 | 42 | 50 | 60 | 75 | 80 | 85 | 86 | 100 | 134 |
| D0150 | Comprehensive oral evaluation — new or established patient | 87.29 | 23.39 | 56 | 73 | 90 | 103 | 108 | 110 | 115 | 121 | 181 |
| D0160 | Detailed and extensive oral evaluation — problem focused, by report | 116.31 | 55.18 | 53 | 75 | 104 | 151 | 169 | 181 | 197 | 219 | 136 |
| D0170 | Re-evaluation - limited, problem focused (established patient; not post-operative visit) | 69.34 | 24.53 | 42 | 54 | 74 | 84 | 88 | 91 | 95 | 105 | 129 |
| D0171 | Re-evaluation – post-operative office visit | 26.15 | 35.54 | 0 | 0 | 0 | 58 | 70 | 75 | 80 | 84 | 67 |
| D0180 | Comprehensive periodontal evaluation — new or established patient | 98.59 | 33.00 | 58 | 75 | 95 | 120 | 124 | 130 | 150 | 165 | 138 |
| D0190 | Screening of a patient | 60.59 | 36.96 | 25 | 35 | 45 | 85 | 95 | 98 | 108 | 120 | 49 |
| D0191 | Assessment of a patient | 54.15 | 27.05 | 28 | 36 | 44 | 73 | 81 | 90 | 100 | 102 | 48 |
| D0210 | Intraoral - complete series of radiographic images | 140.87 | 24.79 | 112 | 126 | 140 | 155 | 160 | 164 | 167 | 185 | 171 |
| D0220 | Intraoral - periapical first radiographic image | 33.15 | 8.50 | 23 | 29 | 33 | 39 | 40 | 42 | 45 | 48 | 176 |
| D0230 | Intraoral - periapical each additional radiographic image | 23.30 | 7.71 | 12 | 18 | 25 | 28 | 30 | 30 | 33 | 35 | 178 |
| D0251 | Extra-oral posterior dental radiographic image | 37.74 | 34.08 | 0 | 0 | 43 | 60 | 75 | 75 | 78 | 100 | 34 |
| D0272 | Bitewings - two radiographic images | 50.82 | 9.46 | 38 | 45 | 50 | 55 | 58 | 60 | 65 | 65 | 169 |
| D0273 | Bitewings - three radiographic images | 60.10 | 11.53 | 45 | 52 | 61 | 67 | 69 | 70 | 75 | 80 | 133 |
| D0274 | Bitewings - four radiographic images | 71.03 | 12.54 | 55 | 63 | 72 | 80 | 80 | 81 | 86 | 91 | 174 |

2016 Survey of Dental Fees
General Practitioners - Pacific Division
(Alaska, California, Hawaii, Oregon, Washington)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|--|----------------|-----------------------|-----------------|---------|-----------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D0277 | Vertical bitewings - 7 to 8 radiographic images | 113.91 | 25.61 | 80 | 98 | 114 | 132 | 135 | 143 | 149 | 154 | 101 |
| D0330 | Panoramic radiographic image | 123.28 | 21.48 | 97 | 109 | 122 | 138 | 140 | 144 | 150 | 160 | 120 |
| D0350 | 2D oral/facial photographic image obtained intra-orally or extra-orally | 59.46 | 33.14 | 0 | 35 | 63 | 82 | 90 | 99 | 103 | 108 | 68 |
| D0431 | Adjunctive pre-diagnostic test that aids in detection of mucosal abnormalities... | 75.61 | 29.44 | 40 | 60 | 73 | 87 | 94 | 101 | 110 | 150 | 33 |
| D0470 | Diagnostic casts | 113.85 | 37.01 | 68 | 86 | 108 | 142 | 145 | 150 | 160 | 171 | 124 |
| D1110 | Prophylaxis - adult | 106.05 | 17.31 | 87 | 95 | 105 | 115 | 119 | 121 | 127 | 139 | 186 |
| D1120 | Prophylaxis - child | 80.57 | 13.84 | 64 | 73 | 80 | 88 | 91 | 95 | 98 | 100 | 181 |
| D1206 | Topical application of fluoride varnish | 44.13 | 11.46 | 29 | 35 | 45 | 51 | 53 | 55 | 59 | 65 | 156 |
| D1208 | Topical application of fluoride – excluding varnish | 41.17 | 11.98 | 25 | 32 | 41 | 48 | 50 | 51 | 55 | 65 | 147 |
| D1320 | Tobacco counseling for the control and prevention of oral disease | 35.59 | 37.37 | 0 | 0 | 30 | 59 | 70 | 92 | 97 | 105 | 66 |
| D1330 | Oral hygiene instructions | 32.11 | 30.52 | 0 | 0 | 32 | 59 | 62 | 65 | 71 | 85 | 96 |
| D1351 | Sealant - per tooth | 59.35 | 13.67 | 41 | 50 | 59 | 68 | 70 | 74 | 77 | 85 | 172 |
| D1352 | Preventive resin restoration in a moderate to high caries risk patient — permanent tooth | 96.97 | 46.92 | 41 | 58 | 89 | 135 | 140 | 150 | 160 | 200 | 76 |
| D1510 | Space maintainer - fixed -unilateral | 318.33 | 67.91 | 230 | 265 | 320 | 368 | 380 | 390 | 402 | 416 | 135 |
| D1515 | Space maintainer - fixed -bilateral | 414.91 | 98.09 | 275 | 335 | 418 | 485 | 502 | 519 | 532 | 550 | 129 |
| D2140 | Amalgam - one surface, primary or permanent | 148.86 | 33.15 | 105 | 124 | 150 | 168 | 176 | 180 | 194 | 207 | 145 |
| D2150 | Amalgam - two surfaces, primary or permanent | 182.47 | 42.49 | 130 | 154 | 179 | 210 | 220 | 226 | 239 | 250 | 145 |
| D2160 | Amalgam - three surfaces, primary or permanent | 215.60 | 51.46 | 148 | 179 | 217 | 250 | 257 | 273 | 281 | 298 | 145 |
| D2161 | Amalgam - four or more surfaces, primary or permanent | 248.18 | 60.02 | 175 | 207 | 250 | 285 | 295 | 304 | 324 | 350 | 144 |
| D2330 | Resin-based composite - one surface, anterior | 179.99 | 37.80 | 130 | 151 | 179 | 201 | 208 | 215 | 232 | 250 | 177 |

2016 Survey of Dental Fees
General Practitioners - Pacific Division
(Alaska, California, Hawaii, Oregon, Washington)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|---|----------------|-----------------------|-----------------|---------|-----------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D2331 | Resin-based composite - two surfaces, anterior | 215.77 | 44.02 | 160 | 188 | 210 | 249 | 253 | 260 | 271 | 295 | 177 |
| D2332 | Resin-based composite - three surfaces, anterior | 254.35 | 53.07 | 184 | 220 | 253 | 294 | 300 | 310 | 317 | 334 | 175 |
| D2335 | Resin-based composite - four or more surfaces or involving incisal angle (anterior) | 306.31 | 67.35 | 220 | 263 | 300 | 350 | 355 | 375 | 390 | 416 | 176 |
| D2390 | Resin-based composite crown, anterior | 414.55 | 133.21 | 242 | 313 | 400 | 500 | 503 | 542 | 575 | 600 | 99 |
| D2391 | Resin-based composite - one surface, posterior | 195.79 | 38.55 | 148 | 175 | 195 | 224 | 228 | 235 | 248 | 260 | 169 |
| D2392 | Resin-based composite - two surfaces, posterior | 252.29 | 49.08 | 187 | 220 | 248 | 286 | 295 | 299 | 310 | 342 | 170 |
| D2393 | Resin-based composite - three surfaces, posterior | 306.27 | 66.32 | 225 | 265 | 300 | 352 | 361 | 377 | 395 | 417 | 172 |
| D2394 | Resin-based composite - four or more surfaces, posterior | 345.65 | 74.04 | 250 | 295 | 347 | 402 | 411 | 425 | 440 | 475 | 167 |
| D2520 | Inlay - metallic - two surfaces | 858.69 | 208.97 | 585 | 710 | 858 | 967 | 995 | 1,100 | 1,150 | 1,230 | 106 |
| D2543 | Onlay - metallic - three surfaces | 1,006.65 | 199.24 | 770 | 891 | 987 | 1,120 | 1,166 | 1,200 | 1,261 | 1,337 | 110 |
| D2620 | Inlay - porcelain/ceramic - two surfaces | 974.42 | 210.97 | 745 | 835 | 939 | 1,127 | 1,163 | 1,185 | 1,240 | 1,416 | 100 |
| D2642 | Onlay - porcelain/ceramic - two surfaces | 1,039.28 | 217.22 | 783 | 886 | 1,018 | 1,203 | 1,237 | 1,250 | 1,325 | 1,428 | 100 |
| D2643 | Onlay - porcelain/ceramic -three surfaces | 1,082.86 | 217.08 | 816 | 917 | 1,074 | 1,224 | 1,249 | 1,300 | 1,350 | 1,436 | 111 |
| D2644 | Onlay - porcelain/ceramic - four or more surfaces | 1,134.57 | 219.11 | 882 | 984 | 1,149 | 1,247 | 1,300 | 1,350 | 1,395 | 1,575 | 112 |
| D2651 | Inlay - resin-based composite -two surfaces | 844.40 | 209.32 | 575 | 717 | 847 | 978 | 1,000 | 1,069 | 1,102 | 1,184 | 78 |
| D2662 | Onlay - resin-based composite - two surfaces | 890.88 | 241.33 | 625 | 731 | 835 | 1,035 | 1,054 | 1,156 | 1,190 | 1,298 | 77 |
| D2663 | Onlay - resin-based composite - three surfaces | 942.92 | 243.55 | 664 | 789 | 895 | 1,147 | 1,165 | 1,195 | 1,252 | 1,300 | 78 |

2016 Survey of Dental Fees
General Practitioners - Pacific Division
(Alaska, California, Hawaii, Oregon, Washington)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|--|----------------|-----------------------|-----------------|---------|-----------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D2664 | Onlay - resin-based composite - four or more surfaces | 1,005.25 | 236.96 | 720 | 845 | 980 | 1,184 | 1,200 | 1,258 | 1,282 | 1,408 | 79 |
| D2710 | Crown - resin-based composite (indirect) | 810.34 | 328.87 | 399 | 500 | 819 | 1,012 | 1,076 | 1,133 | 1,249 | 1,385 | 86 |
| D2740 | Crown - porcelain/ceramic substrate | 1,193.34 | 194.41 | 977 | 1,050 | 1,188 | 1,315 | 1,365 | 1,395 | 1,431 | 1,575 | 158 |
| D2750 | Crown - porcelain fused to high noble metal | 1,167.27 | 191.23 | 946 | 1,032 | 1,150 | 1,300 | 1,325 | 1,369 | 1,409 | 1,474 | 164 |
| D2751 | Crown - porcelain fused to predominantly base metal | 1,063.75 | 191.29 | 830 | 925 | 1,018 | 1,200 | 1,246 | 1,297 | 1,323 | 1,390 | 117 |
| D2752 | Crown - porcelain fused to noble metal | 1,106.65 | 186.32 | 891 | 975 | 1,072 | 1,241 | 1,290 | 1,323 | 1,360 | 1,390 | 124 |
| D2780 | Crown - ¾ cast high noble metal | 1,137.04 | 196.36 | 909 | 995 | 1,115 | 1,253 | 1,320 | 1,343 | 1,395 | 1,496 | 114 |
| D2783 | Crown - ¾ porcelain/ceramic | 1,166.30 | 211.85 | 890 | 1,000 | 1,166 | 1,332 | 1,349 | 1,395 | 1,431 | 1,500 | 87 |
| D2790 | Crown - full cast high noble metal | 1,174.30 | 202.64 | 930 | 1,026 | 1,150 | 1,326 | 1,350 | 1,395 | 1,421 | 1,500 | 151 |
| D2794 | Crown - titanium | 1,139.75 | 261.08 | 841 | 900 | 1,120 | 1,309 | 1,369 | 1,400 | 1,453 | 1,585 | 64 |
| D2799 | Provisional crown – further treatment or completion of diagnosis necessary prior to final impression | 355.64 | 149.18 | 158 | 263 | 375 | 450 | 487 | 500 | 533 | 561 | 103 |
| D2920 | Re-cement or re-bond crown | 114.32 | 30.00 | 77 | 95 | 107 | 138 | 140 | 146 | 150 | 169 | 169 |
| D2929 | Prefabricated porcelain/ceramic crown – primary tooth | 329.21 | 120.81 | 180 | 271 | 300 | 400 | 412 | 425 | 441 | 650 | 39 |
| D2930 | Prefabricated stainless steel crown - primary tooth | 263.62 | 59.13 | 184 | 225 | 266 | 300 | 310 | 325 | 331 | 358 | 125 |
| D2931 | Prefabricated stainless steel crown - permanent tooth | 316.00 | 68.71 | 231 | 264 | 316 | 363 | 377 | 400 | 402 | 438 | 115 |
| D2940 | Protective restoration | 121.10 | 35.91 | 74 | 95 | 122 | 145 | 150 | 155 | 165 | 186 | 109 |
| D2950 | Core buildup, including any pins when required | 271.59 | 59.39 | 200 | 226 | 262 | 307 | 321 | 336 | 350 | 363 | 162 |
| D2952 | Post and core in addition to crown, indirectly fabricated | 399.23 | 102.16 | 262 | 325 | 403 | 472 | 493 | 500 | 533 | 575 | 146 |
| D2954 | Prefabricated post and core in addition to crown | 324.63 | 70.73 | 227 | 274 | 325 | 375 | 385 | 400 | 417 | 440 | 153 |

2016 Survey of Dental Fees
General Practitioners - Pacific Division
(Alaska, California, Hawaii, Oregon, Washington)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|--|----------------|-----------------------|-----------------|---------|----------------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median 50th \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D2961 | Labial veneer (resin laminate) - laboratory | 936.31 | 309.34 | 525 | 705 | 925 | 1,150 | 1,191 | 1,220 | 1,300 | 1,452 | 96 |
| D2962 | Labial veneer (porcelain laminate) - laboratory | 1,170.41 | 243.80 | 844 | 1,000 | 1,140 | 1,341 | 1,392 | 1,426 | 1,500 | 1,575 | 155 |
| D2980 | Crown repair necessitated by restorative material failure | 261.23 | 117.46 | 125 | 174 | 250 | 350 | 362 | 378 | 387 | 505 | 79 |
| D2983 | Veneer repair necessitated by restorative material failure | 255.97 | 106.92 | 135 | 175 | 250 | 354 | 354 | 365 | 378 | 386 | 31 |
| D3110 | Pulp cap - direct (excluding final restoration) | 88.40 | 27.62 | 55 | 70 | 86 | 100 | 106 | 109 | 125 | 145 | 129 |
| D3120 | Pulp cap - indirect (excluding final restoration) | 85.50 | 29.08 | 50 | 65 | 83 | 101 | 107 | 115 | 120 | 145 | 117 |
| D3220 | Therapeutic pulpotomy (excluding final restoration)... | 185.32 | 57.57 | 120 | 142 | 183 | 225 | 236 | 240 | 253 | 275 | 155 |
| D3221 | Pulpal debridement, primary and permanent teeth | 193.00 | 78.04 | 103 | 138 | 180 | 253 | 256 | 276 | 299 | 350 | 136 |
| D3222 | Partial pulpotomy for apexogenesis – permanent tooth with incomplete root development | 211.70 | 103.25 | 97 | 125 | 200 | 288 | 340 | 350 | 352 | 367 | 64 |
| D3230 | Pulpal therapy (resorbable filling) - anterior, primary tooth (excluding final restoration) | 219.58 | 81.19 | 120 | 145 | 212 | 269 | 300 | 305 | 339 | 358 | 90 |
| D3240 | Pulpal therapy (resorbable filling) - posterior, primary tooth (excluding final restoration) | 238.09 | 103.09 | 115 | 142 | 226 | 300 | 347 | 363 | 383 | 410 | 95 |
| D3310 | Endodontic therapy, anterior tooth (excluding final restoration) | 754.08 | 148.09 | 568 | 634 | 735 | 850 | 888 | 905 | 938 | 1,007 | 157 |
| D3320 | Endodontic therapy, bicuspid tooth (excluding final restoration) | 880.42 | 154.50 | 690 | 763 | 851 | 998 | 1,004 | 1,050 | 1,080 | 1,150 | 158 |
| D3330 | Endodontic therapy, molar (excluding final restoration) | 1,082.70 | 185.42 | 842 | 935 | 1,075 | 1,200 | 1,248 | 1,276 | 1,300 | 1,395 | 155 |
| D3331 | Treatment of root canal obstruction; non-surgical access | 412.32 | 221.96 | 129 | 220 | 380 | 590 | 629 | 683 | 736 | 779 | 47 |

2016 Survey of Dental Fees
General Practitioners - Pacific Division
(Alaska, California, Hawaii, Oregon, Washington)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|--|----------------|-----------------------|-----------------|---------|----------------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median 50th \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D3332 | Incomplete endodontic therapy; inoperable, unrestorable or fractured tooth | 370.00 | 194.08 | 0 | 250 | 446 | 545 | 549 | 554 | 571 | 598 | 58 |
| D3346 | Retreatment of previous root canal therapy — anterior | 867.17 | 180.29 | 600 | 726 | 869 | 995 | 1,050 | 1,071 | 1,100 | 1,146 | 103 |
| D3347 | Retreatment of previous root canal therapy — bicuspid | 991.94 | 205.35 | 722 | 850 | 991 | 1,150 | 1,190 | 1,208 | 1,253 | 1,295 | 101 |
| D3348 | Retreatment of previous root canal therapy — molar | 1,178.81 | 243.73 | 841 | 1,000 | 1,193 | 1,368 | 1,400 | 1,444 | 1,479 | 1,550 | 102 |
| D3351 | Apexification/recalcification - initial visit... | 334.97 | 123.99 | 153 | 250 | 339 | 432 | 442 | 451 | 490 | 520 | 61 |
| D3352 | Apexification/recalcification - interim medication replacement | 240.48 | 104.51 | 112 | 150 | 231 | 325 | 328 | 345 | 363 | 414 | 62 |
| D3353 | Apexification/recalcification — final visit... | 507.73 | 217.19 | 220 | 323 | 500 | 650 | 689 | 736 | 760 | 892 | 55 |
| D3410 | Apicoectomy/periradicular surgery - anterior | 683.26 | 228.70 | 368 | 500 | 669 | 856 | 930 | 950 | 984 | 1,088 | 69 |
| D3421 | Apicoectomy/periradicular surgery - bicuspid (first root) | 781.43 | 233.58 | 450 | 625 | 752 | 964 | 1,002 | 1,042 | 1,085 | 1,188 | 58 |
| D3425 | Apicoectomy/periradicular surgery - molar (first root) | 854.04 | 267.66 | 500 | 625 | 848 | 1,060 | 1,092 | 1,136 | 1,191 | 1,271 | 57 |
| D3426 | Apicoectomy (each additional root) | 372.19 | 171.21 | 165 | 275 | 338 | 481 | 500 | 518 | 600 | 797 | 37 |
| D4210 | Gingivectomy or gingivoplasty - four or more contiguous teeth or tooth bounded spaces per quadrant | 596.31 | 196.79 | 300 | 430 | 609 | 750 | 775 | 794 | 806 | 894 | 106 |
| D4211 | Gingivectomy or gingivoplasty - one to three contiguous teeth or tooth bounded spaces per quadrant | 319.40 | 112.62 | 170 | 243 | 335 | 400 | 416 | 430 | 450 | 481 | 122 |
| D4212 | Gingivectomy or gingivoplasty to allow access for restorative procedure, per tooth | 269.69 | 110.50 | 125 | 190 | 245 | 350 | 367 | 386 | 420 | 473 | 62 |

2016 Survey of Dental Fees
General Practitioners - Pacific Division
(Alaska, California, Hawaii, Oregon, Washington)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|---|----------------|-----------------------|-----------------|---------|----------------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median 50th \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D4240 | Gingival flap procedure, including root planing — four or more contiguous teeth or tooth bounded spaces per quadrant | 725.36 | 286.34 | 325 | 506 | 735 | 915 | 932 | 997 | 1,079 | 1,167 | 86 |
| D4241 | Gingival flap procedure, including root planing — one to three contiguous teeth or tooth bounded spaces per quadrant | 538.23 | 238.28 | 245 | 341 | 500 | 725 | 767 | 800 | 835 | 948 | 86 |
| D4249 | Clinical crown lengthening — hard tissue | 719.86 | 262.34 | 395 | 525 | 701 | 961 | 978 | 1,010 | 1,045 | 1,111 | 91 |
| D4260 | Osseous surgery (including elevation of a full thickness flap and closure) - four or more contiguous teeth or tooth bounded spaces per quadrant | 1,056.36 | 366.74 | 500 | 798 | 1,070 | 1,292 | 1,347 | 1,450 | 1,506 | 1,580 | 69 |
| D4261 | Osseous surgery (including elevation of a full thickness flap and closure) - one to three contiguous teeth or tooth bounded spaces per quadrant | 798.94 | 340.40 | 393 | 476 | 810 | 1,082 | 1,156 | 1,174 | 1,220 | 1,250 | 64 |
| D4263 | Bone replacement graft - first site in quadrant | 567.55 | 228.69 | 285 | 396 | 557 | 725 | 774 | 800 | 860 | 892 | 78 |
| D4264 | Bone replacement graft — each additional site in quadrant | 444.67 | 157.91 | 250 | 300 | 450 | 582 | 600 | 611 | 660 | 700 | 63 |
| D4266 | Guided tissue regeneration — resorbable barrier, per site | 611.36 | 269.79 | 290 | 374 | 600 | 808 | 870 | 902 | 964 | 1,100 | 55 |
| D4267 | Guided tissue regeneration — non-resorbable barrier, per site (includes membrane removal) | 753.82 | 340.30 | 293 | 525 | 761 | 1,030 | 1,084 | 1,172 | 1,202 | 1,215 | 50 |
| D4273 | Autogenous connective tissue graft procedure (including donor and recipient surgical sites) first tooth, implant or edentulous tooth position | 1,029.68 | 326.47 | 600 | 750 | 1,000 | 1,258 | 1,330 | 1,361 | 1,472 | 1,573 | 41 |
| D4321 | Provisional splinting - extracoronal | 382.52 | 161.34 | 175 | 251 | 398 | 495 | 506 | 552 | 602 | 641 | 82 |
| D4341 | Periodontal scaling and root planing - four or more teeth per quadrant | 265.82 | 56.52 | 195 | 225 | 261 | 297 | 305 | 320 | 350 | 375 | 167 |

2016 Survey of Dental Fees
General Practitioners - Pacific Division
(Alaska, California, Hawaii, Oregon, Washington)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|--|----------------|-----------------------|-----------------|---------|----------------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median 50th \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D4342 | Periodontal scaling and root planing - one to three teeth per quadrant | 187.47 | 50.66 | 125 | 150 | 184 | 225 | 231 | 238 | 245 | 275 | 165 |
| D4355 | Full mouth debridement to enable comprehensive evaluation and diagnosis | 161.52 | 50.64 | 95 | 114 | 163 | 200 | 205 | 210 | 225 | 244 | 154 |
| D4381 | Localized delivery of antimicrobial agents via a controlled release vehicle into diseased crevicular tissue, per tooth | 79.36 | 46.49 | 35 | 45 | 69 | 95 | 105 | 125 | 140 | 193 | 117 |
| D4910 | Periodontal maintenance | 157.54 | 34.14 | 111 | 135 | 156 | 180 | 185 | 195 | 201 | 210 | 170 |
| D5110 | Complete denture - maxillary | 1,685.89 | 379.04 | 1,254 | 1,400 | 1,600 | 1,936 | 1,995 | 2,050 | 2,168 | 2,458 | 170 |
| D5120 | Complete denture - mandibular | 1,693.07 | 379.15 | 1,250 | 1,409 | 1,600 | 1,944 | 1,995 | 2,088 | 2,214 | 2,458 | 168 |
| D5130 | Immediate denture - maxillary | 1,762.50 | 387.79 | 1,278 | 1,472 | 1,713 | 1,990 | 2,022 | 2,161 | 2,278 | 2,456 | 161 |
| D5140 | Immediate denture - mandibular | 1,763.38 | 393.00 | 1,278 | 1,456 | 1,700 | 1,990 | 2,025 | 2,161 | 2,301 | 2,490 | 161 |
| D5211 | Maxillary partial denture - resin base (including any conventional clasps, rests and teeth) | 1,333.81 | 419.81 | 791 | 1,038 | 1,339 | 1,649 | 1,684 | 1,802 | 1,896 | 2,013 | 140 |
| D5212 | Mandibular partial denture - resin base (including any conventional clasps, rests and teeth) | 1,339.70 | 403.17 | 800 | 1,071 | 1,343 | 1,629 | 1,685 | 1,800 | 1,891 | 2,000 | 138 |
| D5213 | Maxillary partial denture - cast metal framework with resin denture bases (including any conventional clasps, rests, and teeth) | 1,777.91 | 374.69 | 1,300 | 1,518 | 1,714 | 2,000 | 2,100 | 2,160 | 2,255 | 2,500 | 169 |
| D5214 | Mandibular partial denture - cast metal framework with resin denture bases (including any conventional clasps, rests, and teeth) | 1,784.20 | 374.46 | 1,300 | 1,516 | 1,745 | 2,002 | 2,107 | 2,160 | 2,255 | 2,500 | 168 |
| D5221 | Immediate maxillary partial denture - resin base (including any conventional clasps, rests and teeth) | 1,337.91 | 498.91 | 900 | 1,000 | 1,200 | 1,750 | 1,803 | 1,874 | 1,900 | 2,400 | 33 |
| D5222 | Immediate mandibular partial denture - resin base (including any conventional clasps, rests and teeth) | 1,303.50 | 510.69 | 600 | 999 | 1,200 | 1,750 | 1,803 | 1,838 | 1,900 | 2,400 | 34 |

2016 Survey of Dental Fees
General Practitioners - Pacific Division
(Alaska, California, Hawaii, Oregon, Washington)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|---|----------------|-----------------------|-----------------|---------|----------------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median 50th \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D5223 | Immediate maxillary partial denture – cast metal framework with resin denture bases (including any conventional clasps, rests and teeth) | 1,625.90 | 397.43 | 1,200 | 1,300 | 1,578 | 1,838 | 1,874 | 1,945 | 2,000 | 2,500 | 31 |
| D5224 | Immediate mandibular partial denture – cast metal framework with resin denture bases (including any conventional clasps, rests and teeth) | 1,636.81 | 395.81 | 1,200 | 1,304 | 1,602 | 1,856 | 1,900 | 1,975 | 2,000 | 2,500 | 32 |
| D5225 | Maxillary partial denture — flexible base (including any clasps, rests, and teeth) | 1,463.93 | 427.50 | 948 | 1,100 | 1,414 | 1,786 | 1,832 | 1,907 | 2,027 | 2,300 | 110 |
| D5226 | Mandibular partial denture - flexible base (including any clasps, rests, and teeth) | 1,465.43 | 430.57 | 925 | 1,100 | 1,429 | 1,800 | 1,838 | 1,892 | 2,050 | 2,300 | 114 |
| D5510 | Repair broken complete denture base | 229.03 | 65.53 | 150 | 180 | 230 | 270 | 280 | 290 | 310 | 350 | 146 |
| D5520 | Replace missing or broken teeth — complete denture (each tooth) | 187.07 | 51.99 | 125 | 150 | 190 | 225 | 233 | 242 | 250 | 275 | 153 |
| D5610 | Repair resin denture base | 213.23 | 59.16 | 148 | 171 | 212 | 249 | 259 | 266 | 286 | 323 | 149 |
| D5640 | Replace broken teeth - per tooth | 190.43 | 52.60 | 120 | 155 | 190 | 225 | 233 | 248 | 266 | 285 | 156 |
| D5650 | Add tooth to existing partial denture | 225.97 | 65.62 | 150 | 175 | 224 | 273 | 280 | 289 | 303 | 345 | 154 |
| D5660 | Add clasp to existing partial denture – per tooth | 270.00 | 75.51 | 175 | 200 | 277 | 322 | 333 | 345 | 361 | 397 | 149 |
| D5710 | Rebase complete maxillary denture | 571.44 | 141.76 | 381 | 500 | 586 | 662 | 685 | 707 | 725 | 772 | 133 |
| D5711 | Rebase complete mandibular denture | 568.30 | 138.40 | 381 | 495 | 585 | 658 | 679 | 700 | 725 | 765 | 128 |
| D5720 | Rebase maxillary partial denture | 543.78 | 134.57 | 356 | 451 | 554 | 620 | 649 | 685 | 708 | 739 | 125 |
| D5721 | Rebase mandibular partial denture | 545.83 | 131.14 | 383 | 465 | 550 | 619 | 646 | 685 | 700 | 739 | 125 |
| D5730 | Reline complete maxillary denture (chairside) | 337.02 | 111.88 | 200 | 260 | 349 | 406 | 419 | 450 | 464 | 488 | 143 |
| D5731 | Reline complete mandibular denture (chairside) | 335.99 | 110.97 | 200 | 260 | 348 | 406 | 425 | 450 | 462 | 488 | 142 |
| D5750 | Reline complete maxillary denture (laboratory) | 465.97 | 102.84 | 341 | 396 | 478 | 521 | 530 | 564 | 578 | 603 | 161 |

2016 Survey of Dental Fees
General Practitioners - Pacific Division
(Alaska, California, Hawaii, Oregon, Washington)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|---|----------------|-----------------------|-----------------|---------|----------------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median 50th \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D5751 | Reline complete mandibular denture (laboratory) | 469.70 | 107.63 | 341 | 400 | 478 | 523 | 535 | 571 | 587 | 663 | 161 |
| D5986 | Fluoride gel carrier | 177.29 | 82.10 | 84 | 115 | 155 | 238 | 250 | 260 | 288 | 297 | 63 |
| D6010 | Surgical placement of implant body: endosteal implant | 2,071.35 | 378.67 | 1,500 | 1,849 | 2,115 | 2,364 | 2,400 | 2,435 | 2,500 | 2,649 | 77 |
| D6012 | Surgical placement of interim implant body for transitional prosthesis: endosteal implant | 1,588.67 | 701.87 | 515 | 962 | 1,695 | 2,106 | 2,253 | 2,500 | 2,500 | 2,500 | 30 |
| D6055 | Connecting bar - implant supported or abutment supported | 1,988.31 | 1,160.67 | 560 | 995 | 1,950 | 3,026 | 3,128 | 3,344 | 3,750 | 4,000 | 81 |
| D6056 | Prefabricated abutment — includes modification and placement | 699.02 | 190.05 | 459 | 560 | 667 | 820 | 850 | 900 | 932 | 1,001 | 113 |
| D6057 | Custom fabricated abutment - includes placement | 859.49 | 217.63 | 600 | 740 | 804 | 1,000 | 1,037 | 1,110 | 1,179 | 1,253 | 127 |
| D6059 | Abutment supported porcelain fused to metal crown (high noble metal) | 1,496.64 | 321.37 | 1,061 | 1,258 | 1,500 | 1,700 | 1,738 | 1,800 | 1,891 | 2,050 | 135 |
| D6066 | Implant supported porcelain fused to metal crown (titanium, titanium alloy, high noble metal) | 1,575.37 | 362.64 | 1,122 | 1,320 | 1,519 | 1,784 | 1,824 | 1,936 | 2,015 | 2,340 | 125 |
| D6069 | Abutment supported retainer for porcelain fused to metal FPD (high noble metal) | 1,484.98 | 350.09 | 1,026 | 1,213 | 1,460 | 1,687 | 1,740 | 1,802 | 1,891 | 2,163 | 100 |
| D6076 | Implant supported retainer for porcelain fused to metal FPD (titanium, titanium alloy, or high noble metal) | 1,544.94 | 383.98 | 1,037 | 1,290 | 1,500 | 1,700 | 1,784 | 1,855 | 2,140 | 2,400 | 78 |
| D6080 | Implant maintenance procedures when prostheses are removed and reinserted... | 197.49 | 126.60 | 0 | 114 | 170 | 300 | 324 | 367 | 383 | 426 | 77 |
| D6205 | Pontic - indirect resin based composite | 947.47 | 231.21 | 600 | 755 | 915 | 1,151 | 1,160 | 1,195 | 1,272 | 1,341 | 38 |
| D6210 | Pontic - cast high noble metal | 1,109.97 | 194.38 | 895 | 956 | 1,096 | 1,210 | 1,258 | 1,320 | 1,370 | 1,500 | 154 |
| D6240 | Pontic - porcelain fused to high noble metal | 1,132.03 | 194.67 | 900 | 990 | 1,100 | 1,255 | 1,291 | 1,330 | 1,385 | 1,500 | 162 |

2016 Survey of Dental Fees
General Practitioners - Pacific Division
(Alaska, California, Hawaii, Oregon, Washington)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|---|----------------|-----------------------|-----------------|---------|----------------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median 50th \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D6241 | Pontic - porcelain fused to predominantly base metal | 1,025.38 | 191.09 | 800 | 884 | 991 | 1,132 | 1,200 | 1,207 | 1,298 | 1,385 | 116 |
| D6245 | Pontic - porcelain/ceramic | 1,143.83 | 201.29 | 900 | 982 | 1,108 | 1,258 | 1,316 | 1,351 | 1,400 | 1,557 | 129 |
| D6253 | Provisional pontic - further treatment or completion of diagnosis necessary prior to final impression | 438.70 | 252.22 | 167 | 252 | 362 | 590 | 630 | 795 | 823 | 925 | 73 |
| D6545 | Retainer - cast metal for resin bonded fixed prosthesis | 687.92 | 309.91 | 322 | 426 | 649 | 939 | 995 | 1,048 | 1,100 | 1,223 | 111 |
| D6750 | Retainer crown - porcelain fused to high noble metal | 1,162.14 | 188.72 | 946 | 1,012 | 1,150 | 1,287 | 1,302 | 1,350 | 1,392 | 1,500 | 152 |
| D6751 | Retainer crown - porcelain fused to predominantly base metal | 1,043.86 | 184.09 | 825 | 916 | 1,010 | 1,187 | 1,200 | 1,250 | 1,300 | 1,360 | 104 |
| D6790 | Retainer crown - full cast high noble metal | 1,137.07 | 187.69 | 912 | 999 | 1,100 | 1,278 | 1,301 | 1,347 | 1,395 | 1,492 | 141 |
| D6793 | Provisional retainer crown - further treatment or completion of diagnosis necessary prior to final impression | 485.19 | 266.92 | 157 | 293 | 404 | 688 | 714 | 789 | 900 | 952 | 68 |
| D6930 | Re-cement or re-bond fixed partial denture | 165.35 | 47.42 | 109 | 130 | 159 | 197 | 203 | 210 | 225 | 250 | 147 |
| D7111 | Extraction, coronal remnants -deciduous tooth | 126.67 | 41.81 | 77 | 91 | 124 | 160 | 165 | 174 | 179 | 200 | 142 |
| D7140 | Extraction, erupted tooth or exposed root (elevation and/or forceps removal) | 181.05 | 45.90 | 129 | 150 | 173 | 210 | 218 | 227 | 240 | 272 | 171 |
| D7210 | Surgical removal of erupted tooth requiring removal of bone and/or sectioning of tooth, and including elevation of mucoperiosteal flap if indicated | 291.65 | 63.07 | 220 | 248 | 281 | 337 | 345 | 350 | 385 | 400 | 162 |
| D7220 | Removal of impacted tooth - soft tissue | 333.53 | 71.30 | 230 | 282 | 334 | 375 | 383 | 400 | 421 | 480 | 139 |
| D7230 | Removal of impacted tooth -partially bony | 412.10 | 82.27 | 300 | 355 | 420 | 463 | 476 | 485 | 501 | 564 | 127 |

2016 Survey of Dental Fees
General Practitioners - Pacific Division
(Alaska, California, Hawaii, Oregon, Washington)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|--|----------------|-----------------------|-----------------|---------|-----------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D7240 | Removal of impacted tooth -completely bony | 473.86 | 102.73 | 336 | 398 | 495 | 527 | 544 | 562 | 593 | 624 | 110 |
| D7250 | Surgical removal of residual tooth roots (cutting procedure) | 320.17 | 82.03 | 210 | 266 | 314 | 375 | 386 | 394 | 420 | 475 | 121 |
| D7286 | Incisional biopsy of oral tissue - soft | 318.78 | 113.20 | 175 | 245 | 300 | 401 | 425 | 436 | 475 | 506 | 77 |
| D7288 | Brush biopsy — transepithelial sample collection | 189.62 | 58.47 | 100 | 145 | 200 | 235 | 237 | 256 | 260 | 268 | 39 |
| D7310 | Alveoloplasty in conjunction with extractions - four or more teeth or tooth spaces, per quadrant | 304.88 | 96.82 | 185 | 245 | 300 | 370 | 382 | 393 | 436 | 500 | 83 |
| D7320 | Alveoloplasty not in conjunction with extractions - four or more teeth or tooth spaces, per quadrant | 395.54 | 161.17 | 200 | 278 | 388 | 500 | 531 | 550 | 583 | 655 | 81 |
| D7410 | Excision of benign lesion up to 1.25 cm | 364.75 | 178.04 | 145 | 226 | 356 | 451 | 518 | 544 | 570 | 683 | 65 |
| D7450 | Removal of benign odontogenic cyst or tumor - lesion diameter up to 1.25 cm | 508.77 | 291.35 | 200 | 241 | 444 | 705 | 771 | 861 | 1,000 | 1,054 | 43 |
| D7880 | Occlusal orthotic device, by report | 776.34 | 387.75 | 360 | 450 | 690 | 974 | 1,190 | 1,317 | 1,335 | 1,430 | 61 |
| D7910 | Suture of recent small wounds up to 5 cm | 265.79 | 113.07 | 117 | 168 | 280 | 350 | 375 | 385 | 412 | 438 | 33 |
| D7953 | Bone replacement graft for ridge preservation — per site | 487.36 | 179.69 | 300 | 350 | 450 | 575 | 613 | 726 | 794 | 850 | 55 |
| D7960 | Frenulectomy — also known as frenectomy or frenotomy - separate procedure not incidental to another | 406.50 | 130.76 | 234 | 300 | 413 | 518 | 522 | 548 | 555 | 596 | 86 |
| D7970 | Excision of hyperplastic tissue - per arch | 421.50 | 196.61 | 180 | 275 | 407 | 572 | 618 | 625 | 668 | 704 | 74 |
| D8020 | Limited orthodontic treatment of the transitional dentition | 2,681.69 | 1,064.61 | 844 | 1,955 | 2,825 | 3,334 | 3,611 | 3,960 | 4,000 | 4,300 | 36 |
| D8030 | Limited orthodontic treatment of the adolescent dentition | 2,988.68 | 1,098.68 | 1,200 | 2,344 | 3,034 | 3,857 | 4,000 | 4,200 | 4,300 | 4,500 | 44 |
| D8040 | Limited orthodontic treatment of the adult dentition | 3,050.56 | 1,384.74 | 800 | 2,005 | 3,172 | 4,000 | 4,200 | 4,300 | 4,600 | 5,060 | 63 |

2016 Survey of Dental Fees
General Practitioners - Pacific Division
(Alaska, California, Hawaii, Oregon, Washington)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|---|----------------|-----------------------|-----------------|---------|-----------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D8050 | Interceptive orthodontic treatment of the primary dentition | 2,799.43 | 1,029.01 | 1,200 | 2,005 | 3,085 | 3,500 | 3,625 | 3,960 | 4,000 | 4,135 | 30 |
| D8060 | Interceptive orthodontic treatment of the transitional dentition | 2,686.83 | 1,200.68 | 831 | 1,910 | 3,000 | 3,500 | 3,780 | 4,000 | 4,000 | 4,300 | 35 |
| D8070 | Comprehensive orthodontic treatment of the transitional dentition | 5,395.90 | 938.04 | 4,000 | 4,990 | 5,346 | 6,000 | 6,000 | 6,100 | 6,159 | 7,341 | 31 |
| D8080 | Comprehensive orthodontic treatment of the adolescent dentition | 5,354.16 | 697.88 | 4,274 | 4,999 | 5,500 | 5,900 | 5,998 | 6,000 | 6,088 | 6,354 | 50 |
| D8090 | Comprehensive orthodontic treatment of the adult dentition | 5,600.57 | 777.61 | 4,500 | 5,000 | 5,525 | 6,000 | 6,200 | 6,399 | 6,600 | 6,800 | 68 |
| D8660 | Pre-orthodontic treatment examination to monitor growth and development | 168.14 | 150.09 | 50 | 73 | 100 | 192 | 300 | 380 | 444 | 500 | 42 |
| D8692 | Replacement of lost or broken retainer | 328.31 | 123.31 | 150 | 245 | 342 | 412 | 439 | 464 | 500 | 512 | 71 |
| D9110 | Palliative (emergency) treatment of dental pain - minor procedure | 153.17 | 46.84 | 98 | 118 | 150 | 178 | 197 | 205 | 212 | 250 | 158 |
| D9120 | Fixed partial denture sectioning | 183.51 | 81.86 | 79 | 115 | 185 | 249 | 250 | 262 | 294 | 319 | 95 |
| D9210 | Local anesthesia not in conjunction with operative or surgical procedures | 65.53 | 29.58 | 31 | 40 | 65 | 83 | 93 | 100 | 101 | 125 | 45 |
| D9215 | Local anesthesia in conjunction with operative or surgical procedures | 36.28 | 33.67 | 0 | 0 | 29 | 63 | 69 | 75 | 78 | 100 | 47 |
| D9230 | Inhalation of nitrous oxide/analgesia, anxiolysis | 71.96 | 34.73 | 35 | 50 | 75 | 95 | 100 | 103 | 120 | 125 | 105 |
| D9248 | Non-intravenous conscious sedation | 192.10 | 172.60 | 0 | 30 | 138 | 353 | 381 | 399 | 416 | 500 | 40 |
| D9310 | Consultation - diagnostic service provided by dentist or physician other than requesting dentist or physician | 120.66 | 68.64 | 25 | 75 | 117 | 175 | 191 | 192 | 200 | 225 | 88 |
| D9410 | House/extended care facility call | 188.82 | 78.01 | 92 | 121 | 187 | 264 | 274 | 288 | 292 | 304 | 38 |
| D9430 | Office visit for observation (during regularly scheduled hours) - no other services performed | 78.62 | 33.63 | 47 | 60 | 80 | 99 | 100 | 105 | 110 | 135 | 111 |
| D9440 | Office visit - after regularly scheduled hours | 171.71 | 59.07 | 97 | 129 | 175 | 215 | 223 | 230 | 245 | 250 | 129 |

2016 Survey of Dental Fees
General Practitioners - Pacific Division
(Alaska, California, Hawaii, Oregon, Washington)

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|---|----------------|-----------------------|-----------------|---------|----------------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median 50th \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D9450 | Case presentation, detailed and extensive treatment planning | 141.52 | 71.41 | 50 | 92 | 132 | 179 | 185 | 200 | 225 | 299 | 33 |
| D9610 | Therapeutic parenteral drug, single administration | 62.43 | 46.84 | 0 | 25 | 66 | 100 | 105 | 111 | 134 | 137 | 35 |
| D9630 | Other drugs and/or medicaments, by report | 31.89 | 25.03 | 10 | 15 | 25 | 45 | 50 | 57 | 65 | 100 | 54 |
| D9910 | Application of desensitizing medicament | 56.09 | 21.93 | 27 | 40 | 50 | 75 | 75 | 80 | 84 | 90 | 108 |
| D9911 | Application of desensitizing resin for cervical and/or root surface, per tooth | 61.17 | 31.47 | 20 | 36 | 65 | 89 | 91 | 96 | 100 | 100 | 89 |
| D9930 | Treatment of complications (post-surgical) — unusual circumstances, by report | 116.31 | 47.18 | 53 | 75 | 120 | 150 | 153 | 165 | 174 | 200 | 72 |
| D9940 | Occlusal guard, by report | 520.46 | 138.18 | 350 | 440 | 501 | 597 | 625 | 650 | 675 | 746 | 166 |
| D9941 | Fabrication of athletic mouthguard | 270.97 | 130.53 | 110 | 175 | 257 | 347 | 369 | 400 | 490 | 500 | 115 |
| D9951 | Occlusal adjustment - limited | 152.32 | 67.20 | 66 | 102 | 146 | 190 | 200 | 217 | 239 | 269 | 134 |
| D9952 | Occlusal adjustment - complete | 560.21 | 272.76 | 190 | 351 | 553 | 760 | 795 | 815 | 856 | 930 | 121 |
| D9972 | External bleaching - per arch - performed in office | 292.92 | 130.27 | 135 | 195 | 283 | 392 | 401 | 420 | 480 | 500 | 96 |
| D9974 | Internal bleaching - per tooth | 266.23 | 95.26 | 120 | 195 | 294 | 335 | 346 | 350 | 365 | 395 | 115 |
| D9975 | External bleaching for home application, per arch; includes materials and fabrication of custom trays | 268.23 | 110.59 | 148 | 154 | 280 | 350 | 368 | 380 | 386 | 475 | 92 |

2016 Survey of Dental Fees
Oral and Maxillofacial Surgeons - National

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|--|----------------|-----------------------|-----------------|---------|-----------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D0120 | Periodic oral evaluation — established patient | 61.16 | 22.84 | 44 | 50 | 56 | 75 | 75 | 80 | 82 | 125 | 38 |
| D0140 | Limited oral evaluation - problem focused | 87.46 | 28.30 | 60 | 65 | 80 | 100 | 104 | 119 | 125 | 139 | 83 |
| D0150 | Comprehensive oral evaluation — new or established patient | 107.95 | 41.49 | 70 | 80 | 98 | 120 | 130 | 140 | 150 | 189 | 61 |
| D0160 | Detailed and extensive oral evaluation — problem focused, by report | 149.52 | 54.50 | 75 | 116 | 156 | 175 | 187 | 208 | 225 | 250 | 46 |
| D0170 | Re-evaluation - limited, problem focused (established patient; not post-operative visit) | 73.24 | 45.54 | 0 | 55 | 68 | 95 | 100 | 110 | 125 | 175 | 38 |
| D0220 | Intraoral - periapical first radiographic image | 32.73 | 10.41 | 20 | 25 | 30 | 40 | 43 | 45 | 48 | 50 | 63 |
| D0230 | Intraoral - periapical each additional radiographic image | 26.27 | 10.46 | 14 | 20 | 25 | 31 | 35 | 39 | 45 | 45 | 51 |
| D0330 | Panoramic radiographic image | 115.85 | 23.32 | 90 | 100 | 115 | 129 | 131 | 141 | 150 | 160 | 93 |
| D0367 | Cone beam CT capture and interpretation with field of view of both jaws, with or without cranium | 330.03 | 78.27 | 250 | 250 | 320 | 395 | 400 | 413 | 442 | 495 | 38 |
| D3410 | Apicoectomy/periradicular surgery - anterior | 746.40 | 202.69 | 475 | 583 | 778 | 885 | 936 | 954 | 995 | 1,050 | 42 |
| D3421 | Apicoectomy/periradicular surgery - bicuspid (first root) | 825.97 | 221.65 | 500 | 650 | 850 | 925 | 1,025 | 1,088 | 1,100 | 1,250 | 39 |
| D3425 | Apicoectomy/periradicular surgery - molar (first root) | 933.29 | 231.95 | 600 | 735 | 963 | 1,090 | 1,100 | 1,200 | 1,250 | 1,295 | 38 |
| D3426 | Apicoectomy (each additional root) | 352.57 | 143.61 | 168 | 290 | 343 | 417 | 456 | 484 | 575 | 600 | 30 |
| D4210 | Gingivectomy or gingivoplasty - four or more contiguous teeth or tooth bounded spaces per quadrant | 654.29 | 179.12 | 450 | 509 | 680 | 750 | 765 | 790 | 827 | 1,040 | 31 |
| D4211 | Gingivectomy or gingivoplasty - one to three contiguous teeth or tooth bounded spaces per quadrant | 339.61 | 114.12 | 200 | 257 | 336 | 400 | 420 | 440 | 473 | 500 | 31 |

2016 Survey of Dental Fees
Oral and Maxillofacial Surgeons - National

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|---|----------------|-----------------------|-----------------|---------|-----------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D4249 | Clinical crown lengthening — hard tissue | 706.97 | 264.34 | 375 | 525 | 659 | 875 | 950 | 1,033 | 1,090 | 1,150 | 33 |
| D4263 | Bone replacement graft - first site in quadrant | 589.81 | 296.89 | 350 | 419 | 523 | 695 | 700 | 775 | 840 | 1,500 | 37 |
| D4266 | Guided tissue regeneration — resorbable barrier, per site | 605.71 | 273.08 | 300 | 400 | 575 | 730 | 750 | 850 | 951 | 1,350 | 38 |
| D6010 | Surgical placement of implant body: endosteal implant | 2,124.95 | 292.99 | 1,800 | 1,948 | 2,108 | 2,300 | 2,369 | 2,400 | 2,500 | 2,723 | 86 |
| D6056 | Prefabricated abutment — includes modification and placement | 530.21 | 136.62 | 385 | 450 | 500 | 625 | 650 | 680 | 700 | 790 | 33 |
| D6100 | Implant removal, by report | 552.40 | 279.93 | 250 | 350 | 500 | 692 | 750 | 875 | 1,000 | 1,050 | 58 |
| D6104 | Bone graft at time of implant placement | 481.67 | 246.26 | 225 | 300 | 405 | 675 | 740 | 750 | 825 | 895 | 48 |
| D7111 | Extraction, coronal remnants -deciduous tooth | 135.36 | 42.82 | 90 | 100 | 125 | 175 | 175 | 195 | 200 | 211 | 67 |
| D7140 | Extraction, erupted tooth or exposed root (elevation and/or forceps removal) | 189.47 | 47.18 | 140 | 150 | 181 | 215 | 220 | 232 | 250 | 280 | 91 |
| D7210 | Surgical removal of erupted tooth requiring removal of bone and/or sectioning of tooth, and including elevation of mucoperiosteal flap if indicated | 293.72 | 60.43 | 225 | 250 | 294 | 325 | 345 | 351 | 375 | 400 | 97 |
| D7220 | Removal of impacted tooth - soft tissue | 342.80 | 71.52 | 253 | 290 | 345 | 380 | 385 | 400 | 450 | 489 | 94 |
| D7230 | Removal of impacted tooth -partially bony | 431.49 | 85.93 | 325 | 375 | 425 | 480 | 495 | 500 | 545 | 595 | 98 |
| D7240 | Removal of impacted tooth -completely bony | 496.27 | 97.12 | 376 | 425 | 494 | 550 | 560 | 592 | 601 | 715 | 98 |
| D7250 | Surgical removal of residual tooth roots (cutting procedure) | 316.89 | 74.46 | 236 | 256 | 312 | 351 | 364 | 380 | 400 | 484 | 92 |
| D7251 | Coronectomy - intentional partial tooth removal | 496.40 | 112.99 | 357 | 415 | 490 | 550 | 600 | 630 | 672 | 700 | 58 |
| D7286 | Incisional biopsy of oral tissue - soft | 390.85 | 114.36 | 250 | 315 | 381 | 450 | 485 | 500 | 550 | 622 | 78 |

2016 Survey of Dental Fees
Oral and Maxillofacial Surgeons - National

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|--|----------------|-----------------------|-----------------|---------|-----------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D7310 | Alveoloplasty in conjunction with extractions - four or more teeth or tooth spaces, per quadrant | 324.97 | 100.42 | 200 | 250 | 314 | 393 | 400 | 421 | 475 | 500 | 88 |
| D7320 | Alveoloplasty not in conjunction with extractions - four or more teeth or tooth spaces, per quadrant | 454.90 | 167.24 | 250 | 350 | 445 | 550 | 568 | 630 | 662 | 750 | 87 |
| D7410 | Excision of benign lesion up to 1.25 cm | 530.87 | 257.34 | 250 | 350 | 477 | 637 | 677 | 750 | 925 | 1,090 | 79 |
| D7440 | Excision of malignant tumor - lesion diameter up to 1.25 cm | 1,029.81 | 638.17 | 450 | 595 | 845 | 1,252 | 1,410 | 1,600 | 1,925 | 2,500 | 42 |
| D7450 | Removal of benign odontogenic cyst or tumor - lesion diameter up to 1.25 cm | 718.83 | 376.11 | 373 | 475 | 600 | 850 | 904 | 1,000 | 1,295 | 1,500 | 75 |
| D7630 | Mandible - open reduction (teeth immobilized, if present) | 3,993.39 | 1,700.33 | 2,500 | 3,000 | 3,600 | 4,750 | 4,950 | 5,191 | 6,500 | 8,625 | 59 |
| D7640 | Mandible - closed reduction (teeth immobilized, if present) | 2,957.02 | 1,328.74 | 1,550 | 2,113 | 2,650 | 3,500 | 3,625 | 3,932 | 4,718 | 5,688 | 60 |
| D7730 | Mandible - open reduction | 4,480.22 | 1,661.29 | 2,500 | 3,269 | 4,393 | 5,356 | 5,616 | 6,250 | 7,000 | 7,500 | 46 |
| D7740 | Mandible - closed reduction | 3,479.82 | 1,618.77 | 2,000 | 2,400 | 3,250 | 4,200 | 4,300 | 5,000 | 5,580 | 6,765 | 51 |
| D7910 | Suture of recent small wounds up to 5 cm | 473.80 | 272.08 | 225 | 300 | 382 | 600 | 625 | 725 | 750 | 1,000 | 46 |
| D7953 | Bone replacement graft for ridge preservation — per site | 506.36 | 221.12 | 300 | 350 | 455 | 625 | 660 | 700 | 800 | 950 | 76 |
| D7960 | Frenulectomy — also known as frenectomy or frenotomy - separate procedure not incidental to another | 488.25 | 174.76 | 300 | 374 | 452 | 552 | 590 | 650 | 750 | 878 | 85 |
| D7970 | Excision of hyperplastic tissue - per arch | 591.79 | 250.07 | 300 | 400 | 565 | 750 | 795 | 850 | 916 | 1,000 | 71 |
| D9110 | Palliative (emergency) treatment of dental pain - minor procedure | 133.15 | 68.64 | 70 | 80 | 108 | 175 | 199 | 210 | 250 | 275 | 34 |
| D9223 | Deep sedation/general anesthesia – each 15 minute increment | 209.21 | 47.33 | 155 | 175 | 204 | 225 | 235 | 250 | 275 | 295 | 81 |
| D9230 | Inhalation of nitrous oxide/analgesia, anxiolysis | 102.33 | 54.78 | 52 | 66 | 80 | 118 | 130 | 160 | 200 | 200 | 69 |

**2016 Survey of Dental Fees
Oral and Maxillofacial Surgeons - National**

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|---|----------------|-----------------------|-----------------|---------|----------------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median 50th \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D9243 | Intravenous moderate (conscious) sedation/analgesia - each 15 minute increment | 204.00 | 42.27 | 150 | 172 | 200 | 225 | 235 | 250 | 266 | 275 | 49 |
| D9248 | Non-intravenous conscious sedation | 206.74 | 111.96 | 95 | 137 | 200 | 275 | 300 | 350 | 350 | 405 | 31 |
| D9310 | Consultation - diagnostic service provided by dentist or physician other than requesting dentist or physician | 152.15 | 67.30 | 80 | 100 | 130 | 185 | 218 | 244 | 250 | 250 | 47 |
| D9440 | Office visit - after regularly scheduled hours | 185.90 | 100.31 | 98 | 120 | 153 | 234 | 253 | 265 | 316 | 400 | 30 |
| D9610 | Therapeutic parenteral drug, single administration | 94.69 | 63.47 | 37 | 48 | 78 | 105 | 125 | 185 | 191 | 250 | 32 |

**2016 Survey of Dental Fees
Endodontists - National**

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|--|----------------|-----------------------|-----------------|---------|-----------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D0140 | Limited oral evaluation - problem focused | 106.33 | 32.61 | 75 | 83 | 100 | 125 | 134 | 149 | 150 | 165 | 105 |
| D0170 | Re-evaluation - limited, problem focused (established patient; not post-operative visit) | 74.53 | 57.81 | 0 | 36 | 63 | 109 | 125 | 133 | 161 | 199 | 34 |
| D0220 | Intraoral - periapical first radiographic image | 30.94 | 11.21 | 20 | 25 | 29 | 35 | 38 | 40 | 50 | 55 | 89 |
| D0230 | Intraoral - periapical each additional radiographic image | 23.81 | 7.75 | 15 | 19 | 23 | 30 | 30 | 30 | 33 | 39 | 80 |
| D0364 | Cone beam CT capture and interpretation with limited field of view — less than one whole jaw | 218.38 | 94.62 | 143 | 150 | 200 | 293 | 300 | 315 | 338 | 403 | 40 |
| D2140 | Amalgam - one surface, primary or permanent | 149.54 | 37.52 | 100 | 126 | 150 | 160 | 163 | 193 | 195 | 225 | 39 |
| D2330 | Resin-based composite - one surface, anterior | 171.27 | 41.22 | 130 | 145 | 165 | 188 | 198 | 220 | 225 | 237 | 51 |
| D2331 | Resin-based composite - two surfaces, anterior | 200.95 | 57.77 | 128 | 165 | 200 | 240 | 245 | 259 | 280 | 320 | 37 |
| D2332 | Resin-based composite - three surfaces, anterior | 242.72 | 90.97 | 155 | 188 | 220 | 283 | 300 | 337 | 345 | 400 | 32 |
| D2335 | Resin-based composite - four or more surfaces or involving incisal angle (anterior) | 286.71 | 94.88 | 170 | 215 | 280 | 320 | 338 | 395 | 400 | 500 | 31 |
| D2391 | Resin-based composite - one surface, posterior | 182.63 | 45.56 | 125 | 150 | 181 | 203 | 225 | 237 | 247 | 255 | 46 |
| D2392 | Resin-based composite - two surfaces, posterior | 225.41 | 59.08 | 140 | 175 | 233 | 275 | 280 | 303 | 305 | 315 | 32 |
| D2393 | Resin-based composite - three surfaces, posterior | 272.45 | 80.03 | 165 | 193 | 280 | 345 | 345 | 356 | 363 | 377 | 31 |
| D2940 | Protective restoration | 144.19 | 64.33 | 55 | 103 | 130 | 200 | 200 | 215 | 220 | 275 | 32 |
| D2950 | Core buildup, including any pins when required | 273.87 | 62.03 | 203 | 235 | 267 | 317 | 317 | 333 | 350 | 375 | 46 |

**2016 Survey of Dental Fees
Endodontists - National**

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|--|----------------|-----------------------|-----------------|---------|----------------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median 50th \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D2954 | Prefabricated post and core in addition to crown | 350.11 | 61.08 | 270 | 297 | 351 | 383 | 395 | 415 | 450 | 450 | 36 |
| D3110 | Pulp cap - direct (excluding final restoration) | 200.92 | 141.74 | 79 | 89 | 160 | 250 | 303 | 350 | 414 | 500 | 60 |
| D3120 | Pulp cap - indirect (excluding final restoration) | 160.71 | 108.29 | 70 | 80 | 100 | 250 | 263 | 300 | 300 | 350 | 45 |
| D3220 | Therapeutic pulpotomy (excluding final restoration)... | 284.78 | 121.68 | 145 | 200 | 288 | 350 | 356 | 400 | 425 | 500 | 82 |
| D3221 | Pulpal debridement, primary and permanent teeth | 309.74 | 148.99 | 150 | 225 | 300 | 395 | 400 | 415 | 450 | 625 | 77 |
| D3222 | Partial pulpotomy for apexogenesis – permanent tooth with incomplete root development | 347.35 | 122.51 | 200 | 250 | 336 | 400 | 400 | 475 | 500 | 526 | 51 |
| D3230 | Pulpal therapy (resorbable filling) - anterior, primary tooth (excluding final restoration) | 405.40 | 268.97 | 184 | 210 | 300 | 450 | 542 | 721 | 840 | 1,070 | 35 |
| D3240 | Pulpal therapy (resorbable filling) - posterior, primary tooth (excluding final restoration) | 507.26 | 350.24 | 184 | 250 | 353 | 630 | 927 | 966 | 1,114 | 1,240 | 38 |
| D3310 | Endodontic therapy, anterior tooth (excluding final restoration) | 972.31 | 161.86 | 795 | 850 | 955 | 1,075 | 1,100 | 1,150 | 1,195 | 1,300 | 121 |
| D3320 | Endodontic therapy, bicuspid tooth (excluding final restoration) | 1,086.43 | 173.14 | 885 | 966 | 1,058 | 1,210 | 1,225 | 1,250 | 1,300 | 1,425 | 123 |
| D3330 | Endodontic therapy, molar (excluding final restoration) | 1,252.70 | 189.98 | 1,015 | 1,096 | 1,225 | 1,375 | 1,400 | 1,452 | 1,525 | 1,575 | 123 |
| D3331 | Treatment of root canal obstruction; non-surgical access | 288.44 | 119.54 | 169 | 200 | 264 | 350 | 375 | 400 | 450 | 575 | 73 |
| D3332 | Incomplete endodontic therapy; inoperable, unrestorable or fractured tooth | 411.25 | 129.73 | 250 | 326 | 400 | 500 | 518 | 535 | 580 | 630 | 103 |
| D3346 | Retreatment of previous root canal therapy — anterior | 1,086.95 | 162.98 | 887 | 979 | 1,065 | 1,200 | 1,228 | 1,275 | 1,300 | 1,350 | 115 |

**2016 Survey of Dental Fees
Endodontists - National**

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|---|----------------|-----------------------|-----------------|---------|-----------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D3347 | Retreatment of previous root canal therapy — bicuspid | 1,215.69 | 180.69 | 1,000 | 1,075 | 1,200 | 1,325 | 1,370 | 1,400 | 1,450 | 1,527 | 117 |
| D3348 | Retreatment of previous root canal therapy — molar | 1,403.56 | 209.25 | 1,150 | 1,247 | 1,400 | 1,525 | 1,560 | 1,600 | 1,650 | 1,795 | 118 |
| D3351 | Apexification/recalcification - initial visit... | 386.32 | 146.22 | 200 | 275 | 370 | 450 | 495 | 515 | 550 | 614 | 82 |
| D3352 | Apexification/recalcification - interim medication replacement | 235.95 | 109.72 | 112 | 150 | 220 | 300 | 320 | 330 | 360 | 431 | 78 |
| D3353 | Apexification/recalcification — final visit... | 595.83 | 247.08 | 303 | 415 | 567 | 700 | 749 | 800 | 871 | 1,225 | 70 |
| D3355 | Pulpal regeneration – initial visit | 454.54 | 290.15 | 150 | 250 | 402 | 526 | 572 | 612 | 830 | 1,150 | 35 |
| D3410 | Apicoectomy/periradicular surgery - anterior | 1,040.06 | 219.92 | 753 | 890 | 1,049 | 1,181 | 1,237 | 1,250 | 1,300 | 1,485 | 109 |
| D3421 | Apicoectomy/periradicular surgery - bicuspid (first root) | 1,146.12 | 235.87 | 851 | 971 | 1,144 | 1,265 | 1,300 | 1,355 | 1,400 | 1,600 | 109 |
| D3425 | Apicoectomy/periradicular surgery - molar (first root) | 1,269.91 | 264.45 | 950 | 1,080 | 1,280 | 1,415 | 1,450 | 1,500 | 1,595 | 1,750 | 111 |
| D3426 | Apicoectomy (each additional root) | 313.47 | 129.18 | 200 | 210 | 300 | 370 | 400 | 434 | 460 | 550 | 83 |
| D7140 | Extraction, erupted tooth or exposed root (elevation and/or forceps removal) | 229.71 | 79.61 | 137 | 194 | 205 | 262 | 275 | 277 | 350 | 395 | 34 |
| D7210 | Surgical removal of erupted tooth requiring removal of bone and/or sectioning of tooth, and including elevation of mucoperiosteal flap if indicated | 349.52 | 88.59 | 265 | 300 | 340 | 393 | 404 | 415 | 450 | 500 | 33 |
| D9110 | Palliative (emergency) treatment of dental pain - minor procedure | 251.96 | 131.44 | 90 | 163 | 255 | 350 | 351 | 382 | 400 | 418 | 49 |
| D9230 | Inhalation of nitrous oxide/analgesia, anxiolysis | 100.46 | 37.62 | 55 | 75 | 91 | 125 | 125 | 140 | 150 | 160 | 41 |
| D9310 | Consultation - diagnostic service provided by dentist or physician other than requesting dentist or physician | 142.25 | 44.91 | 90 | 100 | 140 | 165 | 185 | 193 | 198 | 223 | 51 |

**2016 Survey of Dental Fees
Endodontists - National**

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|--------------------------------|-------------------|--------------------------|-----------------|------------|--------------|------------|------------|------------|------------|------------|---------------------|
| | | | | 10th \$ | 25th \$ | Median \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D9974 | Internal bleaching - per tooth | 258.74 | 80.15 | 150 | 215 | 256 | 300 | 315 | 317 | 350 | 393 | 54 |

2016 Survey of Dental Fees
Orthodontists and Dentofacial Orthopedists - National

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|---|----------------|-----------------------|-----------------|---------|----------------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median 50th \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D0150 | Comprehensive oral evaluation — new or established patient | 64.68 | 69.13 | 0 | 0 | 52 | 95 | 100 | 125 | 129 | 200 | 31 |
| D0330 | Panoramic radiographic image | 104.34 | 29.02 | 75 | 81 | 95 | 120 | 127 | 150 | 150 | 160 | 65 |
| D0350 | 2D oral/facial photographic image obtained intra-orally or extra-orally | 61.50 | 41.04 | 10 | 35 | 50 | 85 | 95 | 103 | 105 | 150 | 36 |
| D0470 | Diagnostic casts | 81.14 | 25.50 | 50 | 65 | 80 | 100 | 100 | 100 | 100 | 125 | 51 |
| D1515 | Space maintainer - fixed -bilateral | 471.00 | 170.79 | 250 | 355 | 465 | 591 | 638 | 647 | 680 | 800 | 36 |
| D8020 | Limited orthodontic treatment of the transitional dentition | 2,423.42 | 1,188.43 | 1,060 | 1,523 | 2,200 | 3,200 | 3,400 | 3,600 | 3,995 | 4,580 | 101 |
| D8030 | Limited orthodontic treatment of the adolescent dentition | 2,836.12 | 1,186.66 | 1,500 | 2,000 | 2,786 | 3,550 | 3,761 | 3,980 | 4,500 | 5,000 | 108 |
| D8040 | Limited orthodontic treatment of the adult dentition | 3,430.87 | 1,215.69 | 2,000 | 2,548 | 3,350 | 4,024 | 4,380 | 4,880 | 5,030 | 5,400 | 112 |
| D8050 | Interceptive orthodontic treatment of the primary dentition | 2,538.53 | 1,156.71 | 1,055 | 1,800 | 2,390 | 3,255 | 3,450 | 3,761 | 4,298 | 4,980 | 98 |
| D8060 | Interceptive orthodontic treatment of the transitional dentition | 2,901.35 | 984.98 | 1,800 | 2,200 | 2,870 | 3,400 | 3,500 | 3,880 | 4,100 | 4,955 | 121 |
| D8070 | Comprehensive orthodontic treatment of the transitional dentition | 5,260.94 | 985.53 | 3,600 | 4,900 | 5,400 | 5,900 | 5,985 | 6,075 | 6,440 | 6,580 | 102 |
| D8080 | Comprehensive orthodontic treatment of the adolescent dentition | 5,687.27 | 640.07 | 4,978 | 5,280 | 5,610 | 6,000 | 6,088 | 6,350 | 6,544 | 6,900 | 150 |
| D8090 | Comprehensive orthodontic treatment of the adult dentition | 5,977.73 | 679.92 | 5,100 | 5,500 | 5,900 | 6,480 | 6,500 | 6,740 | 6,800 | 7,045 | 146 |
| D8670 | Periodic orthodontic treatment visit | 152.46 | 70.12 | 50 | 110 | 150 | 200 | 200 | 201 | 250 | 267 | 59 |
| D8681 | Removable orthodontic retainer adjustment | 105.44 | 84.88 | 35 | 48 | 75 | 125 | 145 | 175 | 250 | 320 | 71 |
| D8692 | Replacement of lost or broken retainer | 225.85 | 87.45 | 135 | 166 | 204 | 262 | 300 | 300 | 350 | 395 | 137 |

**2016 Survey of Dental Fees
Pediatric Dentists - National**

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|--|----------------|-----------------------|-----------------|---------|-----------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D0120 | Periodic oral evaluation — established patient | 53.53 | 11.63 | 38 | 47 | 54 | 60 | 62 | 65 | 69 | 75 | 109 |
| D0140 | Limited oral evaluation - problem focused | 75.19 | 16.58 | 53 | 68 | 76 | 85 | 86 | 90 | 93 | 100 | 110 |
| D0145 | Oral evaluation for a patient under three years of age and counseling with primary caregiver | 75.68 | 24.39 | 50 | 60 | 72 | 84 | 85 | 91 | 100 | 144 | 93 |
| D0150 | Comprehensive oral evaluation — new or established patient | 78.56 | 16.47 | 55 | 70 | 79 | 88 | 93 | 95 | 100 | 104 | 107 |
| D0160 | Detailed and extensive oral evaluation — problem focused, by report | 101.47 | 62.82 | 0 | 68 | 92 | 145 | 169 | 176 | 188 | 193 | 45 |
| D0170 | Re-evaluation - limited, problem focused (established patient; not post-operative visit) | 60.95 | 21.98 | 35 | 53 | 64 | 73 | 75 | 79 | 83 | 88 | 59 |
| D0210 | Intraoral - complete series of radiographic images | 141.95 | 34.90 | 100 | 125 | 140 | 155 | 158 | 164 | 180 | 224 | 76 |
| D0220 | Intraoral - periapical first radiographic image | 29.29 | 6.53 | 20 | 26 | 29 | 32 | 33 | 34 | 38 | 42 | 109 |
| D0230 | Intraoral - periapical each additional radiographic image | 25.21 | 5.71 | 16 | 22 | 25 | 29 | 30 | 30 | 33 | 35 | 107 |
| D0272 | Bitewings - two radiographic images | 47.10 | 10.06 | 34 | 41 | 46 | 50 | 54 | 55 | 59 | 67 | 107 |
| D0273 | Bitewings - three radiographic images | 59.49 | 11.94 | 45 | 53 | 59 | 63 | 65 | 75 | 80 | 86 | 39 |
| D0274 | Bitewings - four radiographic images | 69.59 | 14.48 | 52 | 62 | 68 | 77 | 80 | 82 | 89 | 94 | 93 |
| D0330 | Panoramic radiographic image | 112.74 | 19.46 | 90 | 99 | 111 | 125 | 127 | 131 | 136 | 150 | 101 |
| D0350 | 2D oral/facial photographic image obtained intra-orally or extra-orally | 51.71 | 28.82 | 0 | 35 | 61 | 73 | 75 | 80 | 84 | 86 | 34 |
| D0470 | Diagnostic casts | 110.49 | 33.87 | 64 | 90 | 110 | 125 | 126 | 133 | 141 | 177 | 43 |
| D1110 | Prophylaxis - adult | 88.33 | 16.95 | 66 | 78 | 87 | 98 | 100 | 105 | 109 | 120 | 113 |
| D1120 | Prophylaxis - child | 68.24 | 11.75 | 51 | 62 | 68 | 75 | 77 | 79 | 82 | 87 | 110 |
| D1206 | Topical application of fluoride varnish | 41.01 | 9.08 | 30 | 34 | 40 | 47 | 49 | 50 | 53 | 55 | 93 |
| D1208 | Topical application of fluoride – excluding varnish | 38.90 | 8.63 | 27 | 34 | 38 | 45 | 46 | 48 | 50 | 53 | 89 |

**2016 Survey of Dental Fees
Pediatric Dentists - National**

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|--|----------------|-----------------------|-----------------|---------|-----------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D1330 | Oral hygiene instructions | 20.47 | 27.07 | 0 | 0 | 3 | 35 | 44 | 50 | 58 | 62 | 62 |
| D1351 | Sealant - per tooth | 57.66 | 12.05 | 45 | 50 | 56 | 64 | 65 | 68 | 73 | 85 | 107 |
| D1352 | Preventive resin restoration in a moderate to high caries risk patient — permanent tooth | 107.77 | 49.04 | 58 | 75 | 95 | 125 | 126 | 152 | 194 | 215 | 43 |
| D1510 | Space maintainer - fixed -unilateral | 330.29 | 69.64 | 250 | 292 | 320 | 358 | 374 | 383 | 413 | 478 | 100 |
| D1515 | Space maintainer - fixed -bilateral | 478.33 | 105.46 | 360 | 409 | 460 | 528 | 551 | 576 | 650 | 685 | 104 |
| D2140 | Amalgam - one surface, primary or permanent | 142.21 | 37.71 | 96 | 120 | 138 | 162 | 170 | 175 | 198 | 217 | 73 |
| D2150 | Amalgam - two surfaces, primary or permanent | 177.67 | 46.88 | 116 | 150 | 179 | 205 | 219 | 225 | 250 | 262 | 73 |
| D2160 | Amalgam - three surfaces, primary or permanent | 213.83 | 58.54 | 140 | 174 | 215 | 258 | 266 | 282 | 285 | 310 | 71 |
| D2161 | Amalgam - four or more surfaces, primary or permanent | 246.99 | 73.94 | 148 | 176 | 250 | 298 | 318 | 325 | 340 | 363 | 68 |
| D2330 | Resin-based composite - one surface, anterior | 158.97 | 31.04 | 117 | 140 | 159 | 177 | 180 | 190 | 204 | 215 | 106 |
| D2331 | Resin-based composite - two surfaces, anterior | 198.41 | 40.98 | 144 | 174 | 199 | 220 | 227 | 235 | 255 | 263 | 108 |
| D2332 | Resin-based composite - three surfaces, anterior | 242.93 | 47.78 | 175 | 215 | 240 | 270 | 280 | 288 | 299 | 319 | 106 |
| D2335 | Resin-based composite - four or more surfaces or involving incisal angle (anterior) | 301.88 | 63.83 | 232 | 255 | 293 | 327 | 345 | 360 | 388 | 429 | 102 |
| D2390 | Resin-based composite crown, anterior | 378.05 | 110.31 | 245 | 310 | 360 | 444 | 468 | 500 | 541 | 590 | 92 |
| D2391 | Resin-based composite - one surface, posterior | 171.33 | 29.91 | 128 | 155 | 172 | 188 | 191 | 200 | 210 | 225 | 105 |
| D2392 | Resin-based composite - two surfaces, posterior | 219.48 | 41.70 | 160 | 195 | 220 | 247 | 248 | 260 | 275 | 287 | 106 |
| D2393 | Resin-based composite - three surfaces, posterior | 267.94 | 50.51 | 195 | 238 | 273 | 296 | 301 | 305 | 321 | 363 | 104 |

**2016 Survey of Dental Fees
Pediatric Dentists - National**

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|--|----------------|-----------------------|-----------------|---------|-----------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D2394 | Resin-based composite - four or more surfaces, posterior | 307.16 | 69.04 | 215 | 260 | 314 | 345 | 349 | 365 | 378 | 445 | 98 |
| D2920 | Re-cement or re-bond crown | 95.41 | 22.48 | 65 | 78 | 98 | 110 | 112 | 115 | 123 | 126 | 63 |
| D2929 | Prefabricated porcelain/ceramic crown – primary tooth | 422.58 | 100.18 | 325 | 352 | 400 | 451 | 500 | 500 | 561 | 675 | 38 |
| D2930 | Prefabricated stainless steel crown - primary tooth | 277.07 | 47.55 | 205 | 250 | 267 | 314 | 323 | 328 | 345 | 357 | 99 |
| D2931 | Prefabricated stainless steel crown - permanent tooth | 324.26 | 58.79 | 235 | 284 | 325 | 360 | 375 | 385 | 400 | 425 | 94 |
| D2940 | Protective restoration | 106.55 | 26.50 | 70 | 88 | 109 | 122 | 128 | 131 | 136 | 145 | 66 |
| D2950 | Core buildup, including any pins when required | 230.42 | 73.86 | 150 | 170 | 217 | 271 | 300 | 301 | 316 | 342 | 31 |
| D3110 | Pulp cap - direct (excluding final restoration) | 79.91 | 23.18 | 50 | 63 | 80 | 90 | 97 | 100 | 105 | 125 | 85 |
| D3120 | Pulp cap - indirect (excluding final restoration) | 75.82 | 23.06 | 45 | 58 | 75 | 90 | 95 | 96 | 98 | 112 | 87 |
| D3220 | Therapeutic pulpotomy (excluding final restoration)... | 186.13 | 44.37 | 128 | 155 | 187 | 210 | 220 | 230 | 235 | 257 | 105 |
| D3221 | Pulpal debridement, primary and permanent teeth | 195.70 | 78.74 | 104 | 147 | 212 | 246 | 255 | 261 | 281 | 315 | 56 |
| D3230 | Pulpal therapy (resorbable filling) - anterior, primary tooth (excluding final restoration) | 248.18 | 63.91 | 173 | 200 | 242 | 302 | 308 | 317 | 324 | 350 | 60 |
| D3240 | Pulpal therapy (resorbable filling) - posterior, primary tooth (excluding final restoration) | 281.40 | 85.37 | 175 | 225 | 275 | 315 | 344 | 364 | 404 | 415 | 57 |
| D3310 | Endodontic therapy, anterior tooth (excluding final restoration) | 716.97 | 229.49 | 415 | 554 | 700 | 794 | 825 | 986 | 1,000 | 1,120 | 33 |
| D4211 | Gingivectomy or gingivoplasty - one to three contiguous teeth or tooth bounded spaces per quadrant | 256.50 | 73.40 | 150 | 208 | 261 | 305 | 315 | 325 | 361 | 383 | 32 |

**2016 Survey of Dental Fees
Pediatric Dentists - National**

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|---|----------------|-----------------------|-----------------|---------|-----------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D4341 | Periodontal scaling and root planing - four or more teeth per quadrant | 233.49 | 75.15 | 147 | 176 | 225 | 275 | 295 | 300 | 320 | 346 | 37 |
| D4355 | Full mouth debridement to enable comprehensive evaluation and diagnosis | 179.87 | 46.88 | 125 | 152 | 168 | 206 | 213 | 237 | 246 | 300 | 39 |
| D7111 | Extraction, coronal remnants -deciduous tooth | 117.21 | 31.49 | 75 | 90 | 122 | 140 | 142 | 150 | 151 | 162 | 82 |
| D7140 | Extraction, erupted tooth or exposed root (elevation and/or forceps removal) | 155.87 | 37.01 | 108 | 130 | 155 | 176 | 179 | 190 | 200 | 214 | 108 |
| D7210 | Surgical removal of erupted tooth requiring removal of bone and/or sectioning of tooth, and including elevation of mucoperiosteal flap if indicated | 251.86 | 57.41 | 175 | 209 | 249 | 294 | 296 | 302 | 325 | 350 | 56 |
| D7220 | Removal of impacted tooth - soft tissue | 279.68 | 56.72 | 198 | 230 | 282 | 326 | 330 | 340 | 348 | 369 | 37 |
| D7250 | Surgical removal of residual tooth roots (cutting procedure) | 247.09 | 71.53 | 152 | 198 | 273 | 300 | 302 | 322 | 338 | 350 | 32 |
| D7910 | Suture of recent small wounds up to 5 cm | 258.26 | 146.90 | 100 | 190 | 275 | 310 | 313 | 325 | 332 | 605 | 31 |
| D7960 | Frenulectomy — also known as frenectomy or frenotomy - separate procedure not incidental to another | 431.77 | 100.29 | 310 | 350 | 435 | 475 | 504 | 538 | 550 | 613 | 44 |
| D8050 | Interceptive orthodontic treatment of the primary dentition | 1,559.03 | 1,005.14 | 600 | 811 | 1,238 | 2,197 | 2,303 | 2,352 | 2,816 | 3,800 | 34 |
| D8060 | Interceptive orthodontic treatment of the transitional dentition | 1,660.38 | 1,171.91 | 585 | 771 | 1,300 | 2,300 | 2,597 | 3,070 | 3,389 | 4,000 | 42 |
| D8692 | Replacement of lost or broken retainer | 220.37 | 96.29 | 75 | 168 | 228 | 289 | 300 | 304 | 324 | 407 | 30 |
| D9110 | Palliative (emergency) treatment of dental pain - minor procedure | 110.12 | 34.35 | 70 | 87 | 109 | 125 | 135 | 140 | 149 | 160 | 82 |
| D9230 | Inhalation of nitrous oxide/analgesia, anxiolysis | 63.26 | 27.92 | 30 | 42 | 63 | 77 | 85 | 90 | 97 | 117 | 94 |
| D9248 | Non-intravenous conscious sedation | 241.44 | 116.87 | 100 | 150 | 247 | 327 | 340 | 343 | 354 | 400 | 61 |

**2016 Survey of Dental Fees
Pediatric Dentists - National**

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|---|----------------|-----------------------|-----------------|---------|----------------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median 50th \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D9310 | Consultation - diagnostic service provided by dentist or physician other than requesting dentist or physician | 104.91 | 42.89 | 50 | 79 | 100 | 127 | 130 | 150 | 160 | 191 | 55 |
| D9420 | Hospital or ambulatory surgical center call | 324.06 | 160.04 | 122 | 233 | 293 | 375 | 450 | 500 | 544 | 600 | 50 |
| D9430 | Office visit for observation (during regularly scheduled hours) - no other services performed | 68.20 | 28.21 | 40 | 52 | 67 | 86 | 90 | 92 | 99 | 128 | 54 |
| D9440 | Office visit - after regularly scheduled hours | 171.04 | 51.23 | 100 | 139 | 169 | 200 | 203 | 212 | 246 | 263 | 73 |
| D9910 | Application of desensitizing medicament | 58.94 | 25.89 | 34 | 37 | 59 | 69 | 74 | 82 | 91 | 102 | 32 |
| D9920 | Behavior management, by report | 116.96 | 47.76 | 50 | 89 | 112 | 152 | 158 | 170 | 176 | 191 | 46 |
| D9940 | Occlusal guard, by report | 437.61 | 169.03 | 201 | 325 | 448 | 546 | 575 | 600 | 631 | 700 | 62 |
| D9941 | Fabrication of athletic mouthguard | 172.74 | 87.66 | 58 | 100 | 170 | 240 | 250 | 263 | 279 | 310 | 69 |
| D9972 | External bleaching - per arch - performed in office | 291.28 | 87.11 | 175 | 230 | 290 | 350 | 360 | 381 | 396 | 499 | 39 |
| D9975 | External bleaching for home application, per arch; includes materials and fabrication of custom trays | 268.82 | 131.31 | 150 | 175 | 250 | 326 | 350 | 425 | 500 | 550 | 33 |

**2016 Survey of Dental Fees
Periodontists - National**

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|--|----------------|-----------------------|-----------------|---------|----------------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median 50th \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D0120 | Periodic oral evaluation — established patient | 74.61 | 35.43 | 35 | 50 | 68 | 95 | 95 | 109 | 131 | 145 | 67 |
| D0140 | Limited oral evaluation - problem focused | 102.54 | 35.14 | 65 | 82 | 95 | 124 | 131 | 135 | 147 | 185 | 76 |
| D0150 | Comprehensive oral evaluation — new or established patient | 135.24 | 51.37 | 75 | 100 | 125 | 155 | 180 | 187 | 195 | 250 | 59 |
| D0160 | Detailed and extensive oral evaluation — problem focused, by report | 144.46 | 54.85 | 82 | 105 | 155 | 180 | 183 | 185 | 192 | 210 | 35 |
| D0170 | Re-evaluation - limited, problem focused (established patient; not post-operative visit) | 87.47 | 43.06 | 35 | 64 | 85 | 116 | 125 | 140 | 145 | 150 | 49 |
| D0171 | Re-evaluation – post-operative office visit | 31.63 | 50.32 | 0 | 0 | 0 | 65 | 75 | 85 | 135 | 145 | 35 |
| D0180 | Comprehensive periodontal evaluation — new or established patient | 138.76 | 44.42 | 85 | 108 | 130 | 157 | 180 | 190 | 195 | 228 | 76 |
| D0210 | Intraoral - complete series of radiographic images | 144.18 | 23.36 | 116 | 125 | 144 | 155 | 161 | 173 | 178 | 190 | 74 |
| D0220 | Intraoral - periapical first radiographic image | 30.15 | 9.35 | 20 | 25 | 30 | 35 | 37 | 39 | 40 | 46 | 75 |
| D0230 | Intraoral - periapical each additional radiographic image | 22.96 | 7.75 | 12 | 18 | 24 | 29 | 30 | 30 | 33 | 35 | 74 |
| D0272 | Bitewings - two radiographic images | 46.69 | 11.61 | 30 | 40 | 45 | 54 | 55 | 60 | 65 | 68 | 45 |
| D0274 | Bitewings - four radiographic images | 72.16 | 18.74 | 50 | 60 | 71 | 80 | 85 | 90 | 100 | 115 | 56 |
| D0277 | Vertical bitewings - 7 to 8 radiographic images | 111.29 | 32.28 | 80 | 86 | 100 | 141 | 148 | 160 | 162 | 175 | 31 |
| D0330 | Panoramic radiographic image | 134.61 | 26.84 | 100 | 119 | 130 | 152 | 158 | 162 | 175 | 180 | 44 |
| D0470 | Diagnostic casts | 108.62 | 45.00 | 55 | 75 | 104 | 135 | 139 | 150 | 175 | 200 | 39 |
| D1110 | Prophylaxis - adult | 120.75 | 27.63 | 90 | 100 | 120 | 140 | 145 | 150 | 152 | 175 | 65 |
| D1120 | Prophylaxis - child | 91.74 | 25.35 | 60 | 70 | 95 | 110 | 110 | 110 | 120 | 143 | 34 |
| D1206 | Topical application of fluoride varnish | 42.13 | 14.21 | 25 | 30 | 45 | 52 | 53 | 55 | 57 | 65 | 31 |
| D1330 | Oral hygiene instructions | 31.88 | 31.90 | 0 | 0 | 26 | 55 | 60 | 64 | 68 | 79 | 42 |

**2016 Survey of Dental Fees
Periodontists - National**

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|---|----------------|-----------------------|-----------------|---------|-----------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D4210 | Gingivectomy or gingivoplasty - four or more contiguous teeth or tooth bounded spaces per quadrant | 847.41 | 353.92 | 448 | 600 | 771 | 1,054 | 1,200 | 1,250 | 1,355 | 1,475 | 80 |
| D4211 | Gingivectomy or gingivoplasty - one to three contiguous teeth or tooth bounded spaces per quadrant | 557.37 | 273.39 | 260 | 350 | 493 | 777 | 850 | 871 | 950 | 1,100 | 76 |
| D4212 | Gingivectomy or gingivoplasty to allow access for restorative procedure, per tooth | 537.94 | 280.00 | 150 | 328 | 510 | 711 | 850 | 870 | 970 | 1,015 | 34 |
| D4240 | Gingival flap procedure, including root planing — four or more contiguous teeth or tooth bounded spaces per quadrant | 997.62 | 325.30 | 670 | 793 | 950 | 1,187 | 1,273 | 1,400 | 1,460 | 1,561 | 68 |
| D4241 | Gingival flap procedure, including root planing — one to three contiguous teeth or tooth bounded spaces per quadrant | 747.21 | 271.73 | 400 | 595 | 690 | 886 | 950 | 1,000 | 1,100 | 1,300 | 67 |
| D4249 | Clinical crown lengthening — hard tissue | 1,027.54 | 267.34 | 735 | 850 | 991 | 1,157 | 1,200 | 1,230 | 1,363 | 1,600 | 83 |
| D4260 | Osseous surgery (including elevation of a full thickness flap and closure) - four or more contiguous teeth or tooth bounded spaces per quadrant | 1,406.58 | 415.93 | 950 | 1,079 | 1,320 | 1,600 | 1,699 | 1,875 | 2,000 | 2,230 | 85 |
| D4261 | Osseous surgery (including elevation of a full thickness flap and closure) - one to three contiguous teeth or tooth bounded spaces per quadrant | 1,073.96 | 290.17 | 780 | 880 | 1,020 | 1,200 | 1,250 | 1,350 | 1,500 | 1,630 | 82 |
| D4263 | Bone replacement graft - first site in quadrant | 555.67 | 189.11 | 350 | 400 | 540 | 690 | 710 | 750 | 804 | 900 | 83 |
| D4264 | Bone replacement graft — each additional site in quadrant | 397.68 | 197.12 | 150 | 275 | 379 | 500 | 523 | 550 | 643 | 850 | 75 |
| D4266 | Guided tissue regeneration — resorbable barrier, per site | 581.36 | 216.06 | 325 | 450 | 550 | 692 | 750 | 850 | 940 | 1,000 | 77 |
| D4267 | Guided tissue regeneration — non-resorbable barrier, per site (includes membrane removal) | 684.02 | 269.73 | 400 | 495 | 636 | 804 | 940 | 1,045 | 1,109 | 1,200 | 66 |

**2016 Survey of Dental Fees
Periodontists - National**

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|---|----------------|-----------------------|-----------------|---------|-----------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D4273 | Autogenous connective tissue graft procedure (including donor and recipient surgical sites) first tooth, implant or edentulous tooth position | 1,260.54 | 268.77 | 955 | 1,078 | 1,220 | 1,416 | 1,493 | 1,545 | 1,600 | 1,800 | 80 |
| D4275 | Non-autogenous connective tissue graft procedure (including donor and recipient surgical sites) first tooth, implant or edentulous tooth position in graft | 1,272.71 | 294.86 | 925 | 1,040 | 1,265 | 1,460 | 1,500 | 1,550 | 1,600 | 1,800 | 62 |
| D4277 | Free soft tissue graft procedure (including recipient and donor site surgical sites) first tooth, implant, or edentulous tooth position in graft | 1,148.29 | 247.72 | 888 | 957 | 1,104 | 1,262 | 1,300 | 1,395 | 1,480 | 1,748 | 76 |
| D4278 | Free soft tissue graft procedure (including recipient and donor site surgical sites) each additional contiguous tooth, implant, or edentulous tooth position in same graft site | 699.48 | 405.82 | 207 | 373 | 636 | 988 | 1,038 | 1,150 | 1,250 | 1,395 | 64 |
| D4283 | Autogenous connective tissue graft procedure...each additional contiguous tooth, implant or edentulous tooth position in same graft site | 769.15 | 436.45 | 248 | 418 | 733 | 1,013 | 1,100 | 1,229 | 1,376 | 1,605 | 48 |
| D4285 | Non-autogenous connective tissue graft procedure...each additional contiguous tooth, implant or edentulous tooth position in same graft site | 730.03 | 381.79 | 300 | 436 | 650 | 980 | 1,000 | 1,200 | 1,250 | 1,300 | 31 |
| D4321 | Provisional splinting - extracoronal | 392.08 | 185.96 | 150 | 260 | 368 | 525 | 560 | 600 | 615 | 675 | 39 |
| D4341 | Periodontal scaling and root planing - four or more teeth per quadrant | 326.88 | 72.77 | 235 | 275 | 310 | 385 | 396 | 400 | 425 | 450 | 86 |
| D4342 | Periodontal scaling and root planing - one to three teeth per quadrant | 234.81 | 53.96 | 171 | 195 | 225 | 275 | 285 | 295 | 303 | 325 | 77 |
| D4355 | Full mouth debridement to enable comprehensive evaluation and diagnosis | 229.53 | 113.81 | 125 | 160 | 200 | 263 | 285 | 325 | 363 | 500 | 70 |

**2016 Survey of Dental Fees
Periodontists - National**

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|---|----------------|-----------------------|-----------------|---------|-----------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D4381 | Localized delivery of antimicrobial agents via a controlled release vehicle into diseased crevicular tissue, per tooth | 86.54 | 44.97 | 40 | 52 | 75 | 112 | 125 | 139 | 157 | 179 | 68 |
| D4910 | Periodontal maintenance | 146.66 | 30.33 | 113 | 125 | 145 | 158 | 165 | 180 | 185 | 200 | 83 |
| D6010 | Surgical placement of implant body: endosteal implant | 2,176.73 | 253.31 | 1,850 | 2,000 | 2,187 | 2,350 | 2,360 | 2,398 | 2,500 | 2,610 | 74 |
| D6056 | Prefabricated abutment — includes modification and placement | 575.37 | 198.37 | 381 | 425 | 525 | 700 | 749 | 750 | 850 | 1,000 | 30 |
| D6100 | Implant removal, by report | 703.12 | 275.63 | 350 | 495 | 719 | 945 | 950 | 975 | 990 | 1,075 | 42 |
| D6104 | Bone graft at time of implant placement | 568.16 | 239.70 | 320 | 420 | 527 | 663 | 727 | 783 | 900 | 1,150 | 44 |
| D7140 | Extraction, erupted tooth or exposed root (elevation and/or forceps removal) | 225.95 | 78.75 | 150 | 170 | 200 | 268 | 295 | 310 | 350 | 375 | 73 |
| D7210 | Surgical removal of erupted tooth requiring removal of bone and/or sectioning of tooth, and including elevation of mucoperiosteal flap if indicated | 380.49 | 132.06 | 230 | 290 | 357 | 440 | 450 | 500 | 550 | 675 | 77 |
| D7220 | Removal of impacted tooth - soft tissue | 396.00 | 102.03 | 258 | 343 | 395 | 450 | 450 | 485 | 500 | 670 | 38 |
| D7230 | Removal of impacted tooth -partially bony | 459.59 | 92.63 | 350 | 395 | 475 | 522 | 550 | 595 | 595 | 600 | 32 |
| D7250 | Surgical removal of residual tooth roots (cutting procedure) | 368.16 | 112.13 | 242 | 295 | 375 | 425 | 443 | 475 | 513 | 575 | 45 |
| D7286 | Incisional biopsy of oral tissue - soft | 416.65 | 123.26 | 282 | 339 | 415 | 467 | 489 | 543 | 595 | 700 | 57 |
| D7310 | Alveoloplasty in conjunction with extractions - four or more teeth or tooth spaces, per quadrant | 503.55 | 230.09 | 270 | 350 | 470 | 600 | 636 | 675 | 850 | 1,000 | 38 |
| D7320 | Alveoloplasty not in conjunction with extractions - four or more teeth or tooth spaces, per quadrant | 673.13 | 258.16 | 365 | 475 | 622 | 850 | 895 | 985 | 1,000 | 1,200 | 38 |
| D7953 | Bone replacement graft for ridge preservation — per site | 699.79 | 311.53 | 364 | 500 | 613 | 830 | 912 | 1,150 | 1,200 | 1,366 | 52 |

**2016 Survey of Dental Fees
Periodontists - National**

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|---|-------------------|--------------------------|-----------------|------------|----------------------|------------|------------|------------|------------|------------|---------------------|
| | | | | 10th \$ | 25th \$ | Median 50th \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D7960 | Frenulectomy — also known as frenectomy or frenotomy - separate procedure not incidental to another | 538.02 | 130.22 | 379 | 450 | 521 | 608 | 620 | 680 | 750 | 815 | 58 |
| D7970 | Excision of hyperplastic tissue - per arch | 857.90 | 518.38 | 354 | 475 | 693 | 1,045 | 1,200 | 1,280 | 1,655 | 1,850 | 30 |
| D9110 | Palliative (emergency) treatment of dental pain - minor procedure | 143.62 | 68.43 | 79 | 95 | 129 | 178 | 190 | 225 | 250 | 267 | 52 |
| D9230 | Inhalation of nitrous oxide/analgesia, anxiolysis | 70.81 | 31.22 | 37 | 50 | 62 | 90 | 92 | 100 | 110 | 139 | 37 |
| D9310 | Consultation - diagnostic service provided by dentist or physician other than requesting dentist or physician | 136.46 | 67.51 | 52 | 100 | 135 | 162 | 175 | 181 | 187 | 292 | 37 |
| D9430 | Office visit for observation (during regularly scheduled hours) - no other services performed | 66.61 | 43.44 | 0 | 35 | 72 | 95 | 100 | 120 | 120 | 130 | 31 |
| D9910 | Application of desensitizing medicament | 52.57 | 26.27 | 21 | 30 | 52 | 68 | 72 | 75 | 88 | 95 | 30 |
| D9940 | Occlusal guard, by report | 599.63 | 155.12 | 410 | 485 | 600 | 700 | 713 | 750 | 825 | 875 | 51 |
| D9951 | Occlusal adjustment - limited | 202.86 | 105.37 | 89 | 125 | 180 | 250 | 294 | 300 | 325 | 400 | 51 |
| D9952 | Occlusal adjustment - complete | 568.14 | 204.02 | 375 | 438 | 505 | 650 | 730 | 773 | 850 | 990 | 44 |

**2016 Survey of Dental Fees
Prosthodontists - National**

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|---|----------------|-----------------------|-----------------|---------|-----------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D0120 | Periodic oral evaluation — established patient | 69.97 | 25.32 | 45 | 50 | 70 | 80 | 81 | 96 | 105 | 125 | 32 |
| D0140 | Limited oral evaluation - problem focused | 98.47 | 30.13 | 63 | 75 | 96 | 125 | 125 | 125 | 130 | 145 | 30 |
| D0150 | Comprehensive oral evaluation — new or established patient | 125.53 | 39.67 | 71 | 98 | 125 | 150 | 159 | 163 | 170 | 185 | 32 |
| D0210 | Intraoral - complete series of radiographic images | 144.97 | 22.24 | 121 | 125 | 145 | 164 | 165 | 168 | 175 | 180 | 30 |
| D0220 | Intraoral - periapical first radiographic image | 31.45 | 10.99 | 15 | 25 | 30 | 40 | 41 | 46 | 48 | 50 | 31 |
| D0230 | Intraoral - periapical each additional radiographic image | 24.45 | 8.34 | 15 | 18 | 25 | 30 | 32 | 35 | 36 | 40 | 31 |
| D1110 | Prophylaxis - adult | 117.31 | 28.97 | 85 | 95 | 118 | 130 | 140 | 150 | 163 | 175 | 32 |
| D2330 | Resin-based composite - one surface, anterior | 192.16 | 38.72 | 142 | 166 | 186 | 220 | 225 | 234 | 242 | 265 | 31 |
| D2331 | Resin-based composite - two surfaces, anterior | 237.23 | 46.77 | 175 | 204 | 230 | 275 | 280 | 285 | 290 | 325 | 31 |
| D2332 | Resin-based composite - three surfaces, anterior | 289.03 | 65.40 | 225 | 250 | 281 | 330 | 340 | 345 | 347 | 415 | 31 |
| D2335 | Resin-based composite - four or more surfaces or involving incisal angle (anterior) | 361.00 | 92.58 | 257 | 300 | 348 | 410 | 426 | 450 | 493 | 520 | 30 |
| D2391 | Resin-based composite - one surface, posterior | 207.47 | 42.64 | 161 | 175 | 200 | 225 | 233 | 252 | 273 | 309 | 30 |
| D2392 | Resin-based composite - two surfaces, posterior | 277.23 | 57.57 | 201 | 225 | 283 | 310 | 332 | 335 | 354 | 360 | 30 |
| D2920 | Re-cement or re-bond crown | 151.90 | 73.97 | 92 | 102 | 140 | 168 | 171 | 179 | 200 | 385 | 31 |
| D5110 | Complete denture - maxillary | 2,710.60 | 876.23 | 1,590 | 2,000 | 2,653 | 3,500 | 3,504 | 3,600 | 3,803 | 4,500 | 30 |
| D5120 | Complete denture - mandibular | 2,720.67 | 869.29 | 1,640 | 2,100 | 2,675 | 3,500 | 3,504 | 3,600 | 3,803 | 4,500 | 30 |
| D5130 | Immediate denture - maxillary | 2,531.80 | 922.89 | 1,500 | 1,800 | 2,314 | 3,200 | 3,358 | 3,500 | 3,666 | 3,822 | 30 |
| D5140 | Immediate denture - mandibular | 2,541.43 | 917.32 | 1,550 | 1,800 | 2,332 | 3,200 | 3,358 | 3,500 | 3,666 | 3,822 | 30 |

**2016 Survey of Dental Fees
Prosthodontists - National**

| Procedure Code | Description of Service | Average Fee \$ | Standard Deviation \$ | Percentile Fees | | | | | | | | Number of Responses |
|----------------|--|----------------|-----------------------|-----------------|---------|----------------|---------|---------|---------|---------|---------|---------------------|
| | | | | 10th \$ | 25th \$ | Median 50th \$ | 75th \$ | 80th \$ | 85th \$ | 90th \$ | 95th \$ | |
| D5211 | Maxillary partial denture - resin base (including any conventional clasps, rests and teeth) | 1,714.37 | 846.84 | 898 | 1,029 | 1,521 | 2,100 | 2,266 | 2,474 | 3,154 | 3,529 | 30 |
| D5212 | Mandibular partial denture - resin base (including any conventional clasps, rests and teeth) | 1,733.47 | 857.00 | 898 | 1,029 | 1,521 | 2,221 | 2,355 | 2,474 | 3,154 | 3,529 | 30 |
| D5213 | Maxillary partial denture - cast metal framework with resin denture bases (including any conventional clasps, rests, and teeth) | 2,775.55 | 880.07 | 1,750 | 2,121 | 2,819 | 3,200 | 3,200 | 3,500 | 3,529 | 4,500 | 31 |
| D5214 | Mandibular partial denture - cast metal framework with resin denture bases (including any conventional clasps, rests, and teeth) | 2,776.77 | 880.72 | 1,750 | 2,121 | 2,819 | 3,200 | 3,200 | 3,500 | 3,529 | 4,500 | 31 |

2016 Survey of Dental Fees Methodology

In accordance with a directive from the 1976 House of Delegates, the Health Policy Institute is responsible for periodically gathering and disseminating information regarding dental fees in the United States. The American Dental Association's (ADA) survey of fees charged by general practitioners and specialists is limited to the publication of statistics gathered from a nationwide random sample of dentists, who were asked to record the fee most often charged for each of 271 different dental procedures. **The survey data should not be interpreted as constituting a fee schedule in any way, and should not be used for that purpose. Dentists must establish their own fees based on their individual practice and market considerations.**

The procedure codes on the 2016 *Survey of Dental Fees* survey instrument and presented in the tables of this report were taken from *CDT 2016*, the reference manual published by the ADA. The previous *Survey of Dental Fees* used codes based on the 2013 edition of the manual; therefore, care should be taken when comparing data in this report with data from previous ADA *Surveys of Dental Fees* or reports from other sources. CDT 2016 contains numerous updates and modifications to procedure codes, descriptors and common dental terms.

In this report, data for general practitioners are presented separately for each of the nine U.S. Census Divisions and for the nation as a whole. Following the general practitioner data, national statistics are presented for six dental specialties. The sample design used to select specialists did not provide a sufficient number of specialists to allow for analysis by specialty at the divisional level. Statistics presented for each procedure include the number of respondents, average, standard deviation and percentiles. The Glossary (separate page) includes definitions of these statistics, all of which help indicate how fee answers varied for a given procedure in our survey. To ensure statistical validity, at least 30 responses must have been received for each reported procedure. In both the general practitioner and specialty sections, only those procedures that received 30 or more responses are included in this report.

Sampling

The 2016 *Survey of Dental Fees* sample was selected from the ADA's national sampling frame of active private practitioners ("the population"), which includes member and non-member dentists. The sample, representing 7.4% of the population, was a simple random probability sample of 13,000 dentists in private practice, of whom approximately 60% were general practitioners and 40% were specialists. General practitioners from the New England and East South Central divisions were also oversampled to ensure a sufficient number of responses.

Representativeness was determined by checking for statistically significant differences between the sample and population on the following demographic characteristics using chi-square statistics and T-tests: division, primary occupation, secondary occupation, specialty, race, ownership status, age, and graduation year. No statistically significant differences were found between any of the subsamples of general practitioners and specialists and their populations.

Data collection

The 2016 *Survey of Dental Fees* was initially mailed to 13,000 dentists in private practice in March 2016, and two follow-up mailings to non-respondents were sent in May and July. Data collection was concluded in August 2016 after responses had been received from 1,695 dentists. The final adjusted response rate of 13.8% excludes those individuals who were retired, not in private practice, deceased, or had unknown or foreign addresses.

Weighting

The proportion of oversampled dentists in the sample and among the respondents was higher than in the actual population. To be able to make statements about all private practitioners, all general practitioners, or all specialists, the proportion of general practitioners and specialists among the respondents had to match those of the sample frame and the dental population as a whole. If left unbalanced, the statistics presented for all dentists, all general practitioners, or all specialists would have been skewed by the disproportionate number of oversampled dentists among the respondents and would not have been an accurate representation of the dental population being analyzed.

In the sampling frame, 3.8% of dentists were New England general practitioners, 3.8% were East South Central general practitioners, 52.3% were general practitioners from other divisions, and 40.0% were specialists. Among the respondents to the survey, 5.0% of dentists were New England general practitioners, 8.0% were East South Central general practitioners, 49.0% were general practitioners from other divisions, and 38.0% were specialists. Weights were calculated for these five sets of dentists to bring the proportions found among the respondents into line with those found in the dental population.

In this report, the weights were used in the calculation of statistics in which all general practitioners were combined. Weights were not used when a single division of general practitioners or a single specialty were analyzed separately. Statistics computed with weights are indicated as such in the report.

Each weight was calculated by dividing the percentage of each in the sampling frame by the percentage in the respondent population

| | Percentage in the sampling frame | = | Weight | | = | Weight |
|---|---|---|---------|--|---------------------------|-----------|
| | Percentage in the respondent population | | | | | |
| Weighting scheme for reporting all general practitioners combined | | | | | | |
| General practitioners (New England) | $\frac{0.05060}{0.05038}$ | = | 1.00435 | General practitioners (East South Central) | $\frac{0.04571}{0.07985}$ | = 0.57246 |
| General practitioners (Middle Atlantic) | $\frac{0.14811}{0.11977}$ | = | 1.23660 | General practitioners (West South Central) | $\frac{0.10071}{0.09506}$ | = 1.05951 |
| General practitioners (East North Central) | $\frac{0.14411}{0.17681}$ | = | 0.81508 | General practitioners (Mountain) | $\frac{0.06988}{0.06749}$ | = 1.03537 |
| General practitioners (West North Central) | $\frac{0.05951}{0.09125}$ | = | 0.65218 | General practitioners (Pacific) | $\frac{0.21157}{0.18916}$ | = 1.11847 |
| General practitioners (South Atlantic) | $\frac{0.16979}{0.13023}$ | = | 1.30379 | | | |

For example, when reporting all general practitioners combined, weighting had the effect of turning every responding general practitioner from the New England division into 1.00435 general practitioners.

2016 Survey of Dental Fees

Glossary

AVERAGE

The arithmetic average of all fees reported by the respondents, obtained by taking the sum of all fees and dividing by the number of responses. It is possible that no dentist reported charging a fee that is exactly equal to the average value. If the distribution of fees is not symmetrical (that is, one half is not the mirror image of the other), the median is a better indicator of the typical fee charged than the average.

CHI-SQUARE STATISTICS

Chi-square statistics indicate, in the context of this report, whether the demographic characteristics of a random sample occur with a distribution similar to that of the population from which the sample is drawn.

DIVISIONS

Nine U.S. Census Divisions:

| | |
|---------------------|---|
| New England: | Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, and Vermont. |
| Middle Atlantic: | New Jersey, New York, and Pennsylvania. |
| East North Central: | Illinois, Indiana, Michigan, Ohio, and Wisconsin. |
| West North Central: | Iowa, Kansas, Minnesota, Missouri, Nebraska, North Dakota, and South Dakota. |
| South Atlantic: | Delaware, Florida, Georgia, Maryland, North Carolina, South Carolina, Virginia, Washington D.C., and West Virginia. |
| East South Central: | Alabama, Kentucky, Mississippi, and Tennessee. |
| West South Central: | Arkansas, Louisiana, Oklahoma, and Texas. |
| Mountain: | Arizona, Colorado, Idaho, Montana, Nevada, New Mexico, Utah, and Wyoming. |
| Pacific: | Alaska, California, Hawaii, Oregon, and Washington. |

| | |
|---|---|
| MEDIAN | A statistical measure that divides ranked numeric responses into halves. The median is the response that falls at the fifty percent mark. The responses in one half are all smaller than the median and those in the other half are all larger than the median. |
| PERCENTILE | A percentile represents a fee at which a certain percentage of dentists charge up to the value of that fee. Example: the 75th percentile describes the fee equal to or greater than 75% of the fees for a given procedure. |
| SIMPLE RANDOM PROBABILITY SAMPLE | A simple random probability sample denotes a sample in which names are drawn at random without replacement. |
| STANDARD DEVIATION (S.D.) | The typical deviation of sample values from the mean. The size of the standard deviation reflects the accuracy of the sample mean in representing the population. In a normal population, 68.0% of the observations fall within one standard deviation of the mean, 95.5% within two standard deviations, and 99.7% within three standard deviations. |
| T-TESTS | T-tests indicate, in the context of this report, whether the mean values of numeric demographic characteristics (age, year of graduation) of a random sample are statistically similar to those of the population from which the sample is drawn. |

2016 Survey of Dental Fees

Please **circle** the number corresponding to the most appropriate response or fill in the blank. **Please do not report ranges.**

1. What is your current occupation? (Please circle only one response).
- a. Private practice (full- or part-time)..... 1
 - b. Other dental occupation..... 2
 - c. Other non-dental occupation 3

Please complete this questionnaire if you are currently in **private practice**. Otherwise, **stop here** and **return** the questionnaire. Thank you.

2. In your primary practice in 2016, in which of the following ADA-recognized specialty areas were you announcing yourself and practicing as a licensed specialist? (Circle **one** response).
- a. No specialty. I am a general practitioner..... 0
 - b. Oral and maxillofacial surgery..... 1
 - c. Endodontics 2
 - d. Orthodontics and dentofacial orthopedics 3
 - e. Pediatric dentistry 4
 - f. Periodontics 5
 - g. Prosthodontics 6
 - h. Oral and maxillofacial pathology 7
 - i. Public health 8
 - j. Oral and maxillofacial radiology 9
3. Please describe your **primary practice**. You are:
- a. A sole practitioner 1
 - b. In a practice with 2 to 5 dentists 2
 - c. In a practice with 6 to 10 dentists 3
 - d. In a practice with 11 to 20 dentists 3
 - e. In a practice with 21 to 100 dentists 4
 - f. In a practice with more than 100 dentists 5
4. What is the zip code of your **primary practice**?..... _____
zip code

5. Approximately what percentage of the patients who currently visit the **entire primary practice** are:
- a. Covered by a private benefit program that pays or partially pays for their dental care?..... _____%
 - b. Covered by a public assistance program that pays or partially pays for their dental care?..... _____%
 - c. Not covered by an insurance program? _____%
- Total 100%
6. Please indicate the number of participating provider contracts you have with the following:
- a. PPO plans _____
 - b. DHMO plans..... _____
 - c. Discount plans..... _____
7. In your opinion, how much are your fees discounted by managed care plans on an average percentage basis?
- a. <10%..... 1
 - b. 10 – 20%..... 2
 - c. 21 – 40%..... 3
 - d. >40%..... 4
8. Do you or does your practice management system submit your full fee and all claim submissions to payers?
- Yes 1
 - No..... 2
9. How frequently do you update your fees? (Select the closest time interval).
- a. Less than 6 months between updates..... 1
 - b. Every 6 months 2
 - c. Every year 3
 - d. Every two years..... 4
 - e. More than two years between updates..... 5

PLEASE READ THESE IMPORTANT INSTRUCTIONS BEFORE CONTINUING:

For the following procedures, **record your full fee—not the portion that you expect to receive or for which you might be reimbursed**. A full fee is the fee for a service that is set by the dentist, which reflects the costs of providing the procedure and the value of the dentist's professional judgment. A contractual relationship does not change the dentist's full fee. It is always appropriate to report the full fee for each service reported to a third-party payer.

- **Do not report a fee range.**
- Record a single fee for each service.
- **If you provide certain services without charge, write 0 (zero).**
- If you **do not perform** a certain procedure, **leave the corresponding space blank.**

Procedure codes from the most recent revision of the ADA's *Code on Dental Procedures and Nomenclature* are provided for your assistance in specifying services. All codes and nomenclature are published in the ADA's *CDT 2016: Dental Procedure Codes*.

DIAGNOSTIC (D0100 - D0999)

| | | |
|-------|---|-----------|
| D0120 | Periodic oral evaluation — established patient | \$_____00 |
| D0140 | Limited oral evaluation - problem focused | \$_____00 |
| D0145 | Oral evaluation for a patient under three years of age and counseling with primary caregiver | \$_____00 |
| D0150 | Comprehensive oral evaluation — new or established patient | \$_____00 |
| D0160 | Detailed and extensive oral evaluation — problem focused, by report | \$_____00 |
| D0170 | Re-evaluation - limited, problem focused (established patient; not post-operative visit) | \$_____00 |
| D0171 | Re-evaluation – post-operative office visit | \$_____00 |
| D0180 | Comprehensive periodontal evaluation — new or established patient | \$_____00 |
| D0190 | Screening of a patient | \$_____00 |
| D0191 | Assessment of a patient | \$_____00 |
| D0210 | Intraoral - complete series of radiographic images | \$_____00 |
| D0220 | Intraoral - periapical first radiographic image | \$_____00 |
| D0230 | Intraoral - periapical each additional radiographic image | \$_____00 |
| D0251 | Extra-oral posterior dental radiographic image | \$_____00 |
| D0272 | Bitewings - two radiographic images | \$_____00 |
| D0273 | Bitewings - three radiographic images | \$_____00 |
| D0274 | Bitewings - four radiographic images | \$_____00 |
| D0277 | Vertical bitewings - 7 to 8 radiographic images | \$_____00 |
| D0330 | Panoramic radiographic image | \$_____00 |
| D0350 | 2D oral/facial photographic image obtained intra-orally or extra-orally | \$_____00 |
| D0364 | Cone beam CT capture and interpretation with limited field of view — less than one whole jaw | \$_____00 |
| D0365 | Cone beam CT capture and interpretation with field of view of one full dental arch — mandible | \$_____00 |
| D0366 | Cone beam CT capture and interpretation with field of view of one full dental arch — maxilla, with or without cranium | \$_____00 |
| D0367 | Cone beam CT capture and interpretation with field of view of both jaws, with or without cranium | \$_____00 |
| D0417 | Collection and preparation of saliva sample for laboratory diagnostic testing | \$_____00 |

DIAGNOSTIC (D0100 - D0999) Continued

| | | |
|-------|---|-----------|
| D0418 | Analysis of saliva sample | \$_____00 |
| D0431 | Adjunctive pre-diagnostic test that aids in detection of mucosal abnormalities... | \$_____00 |
| D0470 | Diagnostic casts | \$_____00 |
| D0601 | Caries risk assessment and documentation, with a finding of low risk | \$_____00 |
| D0602 | Caries risk assessment and documentation, with a finding of moderate risk | \$_____00 |
| D0603 | Caries risk assessment and documentation, with a finding of high risk | \$_____00 |

PREVENTIVE (D1000 — D1999)

| | | |
|-------|--|-----------|
| D1110 | Prophylaxis - adult | \$_____00 |
| D1120 | Prophylaxis - child | \$_____00 |
| D1206 | Topical application of fluoride varnish | \$_____00 |
| D1208 | Topical application of fluoride – excluding varnish | \$_____00 |
| D1320 | Tobacco counseling for the control and prevention of oral disease | \$_____00 |
| D1330 | Oral hygiene instructions | \$_____00 |
| D1351 | Sealant - per tooth | \$_____00 |
| D1352 | Preventive resin restoration in a moderate to high caries risk patient — permanent tooth | \$_____00 |
| D1354 | Interim caries arresting medicament application | \$_____00 |
| D1510 | Space maintainer - fixed - unilateral | \$_____00 |
| D1515 | Space maintainer - fixed - bilateral | \$_____00 |

RESTORATIVE (D2000 — D2999)

| | | |
|-------|---|-----------|
| D2140 | Amalgam - one surface, primary or permanent | \$_____00 |
| D2150 | Amalgam - two surfaces, primary or permanent | \$_____00 |
| D2160 | Amalgam - three surfaces, primary or permanent | \$_____00 |
| D2161 | Amalgam - four or more surfaces, primary or permanent | \$_____00 |
| D2330 | Resin-based composite - one surface, anterior | \$_____00 |
| D2331 | Resin-based composite - two surfaces, anterior | \$_____00 |
| D2332 | Resin-based composite - three surfaces, anterior | \$_____00 |
| D2335 | Resin-based composite - four or more surfaces or involving incisal angle (anterior) | \$_____00 |

RESTORATIVE (D2000 — D2999) Continued

| | | |
|-------|--|-----------|
| D2390 | Resin-based composite crown, anterior | \$_____00 |
| D2391 | Resin-based composite - one surface, posterior | \$_____00 |
| D2392 | Resin-based composite - two surfaces, posterior | \$_____00 |
| D2393 | Resin-based composite - three surfaces, posterior | \$_____00 |
| D2394 | Resin-based composite - four or more surfaces, posterior | \$_____00 |
| D2520 | Inlay - metallic - two surfaces | \$_____00 |
| D2543 | Onlay - metallic - three surfaces | \$_____00 |
| D2620 | Inlay - porcelain/ceramic - two surfaces | \$_____00 |
| D2642 | Onlay - porcelain/ceramic - two surfaces | \$_____00 |
| D2643 | Onlay - porcelain/ceramic - three surfaces | \$_____00 |
| D2644 | Onlay - porcelain/ceramic - four or more surfaces | \$_____00 |
| D2651 | Inlay - resin-based composite - two surfaces | \$_____00 |
| D2662 | Onlay - resin-based composite - two surfaces | \$_____00 |
| D2663 | Onlay - resin-based composite - three surfaces | \$_____00 |
| D2664 | Onlay - resin-based composite - four or more surfaces | \$_____00 |
| D2710 | Crown - resin-based composite (indirect) | \$_____00 |
| D2740 | Crown - porcelain/ceramic substrate | \$_____00 |
| D2750 | Crown - porcelain fused to high noble metal | \$_____00 |
| D2751 | Crown - porcelain fused to predominantly base metal | \$_____00 |
| D2752 | Crown - porcelain fused to noble metal | \$_____00 |
| D2780 | Crown - ¾ cast high noble metal | \$_____00 |
| D2783 | Crown - ¾ porcelain/ceramic | \$_____00 |
| D2790 | Crown - full cast high noble metal | \$_____00 |
| D2794 | Crown - titanium | \$_____00 |
| D2799 | Provisional crown – further treatment or completion of diagnosis necessary prior to final impression | \$_____00 |
| D2920 | Re-cement or re-bond crown | \$_____00 |
| D2929 | Prefabricated porcelain/ceramic crown – primary tooth | \$_____00 |
| D2930 | Prefabricated stainless steel crown - primary tooth | \$_____00 |
| D2931 | Prefabricated stainless steel crown - permanent tooth | \$_____00 |
| D2940 | Protective restoration | \$_____00 |

RESTORATIVE (D2000 — D2999) Continued

| | | |
|-------|--|-----------|
| D2949 | Restorative foundation for an indirect restoration | \$_____00 |
| D2950 | Core buildup, including any pins when required | \$_____00 |
| D2952 | Post and core in addition to crown, indirectly fabricated | \$_____00 |
| D2954 | Prefabricated post and core in addition to crown | \$_____00 |
| D2961 | Labial veneer (resin laminate) - laboratory | \$_____00 |
| D2962 | Labial veneer (porcelain laminate) - laboratory | \$_____00 |
| D2980 | Crown repair necessitated by restorative material failure | \$_____00 |
| D2981 | Inlay repair necessitated by restorative material failure | \$_____00 |
| D2982 | Onlay repair necessitated by restorative material failure | \$_____00 |
| D2983 | Veneer repair necessitated by restorative material failure | \$_____00 |
| D2990 | Resin infiltration of incipient smooth surface lesions | \$_____00 |

ENDODONTICS (D3000 — D3999)

| | | |
|-------|--|-----------|
| D3110 | Pulp cap - direct (excluding final restoration) | \$_____00 |
| D3120 | Pulp cap - indirect (excluding final restoration) | \$_____00 |
| D3220 | Therapeutic pulpotomy (excluding final restoration)... | \$_____00 |
| D3221 | Pulpal debridement, primary and permanent teeth | \$_____00 |
| D3222 | Partial pulpotomy for apexogenesis – permanent tooth with incomplete root development | \$_____00 |
| D3230 | Pulpal therapy (resorbable filling) - anterior, primary tooth (excluding final restoration) | \$_____00 |
| D3240 | Pulpal therapy (resorbable filling) - posterior, primary tooth (excluding final restoration) | \$_____00 |
| D3310 | Endodontic therapy, anterior tooth (excluding final restoration) | \$_____00 |
| D3320 | Endodontic therapy, bicuspid tooth (excluding final restoration) | \$_____00 |
| D3330 | Endodontic therapy, molar (excluding final restoration) | \$_____00 |
| D3331 | Treatment of root canal obstruction; non-surgical access | \$_____00 |
| D3332 | Incomplete endodontic therapy; inoperable, unrestorable or fractured tooth | \$_____00 |
| D3346 | Retreatment of previous root canal therapy — anterior | \$_____00 |
| D3347 | Retreatment of previous root canal therapy — bicuspid | \$_____00 |
| D3348 | Retreatment of previous root canal therapy — molar | \$_____00 |

ENDODONTICS (D3000 — D3999) Continued

| | | |
|-------|--|--------------|
| D3351 | Apexification/recalcification - initial visit... | \$ _____ .00 |
| D3352 | Apexification/recalcification - interim medication replacement | \$ _____ .00 |
| D3353 | Apexification/recalcification — final visit | \$ _____ .00 |
| D3355 | Pulpal regeneration – initial visit | \$ _____ .00 |
| D3356 | Pulpal regeneration – interim medication placement | \$ _____ .00 |
| D3357 | Pulpal regeneration – completion of treatment | \$ _____ .00 |
| D3410 | Apicoectomy/periradicular surgery - anterior | \$ _____ .00 |
| D3421 | Apicoectomy/periradicular surgery - bicuspid (first root) | \$ _____ .00 |
| D3425 | Apicoectomy/periradicular surgery - molar (first root) | \$ _____ .00 |
| D3426 | Apicoectomy (each additional root) | \$ _____ .00 |

PERIODONTICS (D4000 — D4999)

| | | |
|-------|---|--------------|
| D4210 | Gingivectomy or gingivoplasty - four or more contiguous teeth or tooth bounded spaces per quadrant | \$ _____ .00 |
| D4211 | Gingivectomy or gingivoplasty - one to three contiguous teeth or tooth bounded spaces per quadrant | \$ _____ .00 |
| D4212 | Gingivectomy or gingivoplasty to allow access for restorative procedure, per tooth | \$ _____ .00 |
| D4240 | Gingival flap procedure, including root planing — four or more contiguous teeth or tooth bounded spaces per quadrant | \$ _____ .00 |
| D4241 | Gingival flap procedure, including root planing — one to three contiguous teeth or tooth bounded spaces per quadrant | \$ _____ .00 |
| D4249 | Clinical crown lengthening — hard tissue | \$ _____ .00 |
| D4260 | Osseous surgery (including elevation of a full thickness flap and closure) - four or more contiguous teeth or tooth bounded spaces per quadrant | \$ _____ .00 |
| D4261 | Osseous surgery (including elevation of a full thickness flap and closure) - one to three contiguous teeth or tooth bounded spaces per quadrant | \$ _____ .00 |
| D4263 | Bone replacement graft - first site in quadrant | \$ _____ .00 |
| D4264 | Bone replacement graft — each additional site in quadrant | \$ _____ .00 |
| D4266 | Guided tissue regeneration — resorbable barrier, per site | \$ _____ .00 |
| D4267 | Guided tissue regeneration — non-resorbable barrier, per site (includes membrane removal) | \$ _____ .00 |

PERIODONTICS (D4000 — D4999) Continued

| | | |
|-------|---|--------------|
| D4273 | Autogenous connective tissue graft procedure (including donor and recipient surgical sites) first tooth, implant or edentulous tooth position | \$ _____ .00 |
| D4275 | Non-autogenous connective tissue graft procedure (including donor and recipient surgical sites) first tooth, implant or edentulous tooth position in graft | \$ _____ .00 |
| D4277 | Free soft tissue graft procedure (including recipient and donor site surgical sites) first tooth, implant, or edentulous tooth position in graft | \$ _____ .00 |
| D4278 | Free soft tissue graft procedure (including recipient and donor site surgical sites) each additional contiguous tooth, implant, or edentulous tooth position in same graft site | \$ _____ .00 |
| D4283 | Autogenous connective tissue graft procedure...each additional contiguous tooth, implant or edentulous tooth position in same graft site | \$ _____ .00 |
| D4285 | Non-autogenous connective tissue graft procedure...each additional contiguous tooth, implant or edentulous tooth position in same graft site | \$ _____ .00 |
| D4321 | Provisional splinting - extracoronary | \$ _____ .00 |
| D4341 | Periodontal scaling and root planing - four or more teeth per quadrant | \$ _____ .00 |
| D4342 | Periodontal scaling and root planing - one to three teeth per quadrant | \$ _____ .00 |
| D4355 | Full mouth debridement to enable comprehensive evaluation and diagnosis | \$ _____ .00 |
| D4381 | Localized delivery of antimicrobial agents via a controlled release vehicle into diseased crevicular tissue, per tooth | \$ _____ .00 |
| D4910 | Periodontal maintenance | \$ _____ .00 |

PROSTHODONTICS, REMOVABLE (D5000 — D5899)

| | | |
|-------|---|--------------|
| D5110 | Complete denture - maxillary | \$ _____ .00 |
| D5120 | Complete denture - mandibular | \$ _____ .00 |
| D5130 | Immediate denture - maxillary | \$ _____ .00 |
| D5140 | Immediate denture - mandibular | \$ _____ .00 |
| D5211 | Maxillary partial denture - resin base (including any conventional clasps, rests and teeth) | \$ _____ .00 |

PROSTHODONTICS, REMOVABLE (D5000 — D5899)*Continued*

| | | |
|-------|---|-------------|
| D5212 | Mandibular partial denture - resin base (including any conventional clasps, rests and teeth) | \$_____ .00 |
| D5213 | Maxillary partial denture - cast metal framework with resin denture bases (including any conventional clasps, rests, and teeth) | \$_____ .00 |
| D5214 | Mandibular partial denture - cast metal framework with resin denture bases (including any conventional clasps, rests, and teeth) | \$_____ .00 |
| D5221 | Immediate maxillary partial denture - resin base (including any conventional clasps, rests and teeth) | \$_____ .00 |
| D5222 | Immediate mandibular partial denture - resin base (including any conventional clasps, rests and teeth) | \$_____ .00 |
| D5223 | Immediate maxillary partial denture – cast metal framework with resin denture bases (including any conventional clasps, rests and teeth) | \$_____ .00 |
| D5224 | Immediate mandibular partial denture – cast metal framework with resin denture bases (including any conventional clasps, rests and teeth) | \$_____ .00 |
| D5225 | Maxillary partial denture — flexible base (including any clasps, rests, and teeth) | \$_____ .00 |
| D5226 | Mandibular partial denture - flexible base (including any clasps, rests, and teeth) | \$_____ .00 |
| D5510 | Repair broken complete denture base | \$_____ .00 |
| D5520 | Replace missing or broken teeth — complete denture (each tooth) | \$_____ .00 |
| D5610 | Repair resin denture base | \$_____ .00 |
| D5640 | Replace broken teeth - per tooth | \$_____ .00 |
| D5650 | Add tooth to existing partial denture | \$_____ .00 |
| D5660 | Add clasp to existing partial denture – per tooth | \$_____ .00 |
| D5710 | Rebase complete maxillary denture | \$_____ .00 |
| D5711 | Rebase complete mandibular denture | \$_____ .00 |
| D5720 | Rebase maxillary partial denture | \$_____ .00 |
| D5721 | Rebase mandibular partial denture | \$_____ .00 |
| D5730 | Reline complete maxillary denture (chairside) | \$_____ .00 |
| D5731 | Reline complete mandibular denture (chairside) | \$_____ .00 |
| D5750 | Reline complete maxillary denture (laboratory) | \$_____ .00 |

PROSTHODONTICS, REMOVABLE (D5000 — D5899)*Continued*

| | | |
|-------|---|-------------|
| D5751 | Reline complete mandibular denture (laboratory) | \$_____ .00 |
|-------|---|-------------|

MAXILLOFACIAL PROSTHETICS (D5900 — D5999)

| | | |
|-------|--|-------------|
| D5986 | Fluoride gel carrier | \$_____ .00 |
| D5991 | Vesiculobullous disease medicament carrier | \$_____ .00 |
| D5994 | Periodontal medicament carrier with peripheral seal – laboratory processed | \$_____ .00 |

IMPLANT SERVICES (D6000 — D6199)

| | | |
|-------|---|-------------|
| D6010 | Surgical placement of implant body: endosteal implant | \$_____ .00 |
| D6011 | Second stage implant surgery | \$_____ .00 |
| D6012 | Surgical placement of interim implant body for transitional prosthesis: endosteal implant | \$_____ .00 |
| D6051 | Interim abutment | \$_____ .00 |
| D6055 | Connecting bar - implant supported or abutment supported | \$_____ .00 |
| D6056 | Prefabricated abutment — includes modification and placement | \$_____ .00 |
| D6057 | Custom fabricated abutment - includes placement | \$_____ .00 |
| D6059 | Abutment supported porcelain fused to metal crown (high noble metal) | \$_____ .00 |
| D6066 | Implant supported porcelain fused to metal crown (titanium, titanium alloy, high noble metal) | \$_____ .00 |
| D6069 | Abutment supported retainer for porcelain fused to metal FPD (high noble metal) | \$_____ .00 |
| D6076 | Implant supported retainer for porcelain fused to metal FPD (titanium, titanium alloy, or high noble metal) | \$_____ .00 |
| D6080 | Implant maintenance procedures when prostheses are removed and reinserted... | \$_____ .00 |
| D6100 | Implant removal, by report | \$_____ .00 |
| D6104 | Bone graft at time of implant placement | \$_____ .00 |

PROSTHODONTICS, FIXED D6200 — D6999

| | | |
|-------|--|-------------|
| D6205 | Pontic - indirect resin based composite | \$_____ .00 |
| D6210 | Pontic - cast high noble metal | \$_____ .00 |
| D6240 | Pontic - porcelain fused to high noble metal | \$_____ .00 |
| D6241 | Pontic - porcelain fused to predominantly base metal | \$_____ .00 |

PROSTHODONTICS, FIXED D6200 — D6999 Continued

| | | |
|-------|---|-----------|
| D6245 | Pontic - porcelain/ceramic | \$_____00 |
| D6253 | Provisional pontic - further treatment or completion of diagnosis necessary prior to final impression | \$_____00 |
| D6545 | Retainer - cast metal for resin bonded fixed prosthesis | \$_____00 |
| D6549 | Resin retainer - for resin bonded fixed prosthesis | \$_____00 |
| D6710 | Retainer crown - indirect resin based composite | \$_____00 |
| D6750 | Retainer crown - porcelain fused to high noble metal | \$_____00 |
| D6751 | Retainer crown - porcelain fused to predominantly base metal | \$_____00 |
| D6790 | Retainer crown - full cast high noble metal | \$_____00 |
| D6793 | Provisional retainer crown - further treatment or completion of diagnosis necessary prior to final impression | \$_____00 |
| D6930 | Re-cement or re-bond fixed partial denture | \$_____00 |

ORAL & MAXILLOFACIAL SURGERY (D7000-D7999)

| | | |
|-------|---|-----------|
| D7111 | Extraction, coronal remnants - deciduous tooth | \$_____00 |
| D7140 | Extraction, erupted tooth or exposed root (elevation and/or forceps removal) | \$_____00 |
| D7210 | Surgical removal of erupted tooth requiring removal of bone and/or sectioning of tooth, and including elevation of mucoperiosteal flap if indicated | \$_____00 |
| D7220 | Removal of impacted tooth - soft tissue | \$_____00 |
| D7230 | Removal of impacted tooth - partially bony | \$_____00 |
| D7240 | Removal of impacted tooth - completely bony | \$_____00 |
| D7250 | Surgical removal of residual tooth roots (cutting procedure) | \$_____00 |
| D7251 | Coronectomy - intentional partial tooth removal | \$_____00 |
| D7286 | Incisional biopsy of oral tissue - soft | \$_____00 |
| D7287 | Exfoliative cytological sample collection | \$_____00 |
| D7288 | Brush biopsy — transepithelial sample collection | \$_____00 |
| D7295 | Harvest of bone for use in autogenous grafting procedure | \$_____00 |
| D7310 | Alveoloplasty in conjunction with extractions - four or more teeth or tooth spaces, per quadrant | \$_____00 |
| D7320 | Alveoloplasty not in conjunction with extractions - four or more teeth or tooth spaces, per quadrant | \$_____00 |

ORAL & MAXILLOFACIAL SURGERY (D7000-D7999) Continued

| | | |
|-------|---|-----------|
| D7410 | Excision of benign lesion up to 1.25 cm | \$_____00 |
| D7440 | Excision of malignant tumor - lesion diameter up to 1.25 cm | \$_____00 |
| D7450 | Removal of benign odontogenic cyst or tumor - lesion diameter up to 1.25 cm | \$_____00 |
| D7630 | Mandible - open reduction (teeth immobilized, if present) | \$_____00 |
| D7640 | Mandible - closed reduction (teeth immobilized, if present) | \$_____00 |
| D7730 | Mandible - open reduction | \$_____00 |
| D7740 | Mandible - closed reduction | \$_____00 |
| D7880 | Occlusal orthotic device, by report | \$_____00 |
| D7910 | Suture of recent small wounds up to 5 cm | \$_____00 |
| D7921 | Collection and application of autologous blood concentrate product | \$_____00 |
| D7953 | Bone replacement graft for ridge preservation — per site | \$_____00 |
| D7960 | Frenulectomy — also known as frenectomy or frenotomy - separate procedure not incidental to another | \$_____00 |
| D7970 | Excision of hyperplastic tissue - per arch | \$_____00 |

ORTHODONTICS D8000 — D8999

| | | |
|-------|---|-----------|
| D8020 | Limited orthodontic treatment of the transitional dentition | \$_____00 |
| D8030 | Limited orthodontic treatment of the adolescent dentition | \$_____00 |
| D8040 | Limited orthodontic treatment of the adult dentition | \$_____00 |
| D8050 | Interceptive orthodontic treatment of the primary dentition | \$_____00 |
| D8060 | Interceptive orthodontic treatment of the transitional dentition | \$_____00 |
| D8070 | Comprehensive orthodontic treatment of the transitional dentition | \$_____00 |
| D8080 | Comprehensive orthodontic treatment of the adolescent dentition | \$_____00 |
| D8090 | Comprehensive orthodontic treatment of the adult dentition | \$_____00 |
| D8660 | pre-orthodontic treatment examination to monitor growth and development | \$_____00 |
| D8670 | Periodic orthodontic treatment visit | \$_____00 |
| D8681 | Removable orthodontic retainer adjustment | \$_____00 |
| D8690 | Orthodontic treatment (alternative billing to a contract fee) | \$_____00 |

ORTHODONTICS D8000 — D8999 Continued

| | | |
|-------|--|--------------|
| D8692 | Replacement of lost or broken retainer | \$ _____ .00 |
|-------|--|--------------|

ADJUNCTIVE GENERAL SERVICES (D9000 — D9999)

| | | |
|-------|---|--------------|
| D9110 | Palliative (emergency) treatment of dental pain - minor procedure | \$ _____ .00 |
| D9120 | Fixed partial denture sectioning | \$ _____ .00 |
| D9210 | Local anesthesia not in conjunction with operative or surgical procedures | \$ _____ .00 |
| D9215 | Local anesthesia in conjunction with operative or surgical procedures | \$ _____ .00 |
| D9223 | Deep sedation/general anesthesia – each 15 minute increment | \$ _____ .00 |
| D9230 | Inhalation of nitrous oxide/analgesia, anxiolysis | \$ _____ .00 |
| D9243 | Intravenous moderate (conscious) sedation/analgesia - each 15 minute increment | \$ _____ .00 |
| D9248 | Non-intravenous conscious sedation | \$ _____ .00 |
| D9310 | Consultation - diagnostic service provided by dentist or physician other than requesting dentist or physician | \$ _____ .00 |
| D9410 | House/extended care facility call | \$ _____ .00 |
| D9420 | Hospital or ambulatory surgical center call | \$ _____ .00 |
| D9430 | Office visit for observation (during regularly scheduled hours) - no other services performed | \$ _____ .00 |
| D9440 | Office visit - after regularly scheduled hours | \$ _____ .00 |
| D9450 | Case presentation, detailed and extensive treatment planning | \$ _____ .00 |
| D9610 | Therapeutic parenteral drug, single administration | \$ _____ .00 |
| D9630 | Other drugs and/or medicaments, by report | \$ _____ .00 |
| D9910 | Application of desensitizing medicament | \$ _____ .00 |
| D9911 | Application of desensitizing resin for cervical and/or root surface, per tooth | \$ _____ .00 |
| D9920 | Behavior management, by report | \$ _____ .00 |
| D9930 | Treatment of complications (post-surgical) — unusual circumstances, by report | \$ _____ .00 |
| D9932 | Cleaning and inspection of removable complete denture, maxillary | \$ _____ .00 |
| D9933 | Cleaning and inspection of removable complete denture, mandibular | \$ _____ .00 |

**ADJUNCTIVE GENERAL SERVICES (D9000 — D9999)
Continued**

| | | |
|-------|---|--------------|
| D9934 | Cleaning and inspection of removable partial denture, maxillary | \$ _____ .00 |
| D9935 | Cleaning and inspection of removable partial denture, mandibular | \$ _____ .00 |
| D9940 | Occlusal guard, by report | \$ _____ .00 |
| D9941 | Fabrication of athletic mouthguard | \$ _____ .00 |
| D9943 | Occlusal guard adjustment | \$ _____ .00 |
| D9951 | Occlusal adjustment - limited | \$ _____ .00 |
| D9952 | Occlusal adjustment - complete | \$ _____ .00 |
| D9972 | External bleaching - per arch - performed in office | \$ _____ .00 |
| D9974 | Internal bleaching - per tooth | \$ _____ .00 |
| D9975 | External bleaching for home application, per arch; includes materials and fabrication of custom trays | \$ _____ .00 |

Any comments?

Thank you very much for your assistance in this important research project. Please return this questionnaire by folding and placing tape as indicated. The postage is already paid.